



POSTMAN VERIFYING

1. Backend connection



2. Blood Banks



The screenshot displays a REST client interface for a GET request to `http://localhost:5000/api/bloodbanks`. The response is a 200 OK status with a response time of 8 ms and a body size of 1.04 KB. The response body is a JSON array containing two blood bank objects.

```
1  [  
2    {  
3      "id": 1,  
4      "name": "City Blood Bank",  
5      "address": "Ameerpet",  
6      "city": "Hyderabad",  
7      "phone": "9000000001",  
8      "latitude": "17.43750000",  
9      "longitude": "78.44830000",  
10     "created_at": "2026-09-29T07:07:15.000Z"  
11   },  
12   {  
13     "id": 2,  
14     "name": "Government Blood Bank",  
15     "address": "Koti",  
16     "city": "Hyderabad",  
17     "phone": "9000000002",  
18     "latitude": "17.38500000",  
19     "longitude": "78.48670000",  
20     "created_at": "2026-09-29T07:07:15.000Z"  
21   },  
22 ]
```

... Save Share

GET

http://localhost:5000/api/bloodbanks

Send

Docs

Params

Authorization

Headers 7

Body

Scripts

Settings

Cookies

Body

Cookies

Headers 9

Test Results

200 OK

8 ms

1.04 KB

...

JSON

Preview

Visualize

...

```
22 {
23   "id": 3,
24   "name": "Red Cross Blood Bank",
25   "address": "Lakdikapul",
26   "city": "Hyderabad",
27   "phone": "9000000003",
28   "latitude": "17.40000000",
29   "longitude": "78.46500000",
30   "created_at": "2026-09-29T07:07:15.000Z"
31 },
32 {
33   "id": 4,
34   "name": "Apollo Blood Bank",
35   "address": "Jubilee Hills",
36   "city": "Hyderabad",
37   "phone": "9000000004",
38   "latitude": "17.43100000",
39   "longitude": "78.40700000",
40   "created_at": "2026-09-29T07:07:15.000Z"
41 }
42 ]
```

3. Collector Signup


The screenshot displays a REST client interface with the following components:

- URL Bar:** Shows the URL `http://localhost:5000/api/auth/signup` with a `Save` button and a `Share` link.
- Method and Path:** A dropdown menu is set to `POST` for the path `http://localhost:5000/api/auth/signup`, with a `Send` button.
- Navigation Tabs:** Includes `Docs`, `Params`, `Authorization`, `Headers 9`, `Body` (selected), `Scripts`, `Settings`, and `Cookies`.
- Body Format:** A dropdown shows `raw` and `JSON` (selected). There are `Schema` and `Beautify` options.
- Request Body:** A JSON object is entered:

```
1 {  
2   "name": "Sam",  
3   "email": "sam@gmail.com",  
4   "phone": "9876543710",  
5   "password": "121"  
6 }
```
- Response Section:**
 - Body:** Selected tab showing the response JSON:

```
1 {  
2   "message": "Collector signup successful",  
3   "userId": 4  
4 }
```
 - Status Bar:** Displays `201 Created`, `237 ms`, `360 B`, and a globe icon.
 - Tools:** Includes a `JSON` dropdown, `Preview` and `Visualize` buttons, and icons for `Expand`, `Menu`, `Search`, `Copy`, and `Link`.

4. Collector Login



5. Register a Donor

The screenshot displays a REST client interface with a POST request to `http://localhost:5000/api/donors`. The request body is a JSON object containing donor details. The response is a 201 Created status with a JSON body indicating successful registration.

Request:

```
POST http://localhost:5000/api/donors

{
  "age": 19,
  "blood_group": "O-",
  "phone": "9023456789",
  "city": "Hyderabad",
  "address": "Koti, Hyderabad",
  "blood_bank_id": 4,
  "infection": "No",
  "antibiotics": "No",
  "surgery": "No",
  "chronic_illness": "No",
  "feeling_well": "Yes"
}
```

Response:

```
201 Created • 27 ms • 578 B • ...

{
  "message": "Donor registration completed",
  "reason": null,
  "donor": {
    "id": 5,
    "name": "Dharmika",
    "age": 19,
    "blood_group": "O-",
    "phone": "9023456789",
    "city": "Hyderabad",
    "address": "Koti, Hyderabad",
    "blood_bank_id": 4,
    "eligibility_status": "PRELIMINARILY_ELIGIBLE",
    "available": true
  }
}
```

6. Find Donor

The screenshot shows a REST client interface with a GET request to `http://localhost:5000/api/donors`. The response is a JSON array of two donor objects. The first object is expanded, showing details such as name, age, blood group, phone, city, address, and eligibility status.

```
1
[
  {
    "id": 3,
    "name": "Rohan",
    "age": 19,
    "blood_group": "B-",
    "phone": "7896320566",
    "city": "Hyderabad",
    "address": "Dundigal, Hyderabad, Telangana, India",
    "available": 1,
    "eligibility_status": "PRELIMINARILY_ELIGIBLE",
    "blood_bank_id": 1,
    "blood_bank_name": "City Blood Bank",
    "blood_bank_address": "Ameerpet",
    "blood_bank_city": "Hyderabad"
  },
  {
    "id": 4,
    "name": "Test Donor",
    "age": 25,
    "blood_group": "O+",
    "phone": "9123456789",
    "city": "Hyderabad",
  }
]
```

Body Cookies Headers 9 Test Results 200 OK • 6 ms • 1.91 KB

{ } JSON Preview Visualize

Ready to go

Search by blood group

The screenshot shows a web browser interface for testing HTTP requests. The address bar displays `http://localhost:5000/a`. The main area shows a GET request to `http://localhost:5000/api/donors?bloodGroup=O-`. The response is a 200 OK status with a response time of 6 ms and a body size of 612 B. The response body is displayed in JSON format, showing a single donor record.

Request URL: `http://localhost:5000/api/donors?bloodGroup=O-`

Method: `GET`

Response Status: `200 OK` (6 ms, 612 B)

Response Body (JSON):

```
[
  {
    "id": 5,
    "name": "Dharmika",
    "age": 19,
    "blood_group": "O-",
    "phone": "9023456789",
    "city": "Hyderabad",
    "address": "Koti, Hyderabad",
    "available": 1,
    "eligibility_status": "PRELIMINARILY_ELIGIBLE",
    "blood_bank_id": 4,
    "blood_bank_name": "Apollo Blood Bank",
    "blood_bank_address": "Jubilee Hills",
    "blood_bank_city": "Hyderabad"
  }
]
```

7. Create Collection Request

The screenshot displays a REST client interface with a tab for a POST request to `http://localhost:5000/api/requests`. The request body is a JSON object:

```
1 {
2   "donor_id": 5,
3   "blood_bank_id": 4,
4   "address": "Koti, Hyderabad"
5 }
```

The response status is **201 Created** with a response time of 41 ms and a body size of 509 B. The response body is shown in JSON format:

```
1 {
2   "message": "Collection request created successfully",
3   "requestId": 4,
4   "donor": {
5     "id": 5,
6     "name": "Dharmika",
7     "blood_group": "O-",
8     "available": 1,
9     "eligibility_status": "PRELIMINARILY_ELIGIBLE"
10  },
11   "status": "PENDING"
12 }
```