



PLUS
INFINITE...POSSIBILITIES



60X120CM
CARVING COLLECTION



Luxury Style & *Elegance*

20+ Years
Experience

800+ Happy
Customers

57+ Export
Country

100% Quality



Rey Plus, a company founded in 2003, has been manufacturing and selling integral porcelain tiles for all kinds of flooring and wall tiling solutions.

The manufacturing plant and main offices in Morbi, Gujarat IN, and the Worldwide logistics warehouses, make it possible to supply and deliver all the items in customers' orders. Through its national and international distribution network, Rey Cera exports tiles to more than 85 countries in all five continents.

As a result of our commitment to quality, all of our products comply with the guidelines of the ISO 9001:2000 standard, which guarantees that our research, development and commercializations are carried out with the maximum guarantees.

SURFACE FOR ULTIMATE DESIGN PROJECTS

An accurate selection of Tiles that we replicates to meet the aesthetic and practical needs of every interior design project the Tiles of classical tradition have always been the protagonists of architecture in warm and cool tones, We recognized all over the world for their purity, original colors reinterpreted and proposed in a new perspective.

The true distinctive strength of the "Soul" design lies in the fact that we have enhanced rather than discarded, selecting the most natural part of the oak with all its wonderful imperfections and letting it fully express itself through the three variants "natural", "rustic" and "reclaimed" which most pertain to this wonderful timber, as old as humankind and as deep as the emotions it always generates in those exposed to it.

TECHNICAL SPECIFICATION



Long durability



Easy to clean



Impact Resistance



Frost Resistance



Low water absorption



Dimensional stability



Hygienic surface



Fire Resistance



Chemical Resistance



Easy Installation



Thermal shock Resistance




Crazing Resistance



MATT
CARVING

TERAZZO
CARVING

DECOR
CARVING



INTELLECTUAL
PROPERTY INDIA

PATENTS | DESIGNS | TRADE MARKS
GEOGRAPHICAL INDICATIONS



1ST
TIME
IN
WORLD

1st ceramic company
to introduce patented
E N D M A T C H
Concept across the world!



600X
600MM

600X
1200MM

800X
1600MM

1200X
1800MM

Decora Carving

600X1200MM

Decora Carving tiles is a decorative and artistic technique that involves etching or engraving designs, patterns, or images into the surface of ceramic or clay tiles.





PLUS
INFINITE...POSSIBILITIES

DECORE
COLLECTION



TITANIO DECOR F1

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



TITANIO DECOR F2

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



TITANIO DECOR F3

SIZE : 600X1200MM
60X120CM | 2'X4'


SURFACE : CARVING



TITANIO DECOR F4

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



BRANDY WHITE

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 1 FACE

SURFACE : CARVING





PLUS
INFINITE...POSSIBILITIES


DECORE | **ENDMATCH®**
COLLECTION ...La Marmo Infinito...



COCOON DECOR

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



CHEVRON BROWN

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 1 FACE


SURFACE : CARVING








PLUS
INFINITE...POSSIBILITIES



BIGIL DECOR

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



DUBBELT IVORY

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 1 FACE

SURFACE : CARVING



DECORE
COLLECTION | ENDMATCH®
...La Marmo Infinito...







PLUS
INFINITE...POSSIBILITIES

DECORE
COLLECTION



CERULEAN DECOR F1

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



CERULEAN DECOR F2

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



CERULEAN DECOR F3

SIZE : 600X1200MM
60X120CM | 2'X4'


SURFACE : CARVING



CERULEAN DECOR F4

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



CERULEAN SKYE

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 4 FACES


SURFACE : CARVING





PLUS
INFINITE...POSSIBILITIES

DECORE
COLLECTION



CASPER DECOR F1

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



CASPER DECOR F2

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



CASPER DECOR F3

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



CASPER DECOR F4

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



CASPER METAL

SIZE : 600X1200MM
60X120CM | 2'X4'


RANDOM : 4 FACES

SURFACE : CARVING





PLUS
INFINITE...POSSIBILITIES



INSERTO DECOR

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 4 FACES

SURFACE : CARVING




AIRSLATE HONEY

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 4 FACES

SURFACE : CARVING







PLUS
INFINITE...POSSIBILITIES



BLOOM COMPO DECOR F1

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



BLOOM COMPO DECOR F2

SIZE : 600X1200MM
60X120CM | 2'X4'


SURFACE : CARVING



BLOOM COMPO DECOR F3

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



AIRSLATE CHARCOAL

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 4 FACES

SURFACE : CARVING







REY

infinite creativity

PLUS
INFINITE...POSSIBILITIES



COTONE DECOR F1

SIZE : 600X1200MM
60X120CM | 2'X4'


SURFACE : CARVING



COTONE DECOR F2

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



AIRSLATE CHARCOAL

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 4 FACE


SURFACE : CARVING







PLUS
INFINITE...POSSIBILITIES



CANDY DECOR F1

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING



CANDY DECOR F2

SIZE : 600X1200MM
60X120CM | 2'X4'

SURFACE : CARVING




AIRSLATE RUST

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 4 FACES

SURFACE : CARVING



DECORE | ENDMATCH®
COLLECTION
...La Marmo Infinito...







PLUS
INFINITE...POSSIBILITIES



TROPICAL DECOR

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 4 FACES

SURFACE : CARVING

AIRSLATE CAROLINA

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 4 FACES



SURFACE : CARVING







PLUS
INFINITE...POSSIBILITIES



WILD FOLIAGE DECOR

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 4 FACES

SURFACE : CARVING



AIRSLATE PERSIAN

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 4 FACES


SURFACE : CARVING







PLUS
INFINITE...POSSIBILITIES




PYTHON BLANC

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 1 FACE

SURFACE : CARVING



PYTHON BLUE

SIZE : 600X1200MM
60X120CM | 2'X4'

RANDOM : 1 FACE

SURFACE : CARVING

DECORE | **ENDMATCH®**
COLLECTION ...La Marmo Infinito...





EXPORTS WORLDWIDE



U.S. TERRITORY

- MEXICO
- CANADA

SOUTH AMERICA / LATIN AMERICA TERRITORY

- BOLIVIA
- CHILE
- COLOMBIA
- COSTARICA
- DOMINICAN REPUBLIC
- GUATEMALA
- HAITI
- HONDURAS
- PANAMA
- PERU
- PUERTO RICO
- EL SALVADOR
- VENEZUELA
- JAMAICA
- CURACAO
- NICARAGUA
- TOBAGO
- BURKINA FASO
- TRINIDAD & TOBAGO
- ECUADOR

EUROPE & BALCON TERRITORY

- ALBANIA
- KOSOVO
- MACEDONIA
- GREECE
- SPAIN

NORTH AFRICA TERRITORY

- LIBYA
- NIGERIA
- SOUTH AFRICA
- MOROCO
- ISRAEL
- TUNISIA
- SURINAME

ASIAN TERRITORY

- SRI LANKA
- MAURITIUS
- AUSTRALIA
- VIETNAME
- TAIWAN
- THAILAND
- AFGHANISTAN
- BANGLADESH
- NEPAL

MIDDLE EAST TERRITORY

- BAHRAIN
- IRAQ
- KUWAIT
- OMAN
- QATAR
- SAUDI ARABIA
- LEBANON
- JORDAN
- SYRIA

TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS - GLAZED VITRIFIED TILES (GROUP Bla)

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP Bla	PORCELAIN VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-2	±0.6%	±0.2%
Deviation In Thickness	ISO-10545-2	±5%	±4%
Straightness Of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.6%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-3	<0.5%	<0.2%
Mohs Hardness	EN-101	Min.3	Min.3
Flexural Strength	ISO-10545-4	>35 N/mm ²	>40N/mm ²
Skid Resistance (Friction Coefficient)	ISO-10545-17	-	<0.2 (R9)
Breaking Strength	ISO-10545-11	>1113 N	>1800 N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Moisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	-	PEI III & IV
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

TECHNICAL SPECIFICATIONS - CERAMIC TILES

CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP Bla	CERAMIC VALUE
DIMENSION & SURFACE QUALITY			
Deviation In Length	ISO-10545-02	±0.20%	±0.10%
Deviation In Thickness	ISO-10545-02	±7.00%	±0.10%
Straightness Of Sides	ISO-10545-02	±0.15%	±0.10%
Rectangularity	ISO-10545-02	±0.20%	±0.15%
Surface Flatness	ISO-10545-02	±0.30%	±0.20%
PHYSICAL & THERMAL PROPERTIES			
Water Absorption	ISO-10545-03	<10%	16+2%
Mohs Hardness	EN-101	Min. Class 3	Compliant
Flexural Strength	ISO-10545-04	R >15 N/mm ²	Compliant
Skid Resistance (Friction Coefficient)	ISO-10545-08	<9.0 x 10 ⁻⁶ EC ⁻¹	Compliant
Breaking Strength	ISO-13630-06	600 Min.	Compliant
Frost Resistance	ISO-13630-03	0.04 mm/M Max.	Compliant
Thermal Shock Resistance	ISO-10545-09	Min. 10 Cycles	Compliant
Moisture Expansion	ISO-13630-03	0.04 mm/M Max.	Passed 10 Cycle
Resistance to Surface Abrasion	ISO-13630-14	0.55 Min.	4 Cycle Passed
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	As per Mfg.	No visible effect
Color Resistance	ISO-10545-13	Class AA Min.	Compliant
Stain Resistance	ISO-10545-14	Class 1 Min.	Compliant



CORPORATE OFFICE:

Eden Ceramic City, Opp Honest Hotel,
8-A NH, At. Lalpar - 363642, Dist. Morbi, Gujarat - (INDIA)

Domestic Inquiry

+91 97277 70313

pratik@reycera.com

Export Inquiry

+91 98791 00954

anand@reycera.com

GROUP OF COMPANIES:

REY CERA CREATION PVT. LTD

SIMBEL CERAMIC PVT. LTD.

ADORATION CERAMICA PVT. LTD.

LETOZA GRANITO LLP.

REY CERA EXIM LLP

REY INTERNATIONAL LLP



WEB: www.reycera.com

Join us on: |