

TASK 2

Step 1: Open Jenkins and click "**New Item.**"

Step 2: Enter a project name, select "**Pipeline,**" then click **OK.**

Step 3: In the **General** tab, scroll down to the "**Pipeline**" section.

Step 4: Under "**Definition,**" select "**Pipeline script from SCM.**"

Step 5: In the **SCM** field, choose "**Git,**" then enter your GitHub repository URL.

Step 6: Ensure your GitHub repository contains the following files:

- app.py (Application code)
- Dockerfile (Instructions to build the Docker image)
- docker-compose.yml (For container orchestration)
- Jenkinsfile (Defines the pipeline stages)
- requirements.txt (Dependencies for the application)

Step 7: Click "**Save**" to apply the configuration.

Step 8: On the project page, click "**Build Now**" to start the job.

Step 9: The build status will appear in the **Build History** panel (left-side panel).

Step 10: Click on the latest build (#1, #2, etc.) and select "**Console Output**" to view logs and results.

WLS DevOps Project Setup x Docker Home x ci-cd-pipeline #10 Console [Jenki x +

localhost:8080/job/ci-cd-pipeline/10/console

Jenkins 🔍 🛡️ 1 👤 Dharsana Prakash 📄 log out

Dashboard > ci-cd-pipeline > #10

Status > Changes > **Console Output** [Download] [Copy] [View as plain text]

Edit Build Information
Delete build '#10'
Git Build Data
Restart from Stage
Replay
Pipeline Steps
Workspaces
Previous Build

Started by user [Dharsana Prakash](#)
Obtained jenkinsfile from git <https://github.com/Dharsanaprakash/jenkins.git>
[Pipeline] Start of Pipeline
[Pipeline] node
Running on [Jenkins](#) in /var/lib/jenkins/workspace/ci-cd-pipeline
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
using credential github
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/ci-cd-pipeline/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url <https://github.com/Dharsanaprakash/jenkins.git> # timeout=10
Fetching upstream changes from <https://github.com/Dharsanaprakash/jenkins.git>
> git --version # timeout=10
> git --version # 'git version 2.34.1'
using GIT_ASKPASS to set credentials github

Windows taskbar: Search, File Explorer, Chrome, Firefox, VS Code, Docker Desktop, WSL, 2:06 pm 19/3/2025

WLS DevOps Project Setup x Docker Home x ci-cd-pipeline #10 Console [Jenki x +

localhost:8080/job/ci-cd-pipeline/10/console

Dashboard > ci-cd-pipeline > #10

using GIT_ASKPASS to set credentials github
> git fetch --tags --force --progress -- <https://github.com/Dharsanaprakash/jenkins.git> +refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision 84490c2d22f9aabc7259d127ee951d8364fd1cc3 (refs/remotes/origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f 84490c2d22f9aabc7259d127ee951d8364fd1cc3 # timeout=10
Commit message: "jenkinsfile"
> git rev-list --no-walk 84490c2d22f9aabc7259d127ee951d8364fd1cc3 # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Checkout Code)
[Pipeline] git
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
using credential github
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/ci-cd-pipeline/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url <https://github.com/Dharsanaprakash/jenkins.git> # timeout=10
Fetching upstream changes from <https://github.com/Dharsanaprakash/jenkins.git>
> git --version # timeout=10

Windows taskbar: Search, File Explorer, Chrome, Firefox, VS Code, Docker Desktop, WSL, 2:07 pm 19/3/2025

WLS DevOps Project Setup x Docker Home x ci-cd-pipeline #10 Console [jenkins] x +

localhost:8080/job/ci-cd-pipeline/10/console

Dashboard > ci-cd-pipeline > #10

```
> git --version # 'git version 2.34.1'
using GIT_ASKPASS to set credentials github
> git fetch --tags --force --progress -- https://github.com/Dharsanaprakash/jenkins.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision 84490c2d22f9aabc7259d127ee951d8364fd1cc3 (refs/remotes/origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f 84490c2d22f9aabc7259d127ee951d8364fd1cc3 # timeout=10
> git branch -a -v --no-abbrev # timeout=10
> git branch -D main # timeout=10
> git checkout -b main 84490c2d22f9aabc7259d127ee951d8364fd1cc3 # timeout=10
Commit message: "jenkinsfile"
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Build Docker Image)
[Pipeline] script
[Pipeline] {
[Pipeline] sh
+ docker build -t dharsana2005/my-app:latest .
#0 building with "default" instance using docker driver

#1 [internal] load build definition from Dockerfile
#1 transferring dockerfile: 471B done
#1 DONE 0.0s
```

Search

ENG US 2:07 pm 19/3/2025

WLS DevOps Project Setup x Docker Home x ci-cd-pipeline #10 Console [jenkins] x +

localhost:8080/job/ci-cd-pipeline/10/console

Dashboard > ci-cd-pipeline > #10

```
#2 [internal] load metadata for docker.io/library/python:3.11-slim
#2 ...

#3 [auth] library/python:pull token for registry-1.docker.io
#3 DONE 0.0s

#2 [internal] load metadata for docker.io/library/python:3.11-slim
#2 DONE 4.1s

#4 [internal] load .dockerignore
#4 transferring context: 2B done
#4 DONE 0.0s

#5 [1/5] FROM docker.io/library/python:3.11-slim@sha256:7029b00486ac40bed03e36775b864d3f3d39dcdbf19cd45e6a52d541e6c178f0
#5 DONE 0.0s

#6 [internal] load build context
#6 transferring context: 6.99kB 0.0s done
#6 DONE 0.0s

#7 [2/5] WORKDIR /app
#7 CACHED

#8 [3/5] COPY requirements.txt /app/
#8 CACHED
```

Search

ENG US 2:07 pm 19/3/2025

WLS DevOps Project Setup x Docker Home x ci-cd-pipeline #10 Console [Jenkin] x +

localhost:8080/job/ci-cd-pipeline/10/console

Dashboard > ci-cd-pipeline > #10

```
#9 [4/5] RUN pip install --no-cache-dir -r requirements.txt
#9 CACHED

#10 [5/5] COPY . /app
#10 DONE 0.1s

#11 exporting to image
#11 exporting layers 0.0s done
#11 writing image sha256:e205bfdb32910e09d6460ccab458c239d271ed6d12434c92fc702cad7306bc09 done
#11 naming to docker.io/dharsana2005/my-app:latest done
#11 DONE 0.1s

[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Login to Docker Registry)
[Pipeline] script
[Pipeline] {
[Pipeline] withCredentials
Masking supported pattern matches of $DOCKER_PASS
[Pipeline] {
[Pipeline] sh
+ echo ****
+ docker login -u dharsana2005 --password-stdin
```

Search

ENG US 2:07 pm 19/3/2025

WLS DevOps Project Setup x Docker Home x ci-cd-pipeline #10 Console [Jenkin] x +

localhost:8080/job/ci-cd-pipeline/10/console

Dashboard > ci-cd-pipeline > #10

```
Login Succeeded
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Push Image to Docker Registry)
[Pipeline] script
[Pipeline] {
[Pipeline] sh
+ docker push dharsana2005/my-app:latest
The push refers to repository [docker.io/dharsana2005/my-app]
dad29af7b5c7: Preparing
fb025f4cf9f3: Preparing
2d0e3e641621: Preparing
4724dcad4776: Preparing
e394b4c0757a: Preparing
97d879c3dfa3: Preparing
e2f88fe30c9c: Preparing
1287fbecdfcc: Preparing
97d879c3dfa3: Waiting
e2f88fe30c9c: Waiting
1287fbecdfcc: Waiting
fb025f4cf9f3: Layer already exists
```

Search

ENG US 2:07 pm 19/3/2025

WLS DevOps Project Setup x Docker Home x ci-cd-pipeline #10 Console [Jenkin] x +

localhost:8080/job/ci-cd-pipeline/10/console

Dashboard > ci-cd-pipeline > #10

```
fb025f4cf9f3: Layer already exists
2d0e3e641621: Layer already exists
4724dcad4776: Layer already exists
e394b4c0757a: Layer already exists
e2f88fe30c9c: Layer already exists
97d879c3dfa3: Layer already exists
1287fbecdfcc: Layer already exists
dad29af7b5c7: Pushed
latest: digest: sha256:cf76521f42c41f4aa8928748d7cee844b9cdfd0213eab91ad6ed93360797e9ba size: 1992
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Deploy using Docker Compose)
[Pipeline] script
[Pipeline] {
[Pipeline] sh
+ docker-compose up -d
Creating network "ci-cd-pipeline_default" with the default driver
Pulling redis (redis:alpine)...
alpine: Pulling from library/redis
Digest: sha256:02419de7eddf55aa5bcf49efb74e88fa8d931b4d77c07eff8a6b2144472b6952
Status: Downloaded newer image for redis:alpine
Pulling db (postgres:alpine)...
alpine: Pulling from library/postgres
```

Search

ENG US 2:07 pm 19/3/2025

WLS DevOps Project Setup x Docker Home x ci-cd-pipeline #10 Console [Jenkin] x +

localhost:8080/job/ci-cd-pipeline/10/console

Dashboard > ci-cd-pipeline > #10

```
Pulling db (postgres:alpine)...
alpine: Pulling from library/postgres
Digest: sha256:7062a2109c4b51f3c792c7ea01e83ed12ef9a980886e3b3d380a7d2e5f6ce3f5
Status: Downloaded newer image for postgres:alpine
Building app
#0 building with "default" instance using docker driver

#1 [internal] load build definition from Dockerfile
#1 transferring dockerfile: 471B done
#1 DONE 0.0s

#2 [internal] load metadata for docker.io/library/python:3.11-slim
#2 DONE 2.5s

#3 [internal] load .dockerignore
#3 transferring context: 2B done
#3 DONE 0.0s

#4 [1/5] FROM docker.io/library/python:3.11-slim@sha256:7029b00486ac40bed03e36775b864d3f3d39dcdbdf19cd45e6a52d541e6c178f0
#4 DONE 0.0s

#5 [internal] load build context
#5 transferring context: 3.61kB 0.0s done
#5 DONE 0.0s

#6 [3/5] FROM docker.io/library/python:3.11-slim@sha256:7029b00486ac40bed03e36775b864d3f3d39dcdbdf19cd45e6a52d541e6c178f0
#6 DONE 0.0s
```

Search

ENG US 2:08 pm 19/3/2025

WLS DevOps Project Setup x Docker Home x ci-cd-pipeline #10 Console [Jenki x +

localhost:8080/job/ci-cd-pipeline/10/console

Dashboard > ci-cd-pipeline > #10

```
#6 [2/5] WORKDIR /app
#6 CACHED

#7 [3/5] COPY requirements.txt /app/
#7 CACHED

#8 [4/5] RUN pip install --no-cache-dir -r requirements.txt
#8 CACHED

#9 [5/5] COPY . /app
#9 CACHED

#10 exporting to image
#10 exporting layers done
#10 writing image sha256:e205bfdb32910e09d6460ccab458c239d271ed6d12434c92fc702cad7306bc09 done
#10 naming to docker.io/library/ci-cd-pipeline_app 0.0s done
#10 DONE 0.0s
Image for service app was built because it did not already exist. To rebuild this image you must use `docker-compose
build` or `docker-compose up --build`.
Creating ci-cd-pipeline_db_1 ...
Creating ci-cd-pipeline_redis_1 ...
Creating ci-cd-pipeline_db_1 ... done
Creating ci-cd-pipeline_redis_1 ... done
Creating ci-cd-pipeline_app_1 ...
Creating ci-cd-pipeline_app_1 ... done
[Pipeline]
```

Search

ENG US 2:08 pm 19/3/2025

WLS DevOps Project Setup x Docker Home x ci-cd-pipeline #10 Console [Jenki x +

localhost:8080/job/ci-cd-pipeline/10/console

Dashboard > ci-cd-pipeline > #10

```
Creating ci-cd-pipeline_app_1 ...
Creating ci-cd-pipeline_app_1 ... done
[Pipeline] }
[Pipeline] // script
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] echo
Pipeline executed successfully!
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

REST API Jenkins 2.492.2

Search

ENG US 2:08 pm 19/3/2025