

## TASK 36 - SQL Bolt - <https://sqlbolt.com/>

### SQL Lesson 1: SELECT queries 101

Table: Movies

Id	Title	Director	Year	Length_minutes
1	Toy Story	John Lasseter	1995	81
2	A Bug's Life	John Lasseter	1998	95
3	Toy Story 2	John Lasseter	1999	93
4	Monsters, Inc.	Pete Docter	2001	92
5	Finding Nemo	Andrew Stanton	2003	107
6	The Incredibles	Brad Bird	2004	116
7	Cars	John Lasseter	2006	117
8	Ratatouille	Brad Bird	2007	115
9	WALL-E	Andrew Stanton	2008	104
10	Up	Pete Docter	2009	101

`SELECT * FROM movies;`

RESET

Exercise 1 — Tasks

- Find the **title** of each film ✓
- Find the **director** of each film ✓
- Find the **title** and **director** of each film ✓
- Find the **title** and **year** of each film ✓
- Find **all** the information about each film ✓

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

Continue >

### SQL Lesson 2: Queries with constraints (Pt. 1)

Table: Movies

Id	Title	Director	Year	Length_minutes
1	Toy Story	John Lasseter	1995	81
2	A Bug's Life	John Lasseter	1998	95
3	Toy Story 2	John Lasseter	1999	93
4	Monsters, Inc.	Pete Docter	2001	92
5	Finding Nemo	Andrew Stanton	2003	107

`SELECT * FROM movies where id<=5;`

RESET

Exercise 2 — Tasks

- Find the movie with a row **id** of 6 ✓
- Find the movies released in the **year** s between 2000 and 2010 ✓
- Find the movies **not** released in the **year** s between 2000 and 2010 ✓
- Find the first 5 Pixar movies and their release **year** ✓

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

Continue >

## SQL Lesson 3: Queries with constraints (Pt. 2)

Table: Movies

Id	Title	Director	Year	Length_minutes
9	WALL-E	Andrew Stanton	2008	104
87	WALL-G	Brenda Chapman	2042	97

Exercise 3 — Tasks

1. Find all the Toy Story movies ✓
2. Find all the movies directed by John Lasseter ✓
3. Find all the movies (and director) not directed by John Lasseter ✓
4. Find all the WALL-\* movies ✓

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

Continue >

```
SELECT * FROM movies where title like "Wall%";
```

RESET

## SQL Lesson 4: Filtering and sorting Query results

Table: Movies

Title
Monsters University
Monsters, Inc.
Ratatouille
The Incredibles
Toy Story

Exercise 4 — Tasks

1. List all directors of Pixar movies (alphabetically), without duplicates ✓
2. List the last four Pixar movies released (ordered from most recent to least) ✓
3. List the **first** five Pixar movies sorted alphabetically ✓
4. List the **next** five Pixar movies sorted alphabetically ✓

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

Continue >

```
SELECT title FROM movies  
ORDER BY title ASC  
LIMIT 5 OFFSET 5;
```

RESET

## SQL Lesson 5 Review: Simple SELECT Queries

Table: North\_american\_cities

City	Country	Population	Latitude	Longitude
Chicago	United States	2718782	41.878114	-87.629798
Houston	United States	2195914	29.760427	-95.369803

Review 1 — Tasks

1. List all the Canadian cities and their populations ✓
2. Order all the cities in the United States by their latitude from north to south ✓
3. List all the cities west of Chicago, ordered from west to east ✓
4. List the two largest cities in Mexico (by population) ✓
5. List the third and fourth largest cities (by population) in the United States and their population ✓

SELECT \* FROM north\_american\_cities where country="United States" order by population DESC limit 2 offset 2;

RESET

Continue >

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

## SQL Lesson 6: Multi-table queries with JOINS

Query Results

Title	Rating
WALL-E	8.5
Toy Story 3	8.4
Toy Story	8.3
Up	8.3
Finding Nemo	8.2
Monsters, Inc.	8.1
Ratatouille	8
The Incredibles	8
Toy Story 2	7.9
Monsters University	7.4

Exercise 6 — Tasks

1. Find the domestic and international sales for each movie ✓
2. Show the sales numbers for each movie that did better internationally rather than domestically ✓
3. List all the movies by their ratings in descending order ✓

SELECT title, rating  
FROM movies  
JOIN boxoffice  
ON movies.id = boxoffice.movie\_id  
order by rating DESC;

RESET

Continue >

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

## SQL Lesson 7: OUTER JOIN

Query Results

Building_name	Role
1e	Engineer
1e	Manager
1w	
2e	
2w	Artist
2w	Manager

```
SELECT DISTINCT building_name, role FROM buildings
left join employees on building_name = building;
```

RESET

Exercise 7 — Tasks

- Find the list of all buildings that have employees ✓
- Find the list of all buildings and their capacity ✓
- List all buildings and the distinct employee roles in each building (including empty buildings) ✓

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

Continue ›

## SQL Lesson 8: A short note on NULL

Query Results

Building_name
1w
2e

```
SELECT DISTINCT building_name FROM buildings left join employees
on building_name = building where role IS NULL;
```

RESET

Exercise 8 — Tasks

- Find the name and role of all employees who have not been assigned to a building ✓
- Find the names of the buildings that hold no employees ✓

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

Continue ›

## SQL Lesson 9: Queries with expressions

Query Results

Title	Year
A Bug's Life	1998
The Incredibles	2004
Cars	2006
WALL-E	2008
Toy Story 3	2010
Brave	2012

Exercise 9 — Tasks

1. List all movies and their combined sales in **millions** of dollars ✓
2. List all movies and their ratings **in percent** ✓
3. List all movies that were released on even number years ✓

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

Continue ›

```
SELECT title, year from movies where year % 2 =0;
```

RESET

## SQL Lesson 10: Queries with aggregates (Pt. 1)

Table: Employees

Building	Total_years_employed
1e	29
2w	36

Exercise 10 — Tasks

1. Find the longest time that an employee has been at the studio ✓
2. For each role, find the average number of years employed by employees in that role ✓
3. Find the total number of employee years worked in each building ✓

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

Continue ›

```
SELECT building, sum(years_employed) as Total_years_employed  
FROM employees group by building;
```

RESET

## SQL Lesson 11: Queries with aggregates (Pt. 2)

Table: Employees

Role	Sum(Years_employed)
Engineer	17

Exercise 11 — Tasks

1. Find the number of Artists in the studio (without a **HAVING** clause) ✓
2. Find the number of Employees of each role in the studio ✓
3. Find the total number of years employed by all Engineers ✓

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

Continue ›

```
SELECT role, sum(years_employed) FROM employees
group by role having role = "Engineer";
```

RESET

## SQL Lesson 12: Order of execution of a Query

Query Results

Director	Overall_sales
Andrew Stanton	1458055121
Brad Bird	1255164910
Brenda Chapman	538983207
Dan Scanlon	743559607
John Lasseter	2232208025
Lee Unkrich	1063171911
Pete Docter	1294159000

Exercise 12 — Tasks

1. Find the number of movies each director has directed ✓
2. Find the total domestic and international sales that can be attributed to each director ✓

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

Continue ›

```
SELECT director, SUM(domestic_sales + international_sales) as overall_sales
FROM movies inner join boxoffice
on movies.id = boxoffice.movie_id group by director;
```

RESET

## SQL Lesson 13: Inserting rows

Query Results

Movie_id	Rating	Domestic_sales	International_sales
3	7.9	245852179	239163000
1	8.3	191796233	170162503
2	7.2	162798565	200600000
4	8.7	340000000	270000000

```
INSERT INTO boxoffice VALUES (4, 8.7, 340000000, 270000000);
```

RUN QUERY RESET

Exercise 13 — Tasks

1. Add the studio's new production, **Toy Story 4** to the list of movies (you can use any director) ✓
2. Toy Story 4 has been released to critical acclaim! It had a rating of **8.7**, and made **340 million domestically** and **270 million internationally**. Add the record to the **BoxOffice** table. ✓

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

Continue ›

## SQL Lesson 14: Updating rows

Table: Movies

Id	Title	Director	Year	Length_minutes
1	Toy Story	John Lasseter	1995	81
2	A Bug's Life	John Lasseter	1998	95
3	Toy Story 2	John Lasseter	1999	93
4	Monsters, Inc.	Pete Docter	2001	92
5	Finding Nemo	Andrew Stanton	2003	107
6	The Incredibles	Brad Bird	2004	116
7	Cars	John Lasseter	2006	117
8	Ratatouille	Brad Bird	2007	115
9	WALL-E	Andrew Stanton	2008	104
10	Up	Pete Docter	2009	101

```
SELECT * FROM movies;
```

RUN QUERY RESET

Exercise 14 — Tasks

1. The director for A Bug's Life is incorrect, it was actually directed by **John Lasseter** ✓
2. The year that Toy Story 2 was released is incorrect, it was actually released in **1999** ✓
3. Both the title and director for Toy Story 8 is incorrect! The title should be "Toy Story 3" and it was directed by **Lee Unkrich** ✓

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

Continue ›

## SQL Lesson 15: Deleting rows

Table: Movies

Id	Title	Director	Year	Length_minutes
7	Cars	John Lasseter	2006	117
8	Ratatouille	Brad Bird	2007	115
10	Up	Pete Docter	2009	101
11	Toy Story 3	Lee Unkrich	2010	103
12	Cars 2	John Lasseter	2011	120
13	Brave	Brenda Chapman	2012	102
14	Monsters University	Dan Scanlon	2013	110

Exercise 15 — Tasks

1. This database is getting too big, lets remove all movies that were released **before** 2005. ✓
2. Andrew Stanton has also left the studio, so please remove all movies directed by him. ✓

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

RUN QUERY RESET

Continue ›

## SQL Lesson 16: Creating tables

Table: Database

Name	Version	Download_count
SQLite	3.9	92000000
MySQL	5.5	512000000
Postgres	9.4	384000000

Exercise 16 — Tasks

1. Create a new table named **Database** with the following columns:
  - **Name** A string (text) describing the name of the database
  - **Version** A number (floating point) of the latest version of this database
  - **Download\_count** An integer count of the number of times this database was downloaded

This table has no constraints. ✓

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

RUN QUERY RESET

Continue ›



## SQL Lesson 17: Altering tables

Table: Movies

Id	Title	Director	Year	Length_minutes	Aspect_ratio	Language
1	Toy Story	John Lasseter	1995	81	2.39	English
2	A Bug's Life	John Lasseter	1998	95	2.39	English
3	Toy Story 2	John Lasseter	1999	93	2.39	English
4	Monsters, Inc.	Pete Docter	2001	92	2.39	English
5	Finding Nemo	Andrew Stanton	2003	107	2.39	English
6	The Incredibles	Brad Bird	2004	116	2.39	English
7	Cars	John Lasseter	2006	117	2.39	English
8	Ratatouille	Brad Bird	2007	115	2.39	English
9	WALL-E	Andrew Stanton	2008	104	2.39	English
10	Up	Pete Docter	2009	101	2.39	English

Exercise 17 — Tasks

1. Add a column named **Aspect\_ratio** with a **FLOAT** data type to store the aspect-ratio each movie was released in. ✓
2. Add another column named **Language** with a **TEXT** data type to store the language that the movie was released in. Ensure that the default for this language is **English**. ✓

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

[Continue >](#)

[RUN QUERY](#) [RESET](#)

## SQL Lesson 18: Dropping tables

Id	Title	Director	Year	Length_minutes
----	-------	----------	------	----------------

Exercise 18 — Tasks

1. We've sadly reached the end of our lessons, lets clean up by removing the **Movies** table ✓
2. And drop the **BoxOffice** table as well ✓

Stuck? Read this task's [Solution](#).  
Solve all tasks to continue to the next lesson.

[Continue >](#)

[RUN QUERY](#) [RESET](#)

# SQL BOLT LESSONS COMPLETED


SQLBolt - Learn SQL - SQL Les... x +

sqlbolt.com/lesson/end

SQLBolt  
Learn SQL with simple, interactive exercises.

Interactive Tutorial More Topics

## SQL Lesson X: To infinity and beyond!



You've finished the tutorial!

We hope the lessons have given you a bit more experience with SQL and a bit more confidence to use SQL with your own data.

We've just brushed the surface of what SQL is capable of, so to get a better idea of how SQL can be used in the real world, we'll be adding more articles in the [More Topics](#) part of the site. If you have the time, we recommend that you continue to dive deeper into SQL!

25°C Cloudy

Search

ENG IN

08:31 PM 08-01-24