


EXP 16


Package Explorer
JUnit
inished after 0.039 seconds
Runs: 3/3
Errors: 0
Failures: 0
lab.Anagram [Runner: JUnit 4] (0.001 s)
Failure Trace
CalculatorTest.java
Anagram.java
1 package lab;
2
3 import java.util.Arrays; import org.junit.Test;
5 public class Anagram {
6 public boolean isanagram(String s1,String s2) { if(s1 == null|| s2 == null)
7 return false;
8 s1 = s1.replaceAll("\\s","").toLowerCase(); s2 = s2.replaceAll("\\s","").toLowerCase(); if(s1.length() != s2.l
9 return false;
10 char[] a1 = s1.toCharArray(); char[] a2 = s2.toCharArray(); Arrays.sort(a1); Arrays.sort(a2);
11
12 return Arrays.equals(a1, a2);
13
14 }
15 @Test
16 public void testAnagramTrue() { assertTrue(isanagram("listen","silent"));
17
18 }
19 @Test
20 public void testAnagramfalse() {
21 assertFalse(isanagram("hello","world"));
22 }
Problems
Javadoc
Declaration
0 items
Description
Resource
Path
Location
Type


EXP 17


File Edit Source Refactor Navigate Search Project Run Window Help
Package Explorer
JUnit
Finished after 0.059 seconds
Runs: 3/3
Errors: 0
Failures: 0
lab.MAXOFTHREE [Runner: JUnit 4] (0.000 s)
Failure Trace
CalculatorTest.java
Anagram.java
MAXOFTHREE.java
Outline
1 package lab;
2
3 import org.junit.Test;
4 import static org.junit.Assert.*; public class MAXOFTHREE{
5 public int findMax(int a, int b, int c) { int max = a;
6 if(b > max) max = b; if(c > max) max = c; return max;
7 }
8 @Test
9 public void testMaxNormal() { assertEquals(30, findMax(10, 20, 30));
10 }
11 @Test
12 public void testMaxNegative() { assertEquals(-5, findMax(-10, -5, -20));
13 }
14 @Test
15 public void testMaxSameValues() { assertEquals(15, findMax(15, 15, 15));
16 }}
17
18
19
Problems
Javadoc
Declaration
0 items
Description
Resource
Path
Location
Type


EXP 18


eclipse-workspace - JUnitLab/src/lab/EVENORODD.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Package Explorer JUnit
Finished after 0.027 seconds
Runs: 3/3
Errors: 0
Failures: 0
lab.EVENORODD [Runner: JUnit 4] (0.000 s)
Failure Trace
CalculatorTest.java
Anagram.java
MAXOFTHREE.java
EVENORODD.java
1 package lab;
2
3 import org.junit.Test;
4 import static org.junit.Assert.*; public class EVENORODD{
5 public String checkEvenOdd(int n) { if(n % 2 == 0)
6 return "Even"; else
7 return "Odd";
8 }
9 @Test
10 public void testEvenNumber() { assertEquals("Even", checkEvenOdd(10));
11 }
12 @Test
13 public void testOddNumber() { assertEquals("Odd", checkEvenOdd(15));
14 }
15 @Test
16 public void testZero() { assertEquals("Even", checkEvenOdd(0));
17 }
18 }
19
Outline
Task List
lab
EVENORODD
checkEvenOdd(int) : String
testEvenNumber() : void
testOddNumber() : void
testZero() : void
Problems
Javadoc
Declaration
0 items
Description
Path
Location
Type


EXP 19


eclipse-workspace - JUnitLab/src/lab/CompoundInterest.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Package Explorer JUnit
CompoundInterest
Runs: 3/3
Errors: 0
Failures: 0
lab.CompoundInterest [Runner: JUnit 4] (0.019 s)
testCompoundInterestOneYear (0.018 s)
testCompoundInterest (0.000 s)
testCompoundInterestZeroRate (0.000 s)
Failure Trace
CalculatorTest.java
Anagram.java
MAXOFTHREE.java
EVENORODD.java
CompoundInterest.java
1 package lab;
2 import org.junit.Test;
3 import static org.junit.Assert.*;
4 public class CompoundInterest {
5 public double calculateCompoundInterest(double p, double r, int t) { double amount = p * Math.pow((1 + r
6 return amount - p;
7 }
8 @Test
9 public void testCompoundInterest() {
10 assertEquals(210.0, calculateCompoundInterest(1000, 10, 2), 0.01);
11 }
12 @Test
13 public void testCompoundInterestOneYear() {
14 assertEquals(100.0, calculateCompoundInterest(1000, 10, 1), 0.01);
15 }
16 @Test
17 public void testCompoundInterestZeroRate() {
18 assertEquals(0.0, calculateCompoundInterest(1000, 0, 5), 0.01);
19 }
20 }
21
Problems
Javadoc
Declaration
0 items


EXP 20


eclipse-workspace - JUnitLab/src/lab/VowelsConsonants.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Package Explorer
JUnit
inished after 0.024 seconds
Runs: 3/3
Errors: 0
Failures: 0
lab.VowelsConsonants [Runner: JUnit 4] (0.001 s)
CalculatorTe...
Anagram.java
MAXOFTHREE.java
CompoundInte...
VowelsConso...
1 package lab;
2
3 import org.junit.Test;
4 import static org.junit.Assert.*;
5 public class VowelsConsonants {
6 public int[] countVowelsConsonants(String s) { int vowels = 0;
7 int consonants = 0;
8 s = s.toLowerCase();
9 for (int i = 0; i < s.length(); i++) { char ch = s.charAt(i);
10 if(ch >= 'a' && ch <= 'z') {
11 if(ch == 'a' || ch == 'e' || ch == 'i' || ch == 'o' || ch == 'u') vowels++;
12 else
13 consonants++;
14 }
15 }
16 return new int[]{vowels, consonants};
17 }
18 @Test
19 public void testVowelConsonantCount() {
20 int[] result = countVowelsConsonants("hello"); assertEquals(2, result[0]);
21 assertEquals(3, result[1]);
22 }
23 @Test
24 public void testOnlyVowels() {


EXP 21


eclipse-workspace - JUnitLab/src/lab/Primeno.java - Eclipse IDE
File Edit Source Refactor Navigate
Package Explorer JUnit
Finished after 0.035 seconds
Runs: 3/3 Errors: 0 Failures: 0
lab.Primeno [Runner: JUnit 4] (0.000 s)
Failure Trace
CalculatorTe... Anagram.java CompoundInte... VowelsConso... Primeno.java
1 package lab;
2
3 import org.junit.Test;
4 import static org.junit.Assert.*; public class Primeno {
5 public boolean isPrime(int n) { if(n <= 1)
6 return false;
7 for (int i = 2; i <= Math.sqrt(n); i++) { if(n % i == 0)
8 return false;
9 }
10 return true;
11 }
12 @Test
13 public void testPrimeTrue() { assertTrue(isPrime(13));
14 }
15 @Test
16 public void testPrimeFalse() { assertFalse(isPrime(12));
17 }
18 @Test
19 public void testPrimeOne() { assertFalse(isPrime(1));
20 }}
21
22
Problems Javadoc Declaration
0 items
Description Resource Path Location Type


EXP 22


eclipse-workspace - JUnitLab/src/lab/REVERSE.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Package Explorer JUnit
Finished after 0.034 seconds
Runs: 3/3 Errors: 0 Failures: 0
lab.REVERSE [Runner: JUnit 4] (0.000 s)
Failure Trace
CalculatorTe... Anagram.java CompoundInte... VowelsConso... Primeno.java
1 package lab;
2
3 import org.junit.Test;
4 import static org.junit.Assert.*; public class REVERSE {
5 public int reverseNumber(int n) { int rev = 0;
6 while (n != 0) {
7 int digit = n % 10; rev = rev * 10 + digit; n = n / 10;
8 }
9 return rev;
10 }
11 @Test
12 public void testReverseNormal() { assertEquals(321, reverseNumber(123));
13 }
14 @Test
15 public void testReverseWithZero() { assertEquals(21, reverseNumber(120));
16 }
17 @Test
18 public void testReverseSingleDigit() { assertEquals(7, reverseNumber(7));
19 }}
20
21
Problems Javadoc Declaration
0 items


EXP 23


eclipse-workspace - JUnitLab/src/lab/SumofDigits.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Package Explorer JUnit
Finished after 0.05 seconds
Runs: 3/3 Errors: 0 Failures: 0
lab.SumofDigits [Runner: JUnit 4] (0.000 s)
CompoundInte... VowelsConso... Primeno.java REVERSE.java GoogleSearc...
1 package lab;
2
3 import org.junit.Test;
4 import static org.junit.Assert.*; public class SumofDigits {
5 public int sumOfDigits(int n) { int sum = 0;
6 while (n != 0) {
7 int digit = n % 10; sum = sum + digit; n = n / 10;
8 }
9 return sum;
10 }
11 @Test
12 public void testSumDigitsNormal() { assertEquals(6, sumOfDigits(123));
13 }
14 @Test
15 public void testSumDigitsZero() { assertEquals(0, sumOfDigits(0));
16 }
17 @Test
18 public void testSumDigitsLarge() { assertEquals(15, sumOfDigits(555));
19 }
20 }


EXP 24


File Edit Source Refactor Navigate Search Project Run Window Help
Package Explorer JUnit
Finished after 0.03 seconds
Runs: 3/3 Errors: 0 Failures: 0
lab.StringEquality [Runner: JUnit 4] (0.001 s)
VowelsConso... Primeno.java REVERSE.java GoogleSearc... SumofDigits...
1 package lab;
2 import org.junit.Test;
3 import static org.junit.Assert.*; public class StringEquality {
4 public boolean compareStrings(String s1, String s2) { if
5 (s1 == null || s2 == null) return false;
6 return s1.equals(s2);
7 }
8 @Test
9 public void testStringEqual() { assertTrue(compareStrings("Java", "Java"));
10 }
11 @Test
12 public void testStringNotEqual() { assertFalse(compareStrings("Java", "Python"));
13 }
14 @Test
15 public void testNullString() { assertFalse(compareStrings(null, "Test"));
16 }}


EXP 25


eclipse-workspace - JUnitLab/src/lab/GradeCalc.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Package Explorer
JUnit
inished after 0.037 seconds
Runs: 3/3
Errors: 0
Failures: 0
lab.GradeCalc [Runner: JUnit 4] (0.000 s)
Primeno.java
REVERSE.java
GoogleSearc...
SumofDigits...
StringEquali...
GradeCalc.java
1 package lab;
2 import org.junit.Test;
3 import static org.junit.Assert.*; public class GradeCalc{
4 public String calculateGrade(int marks) { if
5 (marks >= 90)
6 return "A";
7 else if (marks >= 75) return "B";
8 else if (marks >= 50) return "C";
9 else
10 return "F";
11 }
12 @Test
13 public void testGradeA() { assertEquals("A", calculateGrade(95));
14 }
15 @Test
16 public void testGradeB() { assertEquals("B", calculateGrade(80));
17 }
18 @Test
19 public void testGradeFail() { assertEquals("F", calculateGrade(40));
20 }}
21


EXP NO : 26 FIND LARGEST ELEMENT IN AN ARRAY USING JUNIT




EXP NO : 27 CALCULATE AVERAGE OF N NUMBERS USING JUNIT




EXP NO : 28 CHECK ARMSTRONG NUMBER USING JUNIT




EXP NO : 29 CONVERT CELSIUS TO FAHRENHEIT USING JUNIT




EXP NO : 30 FIND LENGTH OF A STRING WITHOUT BUILT-IN FUNCTION USING JUNIT




EXP NO : 31 REVERSE A WORD USING JUNIT




EXP NO : 32 STRING COMPARISON USING JUNIT



EXP NO : 33 VOTING SYSTEM USING JUNIT



EXP NO : 34 SIMPLE INTEREST CALCULATION (SENIOR CITIZEN) USING JUNIT



EXP NO : 35 PALINDROME NUMBER CHECK USING JUNIT

