

Define CS, fit into CC	1. CUSTOMER SEGMENT(S) CS Who is your customer? • Primary: ServiceNow administrators, security admins and developers who must protect table data. • Secondary: Academic institution staff (faculty, branch coordinators) who manage student records. • Learners: ServiceNow trainees practising ACL security in a 3-hour lab. • End users: EEE branch users holding custom roles bb1-bb4.	6. CUSTOMER CONSTRAINTS CC What limits their choices of solutions? • Creating or editing ACLs needs the elevated security_admin role. • Requires scripting knowledge (GlideSystem, gs.hasRole, return true/false). • Testing is only possible through user impersonation. • Limited lab time (3 hrs) and need for a ServiceNow instance. • Risk of locking out admins if the script is wrong.	5. AVAILABLE SOLUTIONS AS What have they tried? Pros & cons? • Role-only ACLs: simple, but cannot check field values. • Data-condition ACLs: easy, but limited logic. • Business rules / query rules: flexible, but complex and harder to maintain. • UI policies / client scripts: hide data on screen, but not secure. • Domain separation: powerful, but heavy for a small use case.	Explore AS, differentiate
	2. JOBS-TO-BE-DONE / PROBLEMS J&P Which jobs-to-be-done or problems do you address? • Restrict viewing so only EEE-branch records are visible to users with role bb1. • Control who can create (bb2), edit (bb3) and delete (bb4) records. • Keep full access for administrators. • Protect sensitive student data across forms, lists and Service Portal. • Pain: data exposed to every user; over-permissive access.	9. PROBLEM ROOT CAUSE RC What is the real reason this problem exists? • Role-based ACLs alone cannot evaluate a record's field value (Branch). • Records of different branches are stored in one shared table (u_institution_details). • Need for least-privilege access and data privacy. • Access is granted only when role, data condition and script all pass.	7. BEHAVIOUR BE What does the customer do to get the job done? • Creates the user (EEE User) and roles bb1-bb4, then assigns them. • Builds the Institution Details table and adds records for ECE, EEE, CSE. • Elevates to security_admin and creates Read, Create, Write, Delete ACLs. • Adds an Advanced script and data condition (Branch is EEE). • Impersonates users and admin to verify results.	Focus on J&P, tap into BE, understand RC
Identify strong TR & EM	3. TRIGGERS TR What triggers customers to act? • Sensitive records found visible to all users. • Need for branch-wise restriction or an audit/compliance request. • Unauthorized edit or delete of student records.	10. YOUR SOLUTION SL Script-Controlled ACL on table u_institution_details • Read ACL (Advanced): requires role bb1, data condition <i>Branch is EEE</i>, plus a script. • Script logic: return true for admin or bb1; otherwise return false (deny). • Create ACL requires bb2; Write ACL requires bb3; Delete ACL requires bb4. • Result: a record is accessible only when the ACL script evaluates to true. • Verified by impersonation: bb1 user sees only EEE records; user without role sees none; admin sees all records. • Users with bb1-bb4 can view, create, edit and delete EEE records.	8. CHANNELS of BEHAVIOUR - 8.1 ONLINE CH What actions do customers take online? • Log in to the ServiceNow instance as admin; elevate security_admin. • Use the Application Navigator: Users, Roles, Tables, Access Control (ACL). • Impersonate users and open u_institution_details.list.	Extract online & offline CH of BE
	4. EMOTIONS: BEFORE / AFTER EM How do customers feel before and after? • Before: worried, exposed, unsure who sees the data. • After: confident, secure, in control of access.		8.2 OFFLINE CH What actions do customers take offline? • Follow the lab guide / documentation and screenshots. • Plan the role matrix (bb1-bb4) and discuss with trainers or peers. • Review access policies and verification results.	