

Project Planning Phase

Project Planning Template (Product Backlog, Sprint Planning, Stories, Story points)

Date	01 October 2026
Team ID	SWTID-2026-4457
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	5 Marks

Product Backlog, Sprint Schedule, and Estimation (4 Marks)

Use the below template to create product backlog and sprint schedule

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	User & Role Setup	USN-1	As an admin, I can create a test user (EEE User) by entering the User ID, first name, last name and email.	2	High	K.Dharshini
Sprint-1		USN-2	As an admin, I can create the custom roles bb1, bb2, bb3 and bb4.	3	High	A.Nagasundh ari
Sprint-1		USN-3	As an admin, I can assign all the roles (bb1, bb2, bb3, bb4) to the EEE User.	2	High	K.Dharshini
Sprint-1	Table Creation	USN-4	As an admin, I can create the custom table Institution Details (u_institution_details).	3	High	S.Hemalatha

Sprint-1		USN-5	As an admin, I can add the fields Student Roll Number, Student Name, Faculty Name, Branch (ECE, EEE, CSE), Email, Phone Number and Description to the table.	5	High	S.Hemalatha
Sprint-1		USN-6	As an admin, I can create multiple records with different branch values (ECE, EEE, CSE).	3	Medium	S.Hemalatha
Sprint-1	Access Control Setup	USN-7	As an admin, I can elevate the security_admin role and open Access Control (ACL) to create new ACLs.	2	High	K.Dharshini
Sprint-2	Read ACL	USN-8	As an admin, I can create a Read ACL on u_institution_details with Type: record, Operation: read, Active and Advanced set to	3	High	K.Dharshini

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
			true.			K.Dharshini
Sprint-2		USN-9	As an admin, I can add the custom role bb1 in the Requires role related list of the Read ACL.	2	High	K.Dharshini
Sprint-2		USN-10	As an admin, I can add the data condition Branch is EEE to the Read ACL.	2	High	K.Dharshini

Sprint-2		USN-11	As an admin, I can add the ACL script that returns true for admin and bb1 users and false for all others.	5	High	K.Dharshini
Sprint-2		USN-12	As an EEE user with the bb1 role, I can view only the EEE branch records in the Institution Details list.	3	High	K.Dharshini
Sprint-2		USN-13	As a user without the role, I cannot view any records, and as an admin, I can view all records regardless of branch.	5	Medium	K.Dharshini
Sprint-3	Create ACL	USN-14	As an admin, I can create a Create ACL on u_institution_details that requires the custom role bb2 with no data condition.	5	High	S.Hemalatha
Sprint-3		USN-15	As a user with bb1 and bb2 roles, I can view the EEE branch records along with the New button.	3	High	S.Hemalatha
Sprint-3	Write ACL	USN-16	As an admin, I can create a Write ACL on u_institution_details that requires the custom role bb3 with no data condition.	5	High	A.Nagasundh ari
Sprint-3		USN-17	As a user with bb1, bb2 and bb3 roles, I can view and edit the EEE branch records (for example, the Description field).	3	High	A.Nagasundh ari
Sprint-3	Delete ACL	USN-18	As an admin, I can create a Delete ACL on u_institution_details that requires the custom role bb4 with no data condition.	4	High	U.Bharathi
Sprint-4		USN-19	As a user with bb1, bb2, bb3 and bb4 roles, I can view, create, edit and delete the EEE branch records.	5	High	U.Bharathi

Sprint-4	Testing & Verification	USN-20	As an admin, I can impersonate the EEE user, a user without roles and the admin to verify the Read, Create, Write and Delete ACL results.	5	Medium	U.Bharathi
Sprint-4		USN-21	As a tester, I can confirm that the ACLs protect the records across forms, lists and Service	5	Medium	U.Bharathi

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
			Portal interfaces.			
Sprint-4	Documentation	USN-22	As a team member, I can document the lab steps, scripts and verification screenshots for the project.	5	Low	K.Dharshini, A.Nagasundh ari

Project Tracker, Velocity & Burndown Chart: (4 Marks)

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	2 Days	September 28	September 29	20	3 Oct 2026
Sprint-2	20	2 Days	September 28	September 29	20	3 Oct 2026
Sprint-3	20	2 Days	September 28	September 29	20	3 Oct 2026

Sprint-4	20	2 Days	October 01	October 02	20	3 Oct 2026
----------	----	--------	------------	------------	----	------------

Velocity:

Imagine we have a 10-day sprint duration, and the velocity of the team is 20 (points per sprint). Let's calculate the team's average velocity (AV) per iteration unit (story points per day)

$$AV = \frac{\text{sprint duration}}{\text{velocity}} = \frac{20}{10} = 2$$

Burndown Chart:

A burn down chart is a graphical representation of work left to do versus time. It is often used in agile software development methodologies such as Scrum. However, burn down charts can be applied to any project containing measurable progress over time.

<https://www.visual-paradigm.com/scrum/scrum-burndown-chart/>

<https://www.atlassian.com/agile/tutorials/burndown-charts>

Reference:

<https://www.atlassian.com/agile/project-management>

<https://www.atlassian.com/agile/tutorials/how-to-do-scrum-with-jira-software>

<https://www.atlassian.com/agile/tutorials/epics>

<https://www.atlassian.com/agile/tutorials/sprints>

<https://www.atlassian.com/agile/project-management/estimation>

<https://www.atlassian.com/agile/tutorials/burndown-charts>