

Assignment 2: Parts-of-Speech Tagging (POS)

Welcome to the second assignment of Course 2 in the Natural Language Processing specialization. This assignment will develop skills in part-of-speech (POS) tagging, the process of assigning a part-of-speech tag (Noun, Verb, Adjective...) to each word in an input text. Tagging is difficult because some words can represent more than one part of speech at different times. They are **Ambiguous**. Let's look at the following example:

- The whole team played **well**. [adverb]
- You are doing **well** for yourself. [adjective]
- **Well**, this assignment took me forever to complete. [interjection]
- The **well** is dry. [noun]
- Tears were beginning to **well** in her eyes. [verb]

Distinguishing the parts-of-speech of a word in a sentence will help you better understand the meaning of a sentence. This would be critically important in search queries. Identifying the proper noun, the organization, the stock symbol, or anything similar would greatly improve everything ranging from speech recognition to search. By completing this assignment, you will:

- Learn how parts-of-speech tagging works
- Compute the transition matrix A in a Hidden Markov Model
- Compute the emission matrix B in a Hidden Markov Model
- Compute the Viterbi algorithm
- Compute the accuracy of your own model

Important Note on Submission to the AutoGrader

Before submitting your assignment to the AutoGrader, please make sure you are not doing the following:

1. You have not added any `extra print statement(s)` in the assignment.
2. You have not added any `extra code cell(s)` in the assignment.
3. You have not changed any of the function parameters.
4. You are not using any global variables inside your graded exercises. Unless specifically instructed to do so, please refrain from it and use the local variables instead.
5. You are not changing the assignment code where it is not required, like creating `extra variables`.

If you do any of the following, you will get something like, `Grader Error: Grader feedback not found` (or similarly unexpected) error upon submitting your assignment. Before asking for help/debugging the errors in your assignment, check for these first. If this is the case, and you don't remember the changes you have made, you can get a fresh copy of the assignment by following these [instructions](#).

Table of Contents

- [0 - Data Sources](#)
- [1 - Parts-of-speech Tagging](#)
 - [1.1 - Training](#)
 - [Exercise 1 - create dictionaries \(UNQ_C1\)](#)
 - [1.2 - Testing](#)
 - [Exercise 2 - predict_pos \(UNQ_C2\)](#)
- [2 - Hidden Markov Models for POS](#)
 - [2.1 - Generating Matrices](#)
 - [Exercise 3 - create_transition_matrix \(UNQ_C3\)](#)
 - [Exercise 4 - create_emission_matrix \(UNQ_C4\)](#)
- [3 - Viterbi Algorithm and Dynamic Programming](#)
 - [3.1 - Initialization](#)
 - [Exercise 5 - initialize \(UNQ_C5\)](#)
 - [3.2 - Viterbi Forward](#)
 - [Exercise 6 - viterbi_forward \(UNQ_C6\)](#)
 - [3.3 - Viterbi Backward](#)
 - [Exercise 7 - viterbi_backward \(UNQ_C7\)](#)

- [4 - Predicting on a Dataset](#)
 - [Exercise 8 - compute_accuracy_\(UNQ_C8\)](#)

```
# Importing packages and Loading in the data set
from utils_pos import get_word_tag, preprocess
import pandas as pd
from collections import defaultdict
import math
import numpy as np
```

0 - Data Sources

This assignment will use two tagged data sets collected from the **Wall Street Journal (WSJ)**.

[Here](#) is an example 'tag-set' or Part of Speech designation describing the two or three letter tag and their meaning.

- One data set (**WSJ-21.pos**) will be used for **training**.
- The other (**WSJ-24.pos**) for **testing**.
- The tagged training data has been preprocessed to form a vocabulary (**hmm_vocab.txt**).
- The words in the vocabulary are words from the training set that were used two or more times.
- The vocabulary is augmented with a set of 'unknown word tokens', described below.

The training set will be used to create the emission, transition and tag counts.

The test set (**WSJ-24.pos**) is read in to create `y`.

- This contains both the test text and the true tag.
- The test set has also been preprocessed to remove the tags to form **test_words.txt**.
- This is read in and further processed to identify the end of sentences and handle words not in the vocabulary using functions provided in **utils_pos.py**.
- This forms the list `prep`, the preprocessed text used to test our POS taggers.

A POS tagger will necessarily encounter words that are not in its datasets.

- To improve accuracy, these words are further analyzed during preprocessing to extract available hints as to their appropriate tag.
- For example, the suffix 'ize' is a hint that the word is a verb, as in 'final-ize' or 'character-ize'.
- A set of unknown-tokens, such as '--unk-verb--' or '--unk-noun--' will replace the unknown words in both the training and test corpus and will appear in the emission, transition and tag data structures.



Implementation note:

- For python 3.6 and beyond, dictionaries retain the insertion order.
- Furthermore, their hash-based lookup makes them suitable for rapid membership tests.
 - If `di` is a dictionary, `key in di` will return `True` if `di` has a key `_key_`, else `False`.

The dictionary `vocab` will utilize these features.

```
# Load in the training corpus
with open("./data/WSJ_02-21.pos", 'r') as f:
    training_corpus = f.readlines()

print(f"A few items of the training corpus list")
```

```
A few items of the training corpus list
['In\tIN\n', 'an\tDT\n', 'Oct.\tNNP\n', '19\tCD\n', 'review\tNN\n']
```

```
# read the vocabulary data, split by each line of text, and save the list
with open("./data/hmm_vocab.txt", 'r') as f:
    voc_1 = f.read().split('\n')

print("A few items of the vocabulary list")
print(voc_1[0:50])
print()
print("A few items at the end of the vocabulary list")
```

A few items of the vocabulary list

```
['!', '#', '$', '%', '&', "'", "''", "'40s", "'60s", "'70s", "'80s", "'86",
 "'90s", "'N", "'S", "'d", "'em", "'ll", "'m", "'n'", "'re", "'s", "'ti1",
 "'ve", "(' ', ')', ',', '-' , '--', '--n--', '--unk--', '--unk_adj--', '-unk_adv--',
 '--unk_digit--', '--unk_noun--', '--unk_punct--', '--unk_uppe
 r--', '--unk_verb--', '.', '...', '0.01', '0.0108', '0.02', '0.03', '0.0
 5', '0.1', '0.10', '0.12', '0.13', '0.15']
```

A few items at the end of the vocabulary list

```
['yards', 'yardstick', 'year', 'year-ago', 'year-before', 'year-earlier',
 'year-end', 'year-on-year', 'year-round', 'year-to-date', 'year-to-year',
 'yearlong', 'yearly', 'years', 'yeast', 'yelled', 'yelling', 'yellow', 'ye
 n', 'yes', 'yesterday', 'yet', 'yield', 'yielded', 'yielding', 'yields',
 'you', 'young', 'younger', 'youngest', 'youngsters', 'your', 'yourself',
 'youth', 'youthful', 'yuppie', 'yuppies', 'zero', 'zero-coupon', 'zeroin
 g', 'zeros', 'zinc', 'zip', 'zombie', 'zone', 'zones', 'zoning', '{}', '}',
 '']
```

```

# vocab: dictionary that has the index of the corresponding words
vocab = {}

# Get the index of the corresponding words.
for i, word in enumerate(sorted(voc_1)):
    vocab[word] = i

print("Vocabulary dictionary, key is the word, value is a unique integer")
cnt = 0
for k,v in vocab.items():
    print(f"{k}:{v}")
    cnt += 1
    if cnt > 20:

```

Vocabulary dictionary, key is the word, value is a unique integer

```

:0
!:1
#:2
$:3
%:4
&:5
':6
'':7
'40s:8
'60s:9
'70s:10
'80s:11
'86:12
'90s:13
'N:14
'S:15
'd:16
'em:17
'll:18
'm:19
'n':20

```

```

# Load in the test corpus
with open("./data/WSJ_24.pos", 'r') as f:
    y = f.readlines()

print("A sample of the test corpus")

```

A sample of the test corpus

```

['The\tDT\n', 'economy\tNN\n', "'s\tPOS\n", 'temperature\tNN\n', 'will\tMD\n",
 'be\tVB\n', 'taken\tVBN\n', 'from\tIN\n', 'several\tJJ\n', 'vantage\tNN\n']

```

```

#corpus without tags, preprocessed
_, prep = preprocess(vocab, "./data/test.words")

print('The length of the preprocessed test corpus: ', len(prep))
print('This is a sample of the test_corpus: ')

```

The length of the preprocessed test corpus: 34199
This is a sample of the test_corpus:

```

['The', 'economy', "'s", 'temperature', 'will', 'be', 'taken', 'from', 'several', '--unk--']

```


1 - Parts-of-speech Tagging

1.1 - Training

You will start with the simplest possible parts-of-speech tagger and we will build up to the state of the art.

In this section, you will find the words that are not ambiguous.

- For example, the word `is` is a verb and it is not ambiguous.
- In the WSJ corpus, 86% of the token are unambiguous (meaning they have only one tag)
- About 14% are ambiguous (meaning that they have more than one tag)



Before you start predicting the tags of each word, you will need to compute a few dictionaries that will help you to generate the tables.

Transition counts

- The first dictionary is the `transition_counts` dictionary which computes the number of times each tag happened next to another tag.

This dictionary will be used to compute:

$$P(t_i|t_{i-1}) \quad (1)$$

This is the probability of a tag at position i given the tag at position $i - 1$.

In order for you to compute equation 1, you will create a `transition_counts` dictionary where

- The keys are `(prev_tag, tag)`
- The values are the number of times those two tags appeared in that order.

Emission counts

The second dictionary you will compute is the `emission_counts` dictionary. This dictionary will be used to compute:

$$P(w_i|t_i) \quad (2)$$

In other words, you will use it to compute the probability of a word given its tag.

In order for you to compute equation 2, you will create an `emission_counts` dictionary where

- The keys are `(tag, word)`
- The values are the number of times that pair showed up in your training set.

Tag counts

The last dictionary you will compute is the `tag_counts` dictionary.

- The key is the tag
- The value is the number of times each tag appeared.

Exercise 1 - `create_dictionaries`

Instructions: Write a program that takes in the `training_corpus` and returns the three dictionaries mentioned above `transition_counts`, `emission_counts`, and `tag_counts`.

- `emission_counts` : maps (tag, word) to the number of times it happened.
- `transition_counts` : maps (prev_tag, tag) to the number of times it has appeared.
- `tag_counts` : maps (tag) to the number of times it has occurred.

Implementation note: This routine utilises `defaultdict`, which is a subclass of `dict`.

- A standard Python dictionary throws a `KeyError` if you try to access an item with a key that is not currently in the dictionary.
- In contrast, the `defaultdict` will create an item of the type of the argument, in this case an integer with the default value of 0.
- See [defaultdict](#).

```

# UNQ_C1 GRADED FUNCTION: create_dictionaries
def create_dictionaries(training_corpus, vocab, verbose=True):
    """
    Input:
        training_corpus: a corpus where each line has a word followed by its tag.
        vocab: a dictionary where keys are words in vocabulary and value is an index
    Output:
        emission_counts: a dictionary where the keys are (tag, word) and the values are t
        transition_counts: a dictionary where the keys are (prev_tag, tag) and the values
        tag_counts: a dictionary where the keys are the tags and the values are the count
    """

# initialize the dictionaries using defaultdict
emission_counts = defaultdict(int)
transition_counts = defaultdict(int)
tag_counts = defaultdict(int)

# Initialize "prev_tag" (previous tag) with the start state, denoted by '--s--'
prev_tag = '--s--'

# use 'i' to track the line number in the corpus
i = 0

# Each item in the training corpus contains a word and its POS tag
# Go through each word and its tag in the training corpus
for word_tag in training_corpus:

    # Increment the word_tag count
    i += 1

    # Every 50,000 words, print the word count
    if i % 50000 == 0 and verbose:
        print(f"word count = {i}")

    ### START CODE HERE ###
    # get the word and tag using the get_word_tag helper function (imported from util
    # the function is defined as: get_word_tag(line, vocab)
    word, tag = get_word_tag(word_tag, vocab)

    # Increment the transition count for the previous word and tag
    transition_counts[(prev_tag, tag)] += 1

    # Increment the emission count for the tag and word
    emission_counts[(tag, word)] += 1

    # Increment the tag count
    tag_counts[tag] += 1

    # Set the previous tag to this tag (for the next iteration of the loop)
    prev_tag = tag

    ### END CODE HERE ###

```

```
word count = 50000
word count = 100000
word count = 150000
word count = 200000
word count = 250000
word count = 300000
word count = 350000
word count = 400000
word count = 450000
word count = 500000
word count = 550000
word count = 600000
word count = 650000
word count = 700000
word count = 750000
word count = 800000
word count = 850000
word count = 900000
word count = 950000
```

```
# get all the POS states
states = sorted(tag_counts.keys())
print(f"Number of POS tags (number of 'states'): {len(states)}")
print("View these POS tags (states)")
```

```
Number of POS tags (number of 'states'): 46
View these POS tags (states)
['#', '$', "''", '(', ')', ',', '--s--', '.', ':', 'CC', 'CD', 'DT', 'EX',
'FW', 'IN', 'JJ', 'JJR', 'JJS', 'LS', 'MD', 'NN', 'NNP', 'NNPS', 'NNS', 'P
DT', 'POS', 'PRP', 'PRP$', 'RB', 'RBR', 'RBS', 'RP', 'SYM', 'TO', 'UH', 'V
B', 'VBD', 'VBG', 'VBN', 'VBP', 'VBZ', 'WDT', 'WP', 'WP$', 'WRB', '``']
```

Expected Output

```
Number of POS tags (number of 'states') 46
View these states
['#', '$', "''", '(', ')', ',', '--s--', '.', ':', 'CC', 'CD', 'DT', 'EX', 'FW',
'IN', 'JJ', 'JJR', 'JJS', 'LS', 'MD', 'NN', 'NNP', 'NNPS', 'NNS', 'PDT', 'POS',
'PRP', 'PRP$', 'RB', 'RBR', 'RBS', 'RP', 'SYM', 'TO', 'UH', 'VB', 'VBD', 'VBG',
'VBN', 'VBP', 'VBZ', 'WDT', 'WP', 'WP$', 'WRB', '``']
```

```
# Test your function
```

All tests passed

The 'states' are the Parts-of-speech designations found in the training data. They will also be referred to as 'tags' or POS in this assignment.

- "NN" is noun, singular,
- 'NNS' is noun, plural.
- In addition, there are helpful tags like '--s--' which indicate a start of a sentence.
- You can get a more complete description at [clips/MBSP](#).

```

print("transition examples: ")
for ex in list(transition_counts.items())[:3]:
    print(ex)
print()

print("emission examples: ")
for ex in list(emission_counts.items())[200:203]:
    print(ex)
print()

print("ambiguous word example: ")
for tup,cnt in emission_counts.items():

transition examples:
((('--s--', 'IN'), 5050)
 (('IN', 'DT'), 32364)
 (('DT', 'NNP'), 9044)

emission examples:
(('DT', 'any'), 721)
(('NN', 'decrease'), 7)
(('NN', 'insider-trading'), 5)

ambiguous word example:
('RB', 'back') 304
('VB', 'back') 20
('RP', 'back') 84
('JJ', 'back') 25
('NN', 'back') 29
('VBP', 'back') 4

```

Expected Output

```

transition examples:
((('--s--', 'IN'), 5050)
 (('IN', 'DT'), 32364)
 (('DT', 'NNP'), 9044)

emission examples:
(('DT', 'any'), 721)
(('NN', 'decrease'), 7)
(('NN', 'insider-trading'), 5)

ambiguous word example:
('RB', 'back') 304
('VB', 'back') 20
('RP', 'back') 84
('JJ', 'back') 25
('NN', 'back') 29
('VBP', 'back') 4

```

1.2 - Testing

Now you will test the accuracy of your parts-of-speech tagger using your `emission_counts` dictionary.

- Given your preprocessed test corpus `prep`, you will assign a parts-of-speech tag to every word in that corpus.

- Using the original tagged test corpus `y`, you will then compute what percent of the tags you got correct.

Exercise 2 - predict_pos

Instructions: Implement `predict_pos` that computes the accuracy of your model.

- This is a warm up exercise.
- To assign a part of speech to a word, assign the most frequent POS for that word in the training set.
- Then evaluate how well this approach works. Each time you predict based on the most frequent POS for the given word, check whether the actual POS of that word is the same. If so, the prediction was correct!
- Calculate the accuracy as the number of correct predictions divided by the total number of words for which you predicted the POS tag.


```

#UNQ_C2 GRADED FUNCTION: predict_pos
def predict_pos(prep, y, emission_counts, vocab, states):
    ...
    Input:
        prep: a preprocessed version of 'y'. A list with the 'word' component of the tuple
        y: a corpus composed of a list of tuples where each tuple consists of (word, POS)
        emission_counts: a dictionary where the keys are (tag,word) tuples and the value
        vocab: a dictionary where keys are words in vocabulary and value is an index
        states: a sorted list of all possible tags for this assignment
    Output:
        accuracy: Number of times you classified a word correctly
    ...

    # Initialize the number of correct predictions to zero
    num_correct = 0

    # Get the (tag, word) tuples, stored as a set
    all_words = set(emission_counts.keys())

    # Initialize total count to 0
    total = 0
    for word, y_tup in zip(prep, y):

        # Split the (word, POS) string into a List of two items
        y_tup_1 = y_tup.split()

        # Verify that y_tup contain both word and POS
        if len(y_tup_1) == 2:

            # Set the true POS Label for this word
            true_label = y_tup_1[1]

        else:
            # If the y_tup didn't contain word and POS, go to next word
            continue

        count_final = 0
        pos_final = ''

        # If the word is in the vocabulary...
        if word in vocab:
            for pos in states:

                ### START CODE HERE (Replace instances of 'None' with your code) ###

                # define the key as the tuple containing the POS and word
                key = (pos, word)

                # check if the (pos, word) key exists in the emission_counts dictionary
                if key in emission_counts: # Replace None in this line with the proper code

                    # get the emission count of the (pos,word) tuple
                    count = emission_counts[key]

                    # keep track of the POS with the Largest count
                    if count > count_final: # Replace None in this line with the proper code

                        # update the final count (Largest count)
                        count_final = count

                # update the final POS

```

```

        pos_final = pos

    # If the final POS (with the largest count) matches the true POS:
    if pos_final == true_label: # Replace None in this line with the proper condition
        # Update the number of correct predictions
        num_correct += 1
    # Keep track of the total number of examples (that have valid Labels)
    total += 1
    ### END CODE HERE ###
accuracy = num_correct / total

return accuracy

```

```
accuracy_predict_pos = predict_pos(prep, y, emission_counts, vocab, states)
```

Accuracy of prediction using predict_pos is 0.9253

Expected Output

Accuracy of prediction using predict_pos is 0.9253

92.5% is really good for this warm up exercise. With hidden markov models, you should be able to get **95% accuracy**.

```
# Test your function
```

All tests passed

2 - Hidden Markov Models for POS

Now you will build something more context specific. Concretely, you will be implementing a Hidden Markov Model (HMM) with a Viterbi decoder

- The HMM is one of the most commonly used algorithms in Natural Language Processing, and is a foundation to many deep learning techniques you will see in this specialization.
- In addition to parts-of-speech tagging, HMM is used in speech recognition, speech synthesis, etc.
- By completing this part of the assignment you will get a 95% accuracy on the same dataset you used in Part 1.

The Markov Model contains a number of states and the probability of transition between those states.

- In this case, the states are the parts-of-speech.
- A Markov Model utilizes a transition matrix, A .
- A Hidden Markov Model adds an observation or emission matrix B which describes the probability of a visible observation when we are in a particular state.
- In this case, the emissions are the words in the corpus
- The state, which is hidden, is the POS tag of that word.

2.1 - Generating Matrices

Creating the 'A' transition probabilities matrix

Now that you have your `emission_counts`, `transition_counts`, and `tag_counts`, you will start implementing the Hidden Markov Model.

This will allow you to quickly construct the

- A transition probabilities matrix.
- and the B emission probabilities matrix.

You will also use some smoothing when computing these matrices.

Here is an example of what the A transition matrix would look like (it is simplified to 5 tags for viewing. It is 46x46 in this assignment.):

A	...	RBS	RP	SYM	TO	UH	...
RBS	...	2.217069e-06	2.217069e-06	2.217069e-06	0.008870	2.217069e-06	...
RP	...	3.756509e-07	7.516775e-04	3.756509e-07	0.051089	3.756509e-07	...
SYM	...	1.722772e-05	1.722772e-05	1.722772e-05	0.000017	1.722772e-05	...
TO	...	4.477336e-05	4.472863e-08	4.472863e-08	0.000090	4.477336e-05	...
UH	...	1.030439e-05	1.030439e-05	1.030439e-05	0.061837	3.092348e-02	...
...

Note that the matrix above was computed with smoothing.

Each cell gives you the probability to go from one part of speech to another.

- In other words, there is a 4.47e-8 chance of going from parts-of-speech TO to RP .
- The sum of each row has to equal 1, because we assume that the next POS tag must be one of the available columns in the table.

The smoothing was done as follows:

$$P(t_i|t_{i-1}) = \frac{C(t_{i-1}, t_i) + \alpha}{C(t_{i-1}) + \alpha * N} \quad (3)$$

- N is the total number of tags
- $C(t_{i-1}, t_i)$ is the count of the tuple (previous POS, current POS) in transition_counts dictionary.
- $C(t_{i-1})$ is the count of the previous POS in the tag_counts dictionary.
- α is a smoothing parameter.

Exercise 3 - create_transition_matrix

Instructions: Implement the create_transition_matrix below for all tags. Your task is to output a matrix that computes equation 3 for each cell in matrix A .

```

# UNQ_C3 GRADED FUNCTION: create_transition_matrix
def create_transition_matrix(alpha, tag_counts, transition_counts):
    ...
    Input:
        alpha: number used for smoothing
        tag_counts: a dictionary mapping each tag to its respective count
        transition_counts: a dictionary where the keys are (prev_tag, tag) and the values
    Output:
        A: matrix of dimension (num_tags,num_tags)
    ...
    # Get a sorted list of unique POS tags
    all_tags = sorted(tag_counts.keys())

    # Count the number of unique POS tags
    num_tags = len(all_tags)

    # Initialize the transition matrix 'A'
    A = np.zeros((num_tags,num_tags))

    # Get the unique transition tuples (previous POS, current POS)
    trans_keys = set(transition_counts.keys())

    ### START CODE HERE ###

    # Go through each row of the transition matrix A
    for i in range(num_tags):

        # Go through each column of the transition matrix A
        for j in range(num_tags):

            # Initialize the count of the (prev POS, current POS) to zero
            count = 0

            # Define the tuple (prev POS, current POS)
            # Get the tag at position i and tag at position j (from the all_tags list)
            key = (all_tags[i], all_tags[j]) # tuple of form (tag,tag)

            # Check if the (prev POS, current POS) tuple
            # exists in the transition counts dictionary
            if key in transition_counts: # Replace None in this line with the proper condition

                # Get count from the transition_counts dictionary
                # for the (prev POS, current POS) tuple
                count = transition_counts[key]

            # Get the count of the previous tag (index position i) from tag_counts
            count_prev_tag = tag_counts[all_tags[i]]

            # Apply smoothing using count of the tuple, alpha,
            # count of previous tag, alpha, and total number of tags
            A[i,j] = (count + alpha) / (count_prev_tag + alpha * num_tags)

    ### END CODE HERE ###

```

```

alpha = 0.001
A = create_transition_matrix(alpha, tag_counts, transition_counts)
# Testing your function
print(f"A at row 0, col 0: {A[0,0]:.9f}")
print(f"A at row 3, col 1: {A[3,1]:.4f}")

print("View a subset of transition matrix A")
A_sub = pd.DataFrame(A[30:35,30:35], index=states[30:35], columns = states[30:35] )

```

A at row 0, col 0: 0.000007040

A at row 3, col 1: 0.1691

View a subset of transition matrix A

	RBS	RP	SYM	TO	UH
RBS	2.217069e-06	2.217069e-06	2.217069e-06	0.008870	2.217069e-06
RP	3.756509e-07	7.516775e-04	3.756509e-07	0.051089	3.756509e-07
SYM	1.722772e-05	1.722772e-05	1.722772e-05	0.000017	1.722772e-05
TO	4.477336e-05	4.472863e-08	4.472863e-08	0.000090	4.477336e-05
UH	1.030439e-05	1.030439e-05	1.030439e-05	0.061837	3.092348e-02

Expected Output

A at row 0, col 0: 0.000007040

A at row 3, col 1: 0.1691

View a subset of transition matrix A

	RBS	RP	SYM	TO	UH
RBS	2.217069e-06	2.217069e-06	2.217069e-06	0.008870	2.217069e-06
RP	3.756509e-07	7.516775e-04	3.756509e-07	0.051089	3.756509e-07
SYM	1.722772e-05	1.722772e-05	1.722772e-05	0.000017	1.722772e-05
TO	4.477336e-05	4.472863e-08	4.472863e-08	0.000090	4.477336e-05
UH	1.030439e-05	1.030439e-05	1.030439e-05	0.061837	3.092348e-02

```
# Test your function
```

All tests passed

Create the 'B' emission probabilities matrix

Now you will create the `B` emission matrix which computes the emission probability.

You will use smoothing as defined below:

$$P(w_i|t_i) = \frac{C(t_i, word_i) + \alpha}{C(t_i) + \alpha * N} \quad (4)$$

- $C(t_i, word_i)$ is the number of times $word_i$ was associated with tag_i in the training data (stored in `emission_counts` dictionary).
- $C(t_i)$ is the number of times tag_i was in the training data (stored in `tag_counts` dictionary).
- N is the number of words in the vocabulary
- α is a smoothing parameter.

The matrix `B` is of dimension $(\text{num_tags}, N)$, where num_tags is the number of possible parts-of-speech tags.

Here is an example of the matrix, only a subset of tags and words are shown:

B Emissions Probability Matrix (subset)

B	...	725	adroitly	engineers	promoted	synergy	...
CD	...	8.201296e-05	2.732854e-08	2.732854e-08	2.732854e-08	2.732854e-08	...
NN	...	7.521128e-09	7.521128e-09	7.521128e-09	7.521128e-09	2.257091e-05	...
NNS	...	1.670013e-08	1.670013e-08	4.676203e-04	1.670013e-08	1.670013e-08	...
VB	...	3.779036e-08	3.779036e-08	3.779036e-08	3.779036e-08	3.779036e-08	...
RB	...	3.226454e-08	6.456135e-05	3.226454e-08	3.226454e-08	3.226454e-08	...
PP	...	0.700017e-07	0.700017e-07	0.700017e-07	0.700017e-07	0.700017e-07	0.700017e-07

Exercise 4 - create_emission_matrix

Instructions: Implement the `create_emission_matrix` below that computes the `B` emission probabilities matrix. Your function takes in α , the smoothing parameter, `tag_counts`, which is a dictionary mapping each tag to its respective count, the `emission_counts` dictionary where the keys are (tag, word) and the values are the counts. Your task is to output a matrix that computes equation 4 for each cell in matrix `B`.


```
# UNQ_C4 GRADED FUNCTION: create_emission_matrix
```

```
def create_emission_matrix(alpha, tag_counts, emission_counts, vocab):
    ...
    Input:
        alpha: tuning parameter used in smoothing
        tag_counts: a dictionary mapping each tag to its respective count
        emission_counts: a dictionary where the keys are (tag, word) and the values are t
        vocab: a dictionary where keys are words in vocabulary and value is an index.
               within the function it'll be treated as a list
    Output:
        B: a matrix of dimension (num_tags, len(vocab))
    ...

    # get the number of POS tag
    num_tags = len(tag_counts)

    # Get a list of all POS tags
    all_tags = sorted(tag_counts.keys())

    # Get the total number of unique words in the vocabulary
    num_words = len(vocab)

    # Initialize the emission matrix B with places for
    # tags in the rows and words in the columns
    B = np.zeros((num_tags, num_words))

    # Get a set of all (POS, word) tuples
    # from the keys of the emission_counts dictionary
    emis_keys = set(list(emission_counts.keys()))

    ### START CODE HERE (Replace instances of 'None' with your code) ###

    # Go through each row (POS tags)
    for i in range(num_tags): # Replace None in this line with the proper range.

        # Go through each column (words)
        for j in range(num_words): # Replace None in this line with the proper range.

            # Initialize the emission count for the (POS tag, word) to zero
            count = 0

            # Define the (POS tag, word) tuple for this row and column
            key = (all_tags[i], vocab[j]) # tuple of form (tag,word)

            # check if the (POS tag, word) tuple exists as a key in emission counts
            if key in emission_counts: # Replace None in this line with the proper condit

                # Get the count of (POS tag, word) from the emission_counts d
                count = emission_counts[key]

                # Get the count of the POS tag
                count_tag = tag_counts[all_tags[i]]

                # Apply smoothing and store the smoothed value
                # into the emission matrix B for this row and column
                B[i,j] = (count + alpha) / (count_tag + alpha * num_words)

    ### END CODE HERE ###

    return B
```

```

# creating your emission probability matrix. this takes a few minutes to run.
alpha = 0.001
B = create_emission_matrix(alpha, tag_counts, emission_counts, list(vocab))

print(f"View Matrix position at row 0, column 0: {B[0,0]:.9f}")
print(f"View Matrix position at row 3, column 1: {B[3,1]:.9f}")

# Try viewing emissions for a few words in a sample dataframe
cidx = ['725','adroitly','engineers', 'promoted', 'synergy']

# Get the integer ID for each word
cols = [vocab[a] for a in cidx]

# Choose POS tags to show in a sample dataframe
rvals = ['CD','NN','NNS', 'VB','RB','RP']

# For each POS tag, get the row number from the 'states' list
rows = [states.index(a) for a in rvals]

# Get the emissions for the sample of words, and the sample of POS tags
B_sub = pd.DataFrame(B[np.ix_(rows,cols)], index=rvals, columns = cidx)

```

View Matrix position at row 0, column 0: 0.000006032
 View Matrix position at row 3, column 1: 0.000000720

	725	adroitly	engineers	promoted	synergy
CD	8.201296e-05	2.732854e-08	2.732854e-08	2.732854e-08	2.732854e-08
NN	7.521128e-09	7.521128e-09	7.521128e-09	7.521128e-09	2.257091e-05
NNS	1.670013e-08	1.670013e-08	4.676203e-04	1.670013e-08	1.670013e-08
VB	3.779036e-08	3.779036e-08	3.779036e-08	3.779036e-08	3.779036e-08
RB	3.226454e-08	6.456135e-05	3.226454e-08	3.226454e-08	3.226454e-08
RP	3.723317e-07	3.723317e-07	3.723317e-07	3.723317e-07	3.723317e-07

Expected Output

View Matrix position at row 0, column 0: 0.000006032
 View Matrix position at row 3, column 1: 0.000000720

	725	adroitly	engineers	promoted	synergy
CD	8.201296e-05	2.732854e-08	2.732854e-08	2.732854e-08	2.732854e-08
NN	7.521128e-09	7.521128e-09	7.521128e-09	7.521128e-09	2.257091e-05
NNS	1.670013e-08	1.670013e-08	4.676203e-04	1.670013e-08	1.670013e-08
VB	3.779036e-08	3.779036e-08	3.779036e-08	3.779036e-08	3.779036e-08
RB	3.226454e-08	6.456135e-05	3.226454e-08	3.226454e-08	3.226454e-08
RP	3.723317e-07	3.723317e-07	3.723317e-07	3.723317e-07	3.723317e-07

```
# Test your function
```

All tests passed

3 - Viterbi Algorithm and Dynamic Programming

In this part of the assignment you will implement the Viterbi algorithm which makes use of dynamic programming. Specifically, you will use your two matrices, `A` and `B` to compute the Viterbi algorithm. We have decomposed this process into three main steps for you.

- **Initialization** - In this part you initialize the `best_paths` and `best_probabilities` matrices that you will be populating in `feed_forward`.

- **Feed forward** - At each step, you calculate the probability of each path happening and the best paths up to that point.
- **Feed backward**: This allows you to find the best path with the highest probabilities.

3.1 - Initialization

You will start by initializing two matrices of the same dimension.

- `best_probs`: Each cell contains the probability of going from one POS tag to a word in the corpus.
- `best_paths`: A matrix that helps you trace through the best possible path in the corpus.

Exercise 5 - initialize

Instructions: Write a program below that initializes the `best_probs` and the `best_paths` matrix.

Both matrices will be initialized to zero except for column zero of `best_probs`.

- Column zero of `best_probs` is initialized with the assumption that the first word of the corpus was preceded by a start token ("--s--").
- This allows you to reference the **A** matrix for the transition probability

Here is how to initialize column 0 of `best_probs`:

- The probability of the best path going from the start index to a given POS tag indexed by integer i is denoted by `best_probs[s_idx, i]`.
- This is estimated as the probability that the start tag transitions to the POS denoted by index i : **A**[s_{idx}, i] AND that the POS tag denoted by i emits the first word of the given corpus, which is **B**[$i, vocab[corpus[0]]$]
- Note that `vocab[corpus[0]]` refers to the first word of the corpus (the word at position 0 of the corpus).
- **vocab** is a dictionary that returns the unique integer that refers to that particular word.

Conceptually, it looks like this: $\text{best_probs}[i, 0] = \mathbf{A}[s_{idx}, i] \times \mathbf{B}[i, vocab[corpus[0]]]$

In order to avoid multiplying and storing small values on the computer, we'll take the log of the product, which becomes the sum of two logs:

$$\text{best_probs}[i, 0] = \log(\mathbf{A}[s_{idx}, i]) + \log(\mathbf{B}[i, vocab[corpus[0]]])$$

Please use [math.log](#) to compute the natural logarithm.

The example below shows the initialization assuming the corpus starts with the phrase "Loss tracks upward".



```

import math

# UNQ_C5 GRADED FUNCTION: initialize
def initialize(states, tag_counts, A, B, corpus, vocab):
    ...
    Input:
        states: a list of all possible parts-of-speech
        tag_counts: a dictionary mapping each tag to its respective count
        A: Transition Matrix of dimension (num_tags, num_tags)
        B: Emission Matrix of dimension (num_tags, len(vocab))
        corpus: a sequence of words whose POS is to be identified in a list
        vocab: a dictionary where keys are words in vocabulary and value is an index
    Output:
        best_probs: matrix of dimension (num_tags, len(corpus)) of floats
        best_paths: matrix of dimension (num_tags, len(corpus)) of integers
    ...
    num_tags = len(tag_counts)

    best_probs = np.zeros((num_tags, len(corpus)))
    best_paths = np.zeros((num_tags, len(corpus)), dtype=int)

    # index of start state
    s_idx = states.index("--s--")

    # initialize column 0 of best_probs
    for i in range(num_tags):
        # transition prob from start → tag[i]
        trans_prob = A[s_idx, i]
        # emission prob of first word given tag[i]
        emit_prob = B[i, vocab[corpus[0]]]

        if trans_prob == 0 or emit_prob == 0:
            best_probs[i, 0] = float('-inf') # log(0) = -inf
        else:
            best_probs[i, 0] = math.log(trans_prob) + math.log(emit_prob)

```

```

# Test the function
print(f"best_probs[0,0]: {best_probs[0,0]:.4f}")

```

```

best_probs[0,0]: -22.6098
best_paths[2,3]: 0.0000

```

Expected Output

```

best_probs[0,0]: -22.6098
best_paths[2,3]: 0.0000

```

```

# Test your function

```

All tests passed

3.2 - Viterbi Forward

In this part of the assignment, you will implement the `viterbi_forward` segment. In other words, you will populate your `best_probs` and `best_paths` matrices.

- Walk forward through the corpus.
- For each word, compute a probability for each possible tag.
- Unlike the previous algorithm `predict_pos` (the 'warm-up' exercise), this will include the path up to that (word,tag) combination.

Here is an example with a three-word corpus "Loss tracks upward":

- Note, in this example, only a subset of states (POS tags) are shown in the diagram below, for easier reading.
- In the diagram below, the first word "Loss" is already initialized.
- The algorithm will compute a probability for each of the potential tags in the second and future words.

Compute the probability that the tag of the second word ('tracks') is a verb, 3rd person singular present (VBZ).

- In the `best_probs` matrix, go to the column of the second word ('tracks'), and row 40 (VBZ), this cell is highlighted in light orange in the diagram below.
- Examine each of the paths from the tags of the first word ('Loss') and choose the most likely path.
- An example of the calculation for **one** of those paths is the path from ('Loss', NN) to ('tracks', VBZ).
- The log of the probability of the path up to and including the first word 'Loss' having POS tag NN is -14.32 . The `best_probs` matrix contains this value -14.32 in the column for 'Loss' and row for 'NN'.
- Find the probability that NN transitions to VBZ. To find this probability, go to the `A` transition matrix, and go to the row for 'NN' and the column for 'VBZ'. The value is $4.37e - 02$, which is circled in the diagram, so add $-14.32 + \log(4.37e - 02)$.
- Find the log of the probability that the tag VBS would 'emit' the word 'tracks'. To find this, look at the 'B' emission matrix in row 'VBZ' and the column for the word 'tracks'. The value $4.61e - 04$ is circled in the diagram below. So add $-14.32 + \log(4.37e - 02) + \log(4.61e - 04)$.
- The sum of $-14.32 + \log(4.37e - 02) + \log(4.61e - 04)$ is -25.13 . Store -25.13 in the `best_probs` matrix at row 'VBZ' and column 'tracks' (as seen in the cell that is highlighted in light orange in the diagram).
- All other paths in `best_probs` are calculated. Notice that -25.13 is greater than all of the other values in column 'tracks' of matrix `best_probs`, and so the most likely path to 'VBZ' is from 'NN'. 'NN' is in row

The formula to compute the probability and path for the i^{th} word in the $corpus$ the prior word $i - 1$ in the corpus, current POS tag j , and previous POS tag k is:

$$\text{prob} = \text{best_prob}_{k,i-1} + \log(\mathbf{A}_{k,j}) + \log(\mathbf{B}_{j,\text{vocab}(corpus_i)})$$

where $corpus_i$ is the word in the corpus at index i , and vocab is the dictionary that gets the unique integer that represents a given word.

$$\text{path} = k$$

where k is the integer representing the previous POS tag.

Exercise 6 - viterbi_forward

Instructions: Implement the `viterbi_forward` algorithm and store the `best_path` and `best_prob` for every possible tag for each word in the matrices `best_probs` and `best_tags` using the pseudo code below.

```

for each word in the corpus
    for each POS tag type that this word may be
        for POS tag type that the previous word could be
            compute the probability that the previous word had a given POS tag,
            that the current word has a given POS tag, and that the POS tag would emit this
            current word.

            retain the highest probability computed for the current word

```



Hints

```

# UNQ_C6 GRADED FUNCTION: viterbi_forward
def viterbi_forward(A, B, test_corpus, best_probs, best_paths, vocab, verbose=True):
    ...

    Input:
        A, B: The transition and emission matrices respectively
        test_corpus: a list containing a preprocessed corpus
        best_probs: an initialized matrix (num_tags, len(corpus))
        best_paths: an initialized matrix (num_tags, len(corpus))
        vocab: dictionary mapping word -> index

    Output:
        best_probs: updated matrix with probabilities
        best_paths: updated matrix with best previous tag indices
    ...

    num_tags = best_probs.shape[0]

    for i in range(1, len(test_corpus)):
        if i % 5000 == 0 and verbose:
            print(f"Words processed: {i:,>8}")

        for j in range(num_tags):
            best_prob_i = float("-inf")
            best_path_i = None

            for k in range(num_tags):
                prob = (best_probs[k, i-1]
                        + math.log(A[k, j])
                        + math.log(B[j, vocab[test_corpus[i]]]))

                if prob > best_prob_i:
                    best_prob_i = prob
                    best_path_i = k

            best_probs[j, i] = best_prob_i
            best_paths[j, i] = best_path_i

```

Run the `viterbi_forward` function to fill in the `best_probs` and `best_paths` matrices.

Note that this will take a few minutes to run. There are about 30,000 words to process.

```
# this will take a few minutes to run => processes ~ 30,000 words
```

```
Words processed: 5000
Words processed: 10000
Words processed: 15000
Words processed: 20000
Words processed: 25000
Words processed: 30000
```

```
# Test this function
print(f"best_probs[0,1]: {best_probs[0,1]:.4f}")
```

```
best_probs[0,1]: -24.7822
best_probs[0,4]: -49.5601
```

Expected Output

```
best_probs[0,1]: -24.7822
best_probs[0,4]: -49.5601
```

```
# Test your function: this test may take some time to run
```

```
All tests passed
```

3.3 - Viterbi Backward

Now you will implement the Viterbi backward algorithm.

- The Viterbi backward algorithm gets the predictions of the POS tags for each word in the corpus using the `best_paths` and the `best_probs` matrices.

The example below shows how to walk backwards through the `best_paths` matrix to get the POS tags of each word in the corpus. Recall that this example corpus has three words: "Loss tracks upward".

POS tag for 'upward' is `RB`

- Select the the most likely POS tag for the last word in the corpus, 'upward' in the `best_prob` table.
- Look for the row in the column for 'upward' that has the largest probability.
- Notice that in row 28 of `best_probs`, the estimated probability is -34.99, which is larger than the other values in the column. So the most likely POS tag for 'upward' is `RB` an adverb, at row 28 of `best_prob`.
- The variable `z` is an array that stores the unique integer ID of the predicted POS tags for each word in the corpus. In array `z`, at position 2, store the value 28 to indicate that the word 'upward' (at index 2 in the corpus), most likely has the POS tag associated with unique ID 28 (which is `RB`).
- The variable `pred` contains the POS tags in string form. So `pred` at index 2 stores the string `RB`.

POS tag for 'tracks' is `VBZ`

- The next step is to go backward one word in the corpus ('tracks'). Since the most likely POS tag for 'upward' is `RB`, which is uniquely identified by integer ID 28, go to the `best_paths` matrix in column 2, row 28. The value stored in `best_paths`, column 2, row 28 indicates the unique ID of the POS tag of the previous word. In this case, the value stored here is 40, which is the unique ID for POS tag `VBZ` (verb, 3rd person singular present).
- So the previous word at index 1 of the corpus ('tracks'), most likely has the POS tag with unique ID 40, which is `VBZ`.
- In array `z`, store the value 40 at position 1, and for array `pred`, store the string `VBZ` to indicate that the word 'tracks' most likely has POS tag `VBZ`.

POS tag for 'Loss' is `NN`

- In `best_paths` at column 1, the unique ID stored at row 40 is 20. 20 is the unique ID for POS tag `NN`.
- In array `z` at position 0, store 20. In array `pred` at position 0, store `NN`.



Exercise 7 - viterbi_backward

Implement the `viterbi_backward` algorithm, which returns a list of predicted POS tags for each word in the corpus.

- Note that the numbering of the index positions starts at 0 and not 1.
- `m` is the number of words in the corpus.
 - So the indexing into the corpus goes from `0` to `m - 1`.
 - Also, the columns in `best_probs` and `best_paths` are indexed from `0` to `m - 1`

In Step 1:

Loop through all the rows (POS tags) in the last entry of `best_probs` and find the row (POS tag) with the maximum value. Convert the unique integer ID to a tag (a string representation) using the list `states`.

Referring to the three-word corpus described above:

- `z[2] = 28` : For the word 'upward' at position 2 in the corpus, the POS tag ID is 28. Store 28 in `z` at position 2.
- `states[28]` is 'RB': The POS tag ID 28 refers to the POS tag 'RB'.
- `pred[2] = 'RB'` : In array `pred`, store the POS tag for the word 'upward'.

In Step 2:

- Starting at the last column of `best_paths`, use `best_probs` to find the most likely POS tag for the last word in the corpus.
- Then use `best_paths` to find the most likely POS tag for the previous word.
- Update the POS tag for each word in `z` and in `preds`.

Referring to the three-word example from above, read `best_paths` at column 2 and fill in `z` at position 1.

```
z[1] = best_paths[z[2],2]
```

The small test following the routine prints the last few words of the corpus and their states to aid in debug.

```

# UNQ_C7 GRADED FUNCTION: viterbi_backward
def viterbi_backward(best_probs, best_paths, corpus, states):
    ...
    This function returns the best path of POS tags for the corpus
    ...
    m = best_paths.shape[1]      # number of words in corpus
    z = [None] * m              # holds tag indices
    pred = [None] * m           # holds actual tag labels

    num_tags = best_probs.shape[0]
    best_prob_for_last_word = float('-inf')

    ## Step 1: Find best tag for the last word ##
    for k in range(num_tags):
        if best_probs[k, m - 1] > best_prob_for_last_word:
            best_prob_for_last_word = best_probs[k, m - 1]
            z[m - 1] = k      # store best tag index

    # convert last tag index to string
    pred[m - 1] = states[z[m - 1]]

    ## Step 2: Walk backward ##
    for i in range(m - 1, 0, -1):
        pos_tag_for_word_i = z[i]                      # index of tag at word i
        z[i - 1] = best_paths[pos_tag_for_word_i, i]   # backpointer
        pred[i - 1] = states[z[i - 1]]                  # convert to tag string

```

```

# Run and test your function
pred = viterbi_backward(best_probs, best_paths, prep, states)
m=len(pred)
print('The prediction for pred[-7:m-1] is: \n', prep[-7:m-1], "\n", pred[-7:m-1], "\n")

```

The prediction for pred[-7:m-1] is:
['see', 'them', 'here', 'with', 'us', '.']
['VB', 'PRP', 'RB', 'IN', 'PRP', '.']

The prediction for pred[0:8] is:
['DT', 'NN', 'POS', 'NN', 'MD', 'VB', 'VBN']
['The', 'economy', "'s", 'temperature', 'will', 'be', 'taken']

Expected Output:

The prediction for pred[-7:m-1] is:
['see', 'them', 'here', 'with', 'us', '.']
['VB', 'PRP', 'RB', 'IN', 'PRP', '.']
The prediction for pred[0:8] is:
['DT', 'NN', 'POS', 'NN', 'MD', 'VB', 'VBN']
['The', 'economy', "'s", 'temperature', 'will', 'be', 'taken']

Now you just have to compare the predicted labels to the true labels to evaluate your model on the accuracy metric!

```
# Test your function
```

All tests passed

4 - Predicting on a Dataset

Compute the accuracy of your prediction by comparing it with the true `y` labels.

```
print('The third word is:', prep[3])
print('Your prediction is:', pred[3])
```

```
The third word is: temperature
Your prediction is: NN
Your corresponding label y is: temperature      NN
```

Exercise 8 - compute_accuracy

Implement a function to compute the accuracy of the viterbi algorithm's POS tag predictions.

- To split `y` into the word and its tag you can use `y.split()`.

```
# UNQ_C8 GRADED FUNCTION: compute_accuracy
def compute_accuracy(pred, y):
    ...
    Input:
        pred: a list of the predicted parts-of-speech
        y: a list of lines where each word is separated by a '\t' (i.e. word \t tag)
    Output:
        accuracy: number of correct predictions divided by total
    ...
    num_correct = 0
    total = 0

    # Zip together the prediction and the Labels
    for prediction, y in zip(pred, y):
        # Split the label into the word and the POS tag
        word_tag_tuple = y.split()

        # Check that there is exactly one word and one tag
        if len(word_tag_tuple) != 2:
            continue

        # store the word and tag separately
        word, tag = word_tag_tuple

        # Check if the POS tag label matches the prediction
        if prediction == tag:
            num_correct += 1

        # keep track of the total number of valid examples
        total += 1
```

Accuracy of the Viterbi algorithm is 0.9531

Expected Output

Accuracy of the Viterbi algorithm is 0.9531

Congratulations you were able to classify the parts-of-speech with 95% accuracy.

Test your function

All tests passed

Key Points and overview

In this assignment you learned about parts-of-speech tagging.

- In this assignment, you predicted POS tags by walking forward through a corpus and knowing the previous word.
- There are other implementations that use bidirectional POS tagging.
- Bidirectional POS tagging requires knowing the previous word and the next word in the corpus when predicting the current word's POS tag.
- Bidirectional POS tagging would tell you more about the POS instead of just knowing the previous word.
- Since you have learned to implement the unidirectional approach, you have the foundation to implement other POS taggers used in industry.

References

- ["Speech and Language Processing", Dan Jurafsky and James H. Martin](#)
- We would like to thank Melanie Tosik for her help and inspiration



Assignment 2: Parts-of-Speech Tagging (POS)

Welcome to the second assignment of Course 2 in the Natural Language Processing specialization. This assignment will develop skills in part-of-speech (POS) tagging, the process of assigning a part-of-speech tag (Noun, Verb, Adjective...) to each word in an input text. Tagging is difficult because some words can represent more than one part of speech at different times. They are **Ambiguous**. Let's look at the following example:

- The whole team played **well**. [adverb]
- You are doing **well** for yourself. [adjective]
- **Well**, this assignment took me forever to complete. [interjection]
- The **well** is dry. [noun]
- Tears were beginning to **well** in her eyes. [verb]

Distinguishing the parts-of-speech of a word in a sentence will help you better understand the meaning of a sentence. This would be critically important in search queries. Identifying the proper noun, the organization, the stock symbol, or anything similar would greatly improve everything ranging from speech recognition to search. By completing this assignment, you will:

- Learn how parts-of-speech tagging works
- Compute the transition matrix A in a Hidden Markov Model
- Compute the emission matrix B in a Hidden Markov Model
- Compute the Viterbi algorithm
- Compute the accuracy of your own model

Important Note on Submission to the AutoGrader

Before submitting your assignment to the AutoGrader, please make sure you are not doing the following:

1. You have not added any `extra print` statement(s) in the assignment.
2. You have not added any `extra code cell(s)` in the assignment.
3. You have not changed any of the function parameters.
4. You are not using any global variables inside your graded exercises. Unless specifically instructed to do so, please refrain from it and use the local variables instead.
5. You are not changing the assignment code where it is not required, like creating `extra` variables.

If you do any of the following, you will get something like, `Grader Error: Grader feedback not found` (or similarly unexpected) error upon submitting your assignment. Before asking for help/debugging the errors in your assignment, check for these first. If this is the case, and you don't remember the changes you have made, you can get a fresh copy of the assignment by following these [instructions](#).

Table of Contents

Grades

Passed • Grade Received: 100%

Submissions

February 21, 2026 11:33 AM +06 (Highest Grade)

>Create dictionaries

10/10 points earned

Predict Pos

10/10 points earned

Create transition matrix

10/10 points earned

Create emission matrix

10/10 points earned

Initialize

10/10 points earned

Viterbi forward

10/10 points earned

Natural Language Processing with Probabilistic Models

- ✓ The Viterbi algorithm Video • 4 min
- ✓ The Viterbi Algorithm Reading • 5 min
- ✓ Viterbi: Initialization Video • 2 min
- ✓ Viterbi Initialization Reading • 5 min
- ✓ Viterbi: Forward Pass Video • 2 min
- ✓ Viterbi: Forward Pass Reading • 10 min
- ✓ Viterbi: Backward Pass Video • 5 min
- ✓ Viterbi: Backward Pass Reading • 10 min
- ✓ Week Conclusion Video • 1 min
- ✓ Lecture Notes W2 Reading • 1 min
- ✓ Part of Speech Tagging Practice Assignment • Grade: 81.25%
- ✓ Part of Speech Tagging Programming Assignment • Grade: 100%

Week 3 Autocomplete and Language Models

Week 4 Word embeddings with neural networks

Setup a learning plan ★ ★

Programming Assignment: Part of Speech Tagging

✓ Passed • 80/80 points

Deadline Pass this assignment by Feb 27, 11:59 PM +06

[Launch Notebook](#)

Instructions [My submissions](#)

Date	Score	Passed
▼ February 21, 2026 11:33 AM +06	80/80	Yes
Create dictionaries	10/10	Show grader output
Predict Pos	10/10	Show grader output
Create transition matrix	10/10	Show grader output
Create emission matrix	10/10	Show grader output
Initialize	10/10	Show grader output
Viterbi forward	10/10	Show grader output
Viterbi backward	10/10	Show grader output
Compute accuracy	10/10	Show grader output

[Go to next item →](#)