

## Lab 5 : Automation with Github Actions

This lab will walk through implementing a simple CI/CD pipeline into a codebase using [GitHub Actions](#). By the end of it, you will learn how to:

- Integrate GitHub Actions with your GitHub project.
- Implement a CI/CD pipeline in the codebase using a GitHub Actions workflow file
- Automate the build and deploy of a Docker image to [Docker Hub](#).

### Section 1 – Testing the Code

This repo contains a simple Python [Flask](#) application. You can find the complete [source code for this project here](#) and clone it locally. The app is a simple web server that renders HTML when a request is made. The Flask application lives in the `hello_world.py` file.

1. Run the python file
2. On your browser, navigate to one of the URLs that appear on your terminal

```
* Serving Flask app 'hello_world'
* Debug mode: off
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
* Running on all addresses (0.0.0.0)
* Running on http://127.0.0.1:4049
* Running on http://192.168.1.117:4049
Press CTRL+C to quit
```

3. It seems you have a 404 error. Now using the same URL, append “/greeting” to it. You should see a new page.
4. All code must be tested to ensure that stable, quality code is being released. Python comes with a testing framework named [unittest](#). Create unit tests file **`test_hello_world.py`** and add your tests in it. These tests should be able to cover most of the **`hello_world`** app.
5. Run pytest to validate your unit tests.

### Section 2 - CI/CD Pipeline using Github Actions

It's time to implement a CI/CD pipeline into the codebase using GitHub Actions. The integration is very simple because GitHub Actions is built right into GitHub.

The CI/CD configuration for GitHub Actions is defined in a YAML file that must be placed in a directory named `.github/workflows/` at the root of your repository.

1. Similar to what's been done in class. Implement a linter workflow `linter.yml` that checks your code for style issues on every push or pull request to the main branch.

2. Implement a test workflow that sets up a Python virtual environment, installs your dependencies, and runs your unittests.

## Section 3 – Adding a Deploy Workflow

1. Implement a deploy workflow builds your application binary, creates a Docker image, logs in to Docker Hub (using secrets), and pushes the image. It triggers on pushes to the `main` branch.

### Additional Notes

- **Repository Secrets:**

Make sure you set up the following secrets in your GitHub repository settings (under **Settings > Secrets and variables > Actions**):

- `DOCKER_LOGIN` (your Docker Hub username)
- `DOCKER_PWD` (your Docker Hub password)

- **Trigger Conditions:**

The linter and test workflows run on both pushes and pull requests to the main branch. The deploy workflow runs on pushes to main—you can adjust these triggers as needed.