



- [NBA API](#)
- [AI-Powered Integration](#)
- [Google Sheets Integration](#)
- [Account Tiers](#)
- [Authentication](#)
- [Pagination](#)
- [Errors](#)
- [Teams](#)
- [Players](#)
- [Games](#)
- [Game Player Stats](#)
- [Season Averages](#)
- [Team Season Averages](#)
- [Game Advanced Stats](#)
- [Box Scores](#)
- [Lineups](#)
 - [Get Game Lineups](#)
- [Plays](#)
- [Active Players](#)
- [Player Injuries](#)
- [Team Standings](#)
- [Leaders](#)
- [Betting Odds](#)
- [Player Props](#)
- [Contracts](#)

NBA API

Welcome to the **BALLDONTLIE NBA API**, the best NBA API on the planet. The API contains data from 1946-current. An API key is required. You can obtain an API key by creating a free account on our website. Read the authentication section to learn how to use the API key.

Take a look at our other APIs.

Join us on discord.

AI-Powered Integration

i New to programming? Our API is designed to work seamlessly with AI assistants like ChatGPT, the agent, and Gemini. You don't need coding experience to get started!

Using the OpenAPI Specification with AI

Our complete OpenAPI specification allows AI assistants to automatically understand and interact with our API. Simply share the spec URL with your AI assistant and describe what you want to build—the AI will handle the technical implementation.

Getting Started with AI:

1. Copy this URL: `https://www.balldontlie.io/openapi/nba.yml`
2. Share it with your preferred AI assistant (ChatGPT, the agent, Gemini, etc.)
3. Tell the AI what you want to build (e.g., "Create a dashboard showing today's NBA games")
4. The AI will read the OpenAPI spec and write the code for you

Example prompts to try:

- "Using the OpenAPI spec at `https://www.balldontlie.io/openapi/nba.yml`, show me how to get LeBron James' season stats"
- "Read the BALLDONTLIE OpenAPI spec and create a Python script that fetches today's NBA games"
- "Help me understand the available NBA endpoints from this OpenAPI spec:
`https://www.balldontlie.io/openapi/nba.yml`"

This makes it incredibly easy for non-technical users, analysts, and researchers to leverage our sports data without needing to learn programming from scratch.

Google Sheets Integration

i Prefer spreadsheets over code? Pull live sports data directly into Google Sheets with our custom functions - no programming required!

Our Google Sheets integration lets you access all the same data available through our API using simple spreadsheet formulas. Perfect for fantasy sports tracking, betting analysis, and sports research.

Quick Start:

- 1. Get your API key from app.balldontlie.io
- 2. Copy our Google Sheets script
- 3. Paste it into your Google Sheet (Extensions > Apps Script)
- 4. Start using functions in your cells

Example functions:

- `=BDL_NBA_PLAYERS("LeBron")` - Search for players
- `=BDL_NBA_GAMES("2026-01-27")` - Get games by date
- `=BDL_NBA_STANDINGS(2026)` - Get current standings
- `=BDL_NBA_ODDS("2026-01-27")` - Get betting odds

For full setup instructions and the complete list of 150+ functions, see our [Google Sheets Integration Guide](#).

Account Tiers

There are three different account tiers which provide you access to different types of data. Visit our website to create an account for free.

Paid tiers do not apply across sports. The tier you purchase for NBA will not automatically be applied to other sports. You can purchase the ALL-ACCESS (\$299.99/mo) tier to get access to every endpoint for every sport.

Read the table below to see the breakdown.

Endpoint	Free	ALL-STAR	GOAT
Teams	Yes	Yes	Yes
Players	Yes	Yes	Yes
Games	Yes	Yes	Yes
Game Player Stats	No	Yes	Yes
Active Players	No	Yes	Yes
Player Injuries	No	Yes	Yes
Season Averages	No	No	Yes
Team Season Averages	No	No	Yes
Game Advanced Stats	No	No	Yes
Box Scores	No	No	Yes

Lineups	No	No	Yes
Team Standings	No	No	Yes
Leaders	No	No	Yes
Betting Odds	No	No	Yes
Player Props	No	No	Yes
Team Contracts	No	No	Yes
Player Contracts	No	No	Yes
Player Contract Aggregates	No	No	Yes
Plays	No	No	Yes

The feature breakdown per tier is shown in the table below.

Tier	Requests / Min	\$USD / mo.
GOAT	600	39.99
ALL-STAR	60	9.99
Free	5	0

48-HOUR FREE TRIAL

Every paid sport offers a 48-hour trial of the GOAT tier (all endpoints, 5 req/min during the trial). ALL-ACCESS is also available as a 48-hour trial with the same 5 req/min trial limit. A payment method is required at signup; there is no charge until the trial ends, and you can cancel anytime from your dashboard. One trial per sport per account. Existing ALL-STAR subscribers may trial the GOAT upgrade for their sports.

Authentication

To authorize, use this code:

```
curl "api_endpoint_here" -H "Authorization: YOUR_API_KEY"
```

Make sure to replace `YOUR_API_KEY` with your API key.

BALLDONTLIE uses API keys to allow access to the API. You can obtain an API key by creating a free account at our

website

We expect the API key to be included in all API requests to the server in a header that looks like the following:

Authorization: YOUR_API_KEY

- i** You must replace YOUR_API_KEY with your personal API key.
- i** Trial keys use the same api_key and Authorization header as paid keys. During the trial window, requests are capped at 5 req/min; when the trial converts to paid GOAT or ALL-ACCESS, the key uses the paid 600 req/min limit automatically. No integration change is required when the trial expires or converts.

Pagination

This API uses cursor based pagination rather than limit/offset. Endpoints that support pagination will send back responses with a meta key that looks like what is displayed on the right.

```
{
  "meta": {
    "next_cursor": 90,
    "per_page": 25
  }
}
```

You can use per_page to specify the maximum number of results. It defaults to 25 and doesn't allow values larger than 100.

You can use next_cursor to get the next page of results. Specify it in the request parameters like this: ?cursor=NEXT_CURSOR.

Errors

The API uses the following error codes:

Error Code	Meaning
	Unauthorized - You either need an API key or your account tier does not have access to the

401	endpoint.
400	Bad Request -- The request is invalid. The request parameters are probably incorrect.
404	Not Found -- The specified resource could not be found.
406	Not Acceptable -- You requested a format that isn't json.
429	Too Many Requests -- You're rate limited.
500	Internal Server Error -- We had a problem with our server. Try again later.
503	Service Unavailable -- We're temporarily offline for maintenance. Please try again later.

Teams

Get All Teams

```
curl "https://api.balldontlie.io/v1/teams" \  
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{  
  "data": [  
    {  
      "id":1,  
      "conference":"East",  
      "division":"Southeast",  
      "city":"Atlanta",  
      "name":"Hawks",  
      "full_name":"Atlanta Hawks",  
      "abbreviation":"ATL"  
    },  
      
  ]  
}
```

This endpoint retrieves all teams.

HTTP REQUEST

```
GET https://api.balldontlie.io/v1/teams
```

QUERY PARAMETERS

Parameter	Required	Description
division	false	Returns teams that belong to this division
conference	false	Returns teams that belong to this conference

Get a Specific Team

```
curl "https://api.balldontlie.io/v1/teams/<ID>" \
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{
  "data": [
    {
      "id": 1,
      "conference": "East",
      "division": "Southeast",
      "city": "Atlanta",
      "name": "Hawks",
      "full_name": "Atlanta Hawks",
      "abbreviation": "ATL"
    }
  ]
}
```

This endpoint retrieves a specific team.

HTTP REQUEST

```
GET https://api.balldontlie.io/v1/teams/<ID>
```

URL PARAMETERS

Parameter	Required	Description
ID	true	The ID of the team to retrieve

Players

Get All Players

```
curl "https://api.balldontlie.io/v1/players" \
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{
  "data": [
    {
      "id": 115,
      "first_name": "Stephen",
      "last_name": "Curry",
      "position": "G",
      "height": "6-2",
      "weight": "185",
      "jersey_number": "30",
      "college": "Davidson",
      "country": "USA",
      "draft_year": 2009,
      "draft_round": 1,
      "draft_number": 7,
      "team": {
        "id": 10,
        "conference": "West",
        "division": "Pacific",
        "city": "Golden State",
        "name": "Warriors",
        "full_name": "Golden State Warriors",
        "abbreviation": "GSW"
      }
    },
    ...
  ],
  "meta": {
    "next_cursor": 25,
    "per_page": 25
  }
}
```

This endpoint retrieves all players.

HTTP REQUEST

```
GET https://api.balldontlie.io/v1/players
```

QUERY PARAMETERS

Parameter	Required	Description
cursor	false	The cursor, used for pagination
per_page	false	The number of results per page. Default to 25. Max is 100

search	false	Returns players whose first or last name matches this value. For example, <code>?search=davis</code> will return players that have 'davis' in their first or last name.
first_name	false	Returns players whose first name matches this value. For example, <code>?search=anthony</code> will return players that have 'anthony' in their first name.
last_name	false	Returns players whose last name matches this value. For example, <code>?search=davis</code> will return players that have 'davis' in their last name.
team_ids	false	Returns players that belong to these team ids. This should be an array: <code>?team_ids[]=1&team_ids[]=2</code>
player_ids	false	Returns players that match these ids. This should be an array: <code>?player_ids[]=1&player_ids[]=2</code>

Get a Specific Player

```
curl "https://api.balldontlie.io/v1/players/<ID>" \
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{
  "data": {
    "id": 115,
    "first_name": "Stephen",
    "last_name": "Curry",
    "position": "G",
    "height": "6-2",
    "weight": "185",
    "jersey_number": "30",
    "college": "Davidson",
    "country": "USA",
    "draft_year": 2009,
    "draft_round": 1,
    "draft_number": 7,
    "team": {
      "id": 10,
      "conference": "West",
      "division": "Pacific",
      "city": "Golden State",
      "name": "Warriors",
      "full_name": "Golden State Warriors",
      "abbreviation": "GSW"
    }
  }
}
```

This endpoint retrieves a specific player.

HTTP REQUEST

GET https://api.balldontlie.io/v1/players/<ID>

URL PARAMETERS

Parameter	Required	Description
ID	true	The ID of the player to retrieve

Games

i Game data is realtime for in-progress games. Scores per quarter, bonus, and timeouts are only available for 2023 season and beyond.

Attributes

These response attributes are worth noting:

Attribute	Type	Values	Notes
period	integer	0, 1, 2, 3, 4	0 will be returned for games that have not started. 4 will be returned when a game is either complete or in the 4th quarter.
status	string	{start_time}, 1st Qtr, 2nd Qtr, Halftime, 3rd Qtr, 4th Qtr, Final	{start_time} looks something like "7:00 pm ET", which indicates that the game has not started yet.
time	string	{time_in_period}, " "	{time_in_period} looks something like "3:44". " " is an empty string that is returned when game has not started or is complete.
postponed	boolean	true, false	Indicates whether the game has been postponed.
ist_stage	string	null, Championship, East Group A, East Group B, East Group C, East Quarterfinal, East Semifinal,	Only populated for NBA Cup games. null for regular season and

West Group A, West Group B, West Group C,
West Quarterfinal, West Semifinal

playoff games. Only available
starting with the 2025 season.

Get All Games

```
curl "https://api.balldontlie.io/v1/games" \  
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{  
  "data": [  
    {  
      "id": 15907925,  
      "date": "2025-01-05",  
      "season": 2024,  
      "status": "Final",  
      "period": 4,  
      "time": "Final",  
      "postseason": false,  
      "postponed": false,  
      "home_team_score": 115,  
      "visitor_team_score": 105,  
      "datetime": "2025-01-05T23:00:00.000Z",  
      "home_q1": 29,  
      "home_q2": 34,  
      "home_q3": 28,  
      "home_q4": 24,  
      "home_ot1": null,  
      "home_ot2": null,  
      "home_ot3": null,  
      "home_timeouts_remaining": 2,  
      "home_in_bonus": true,  
      "visitor_q1": 23,  
      "visitor_q2": 25,  
      "visitor_q3": 30,  
      "visitor_q4": 27,  
      "visitor_ot1": null,  
      "visitor_ot2": null,  
      "visitor_ot3": null,  
      "visitor_timeouts_remaining": 2,  
      "visitor_in_bonus": false,  
      "ist_stage": null,  
      "home_team": {  
        "id": 6,  
        "conference": "East",  
        "division": "Central",  
        "city": "Cleveland",  
        "name": "Cavaliers",  
        "full_name": "Cleveland Cavaliers",  
        "abbreviation": "CLE"  
      },  
      "visitor_team": {
```

```
    "id": 4,
    "conference": "East",
    "division": "Southeast",
    "city": "Charlotte",
    "name": "Hornets",
    "full_name": "Charlotte Hornets",
    "abbreviation": "CHA"
  },
  ...
],
"meta": {
  "next_cursor": 25,
  "per_page": 25
}
```

This endpoint retrieves all games.

HTTP REQUEST

GET https://api.balldontlie.io/v1/games

QUERY PARAMETERS

Parameter	Required	Description
cursor	false	The cursor, used for pagination
per_page	false	The number of results per page. Default to 25. Max is 100
dates	false	Returns games that match these dates. Dates should be formatted in YYYY-MM-DD. This should be an array: ?dates[]=2024-01-01&dates[]=2024-01-02
seasons	false	Returns games that occurred in these seasons. This should be an array: ?seasons[]=2022&seasons[]=2023
team_ids	false	Returns games for these team ids. This should be an array: ?team_ids[]=1&team_ids[]=2
postseason	false	Returns playoffs games when set to true. Returns regular season games when set to false. Returns both when not specified
start_date	false	Returns games that occurred on or after this date. Date should be formatted in YYYY-MM-DD
end_date	false	Returns games that occurred on or before this date. Date should be formatted in YYYY-MM-DD

Get a Specific Game

```
curl "https://api.balldontlie.io/v1/games/<ID>" \
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{
  "data": {
    "id": 15907925,
    "date": "2025-01-05",
    "season": 2024,
    "status": "Final",
    "period": 4,
    "time": "Final",
    "postseason": false,
    "postponed": false,
    "home_team_score": 115,
    "visitor_team_score": 105,
    "datetime": "2025-01-05T23:00:00.000Z",
    "home_q1": 29,
    "home_q2": 34,
    "home_q3": 28,
    "home_q4": 24,
    "home_ot1": null,
    "home_ot2": null,
    "home_ot3": null,
    "home_timeouts_remaining": 2,
    "home_in_bonus": true,
    "visitor_q1": 23,
    "visitor_q2": 25,
    "visitor_q3": 30,
    "visitor_q4": 27,
    "visitor_ot1": null,
    "visitor_ot2": null,
    "visitor_ot3": null,
    "visitor_timeouts_remaining": 2,
    "visitor_in_bonus": false,
    "ist_stage": null,
    "home_team": {
      "id": 6,
      "conference": "East",
      "division": "Central",
      "city": "Cleveland",
      "name": "Cavaliers",
      "full_name": "Cleveland Cavaliers",
      "abbreviation": "CLE"
    },
    "visitor_team": {
      "id": 4,
      "conference": "East",
      "division": "Southeast",
      "city": "Charlotte",
      "name": "Hornets",
      "full_name": "Charlotte Hornets",
      "abbreviation": "CHA"
    }
  }
}
```

This endpoint retrieves a specific game.

HTTP REQUEST

```
GET https://api.balldontlie.io/v1/games/<ID>
```

URL PARAMETERS

Parameter	Required	Description
ID	true	The ID of the game to retrieve

Game Player Stats

i Player stats are realtime for in-progress games.

Get All Stats

```
curl "https://api.balldontlie.io/v1/stats"
```

The above command returns JSON structured like this:

```
{
  "data": [
    {
      "id": 15531179,
      "min": "30",
      "fgm": 7,
      "fga": 18,
      "fg_pct": 0.389,
      "fg3m": 5,
      "fg3a": 9,
      "fg3_pct": 0.556,
      "ftm": 4,
      "fta": 4,
      "ft_pct": 1,
      "oreb": 2,
      "dreb": 5,
      "reb": 7,
      "ast": 1,
      "stl": 1,
```

```

    "blk": 0,
    "turnover": 1,
    "pf": 3,
    "pts": 23,
    "plus_minus": 23,
    "player": {
      "id": 70,
      "first_name": "Jaylen",
      "last_name": "Brown",
      "position": "G",
      "height": "6-6",
      "weight": "223",
      "jersey_number": "7",
      "college": "California",
      "country": "USA",
      "draft_year": 2016,
      "draft_round": 1,
      "draft_number": 3,
      "team_id": 2
    },
    "team": {
      "id": 2,
      "conference": "East",
      "division": "Atlantic",
      "city": "Boston",
      "name": "Celtics",
      "full_name": "Boston Celtics",
      "abbreviation": "BOS"
    },
    "game": {
      "id": 15907438,
      "date": "2024-10-22",
      "season": 2024,
      "status": "Final",
      "period": 4,
      "time": "Final",
      "postseason": false,
      "postponed": false,
      "home_team_score": 132,
      "visitor_team_score": 109,
      "home_team_id": 2,
      "visitor_team_id": 20,
      "ist_stage": null
    }
  },
  ...
],
"meta": {
  "next_cursor": 15531179,
  "per_page": 25
}
}

```

This endpoint retrieves all stats.

HTTP REQUEST

```
GET https://api.balldontlie.io/v1/stats
```

QUERY PARAMETERS

You can combine query parameters. For example: `?seasons[]=2018&seasons[]=2015&player_ids[]=1&player_ids[]=2&postseason=true` will return stats for player_ids 1 and 2 for the 2015-2016 and 2018-2019 postseason.

Parameter	Required	Description
cursor	false	The page number, used for pagination.
per_page	false	The number of results returned per call, used for pagination. Max 100.
player_ids	false	Returns stats for these player ids. This should be an array: <code>?player_ids[]=1&player_ids[]=2</code>
game_ids	false	Returns stat for these game ids. This should be an array: <code>?game_ids[]=1&game_ids[]=2</code>
dates	false	Returns stats that match these dates. Dates should be formatted in <code>YYYY-MM-DD</code> . This should be an array: <code>?dates[]=2024-01-01&dates[]=2024-01-02</code>
seasons	false	Returns stats that occurred in these seasons. This should be an array: <code>?seasons[]=2022&seasons[]=2023</code>
postseason	false	Returns playoff stats when set to true. Returns regular season stats when set to false. Returns both when not specified
start_date	false	Returns stats that occurred on or after this date. Date should be formatted in <code>YYYY-MM-DD</code>
end_date	false	Returns stats that occurred on or before this date. Date should be formatted in <code>YYYY-MM-DD</code>
period	false	Returns stats for a specific period. 0 returns full game stats (default). 1-4 for quarters, 5+ for overtime periods. Only accepted for completed games.

Season Averages

Get Averages

There are many types of season averages you can retrieve. You must specify a `category` in the route and an additional `type` as a query parameter (except for the hustle category which doesn't require a type parameter). For example: `https://api.balldontlie.io/nba/v1/season_averages/general?season=2024&season_type=regular&type=base` will return general season averages for the 2024 season. Note the `category` in this example is `general` and the `type` is `base`.

i Season averages are only available for the 1996 season and beyond.

Here are the available pairing options between `category` and `type`:

Category	Type
general	base
general	advanced
general	usage
general	scoring
general	defense
general	misc
clutch	advanced
clutch	base
clutch	misc
clutch	scoring
clutch	usage
defense	2_pointers
defense	3_pointers
defense	greater_than_15ft
defense	less_than_10ft
defense	less_than_6ft
defense	overall
shooting	5ft_range
shooting	by_zone
playtype	cut
playtype	handoff
playtype	isolation

playtype	offrebound
playtype	offscreen
playtype	postup
playtype	prballhandler
playtype	prrollman
playtype	spotup
playtype	transition
playtype	misc
tracking	painttouch
tracking	efficiency
tracking	speeddistance
tracking	defense
tracking	elbowtouch
tracking	posttouch
tracking	passing
tracking	drives
tracking	rebounding
tracking	catchshoot
tracking	pullupshot
tracking	possessions
hustle	(no type required)
shotdashboard	overall
shotdashboard	pullups
shotdashboard	catch_and_shoot
shotdashboard	less_than_10_ft

Regardless of the category + type combination, all data is returned in the same shape. The only difference is the s

tats property which will contain attribute names that are specific to the requested category + type.

```
curl "https://api.balldontlie.io/v1/season_averages/shooting?season=2024&season_type=regular&type=5ft_range&player_ids[]=246"
```

The above command returns JSON structured like this:

```
{
  "data": [
    {
      "player": {
        "id": 246,
        "first_name": "Nikola",
        "last_name": "Jokic",
        "position": "C",
        "height": "6-11",
        "weight": "284",
        "jersey_number": "15",
        "college": "Mega Basket",
        "country": "Serbia",
        "draft_year": 2014,
        "draft_round": 2,
        "draft_number": 41
      },
      "season": 2024,
      "season_type": "regular",
      "stats": {
        "40+_ft._fga": 0.4,
        "40+_ft._fgm": 0,
        "5-9_ft._fga": 5.1,
        "5-9_ft._fgm": 2.9,
        "10-14_ft._fga": 1.4,
        "10-14_ft._fgm": 0.6,
        "15-19_ft._fga": 0.8,
        "15-19_ft._fgm": 0.4,
        "20-24_ft._fga": 0.7,
        "20-24_ft._fgm": 0.4,
        "25-29_ft._fga": 3.5,
        "25-29_ft._fgm": 1.7,
        "30-34_ft._fga": 0.1,
        "30-34_ft._fgm": 0,
        "35-39_ft._fga": 0,
        "35-39_ft._fgm": 0,
        "40+_ft._fg_pct": 0.118,
        "5-9_ft._fg_pct": 0.571,
        "10-14_ft._fg_pct": 0.424,
        "15-19_ft._fg_pct": 0.514,
        "20-24_ft._fg_pct": 0.5,
        "25-29_ft._fg_pct": 0.488,
        "30-34_ft._fg_pct": 0,
        "35-39_ft._fg_pct": 0,
        "less_than_5_ft._fga": 7.7,
        "less_than_5_ft._fgm": 5.3,
        "less_than_5_ft._fg_pct": 0.684
      }
    }
  ],
  "meta": {
```

```
"per_page": 25
}
```

HTTP REQUEST

GET `https://api.balldontlie.io/v1/season_averages/shooting?season=2024&season_type=regular&type=5ft_range&player_ids[]=246`

ROUTE PARAMETERS

Parameter	Required	Description
category	true	See table above for valid category options and their required type pairings

QUERY PARAMETERS

Parameter	Required	Description
season_type	true	Available options: regular, playoffs, ist, playin
type	false	Required for all categories except hustle. See table above for valid type options per category.
season	true	Returns season averages for this season
player_ids	false	Returns season averages for these players. This should be an array: <code>?player_ids[]=1&player_ids[]=2</code>
cursor	false	The cursor, used for pagination
per_page	false	The number of results per page. Defaults to 25. Max is 100

Team Season Averages

Get Team Season Averages

There are many types of team season averages you can retrieve. You must specify a `category` in the route and an additional `type` as a query parameter (except for the hustle category which doesn't require a type parameter). For example: `https://api.balldontlie.io/nba/v1/team_season_averages/general?season=2023&season_type=regular&type=base` will return general team season averages for the 2023 regular season.

i Team season averages are only available for the 1996 season and beyond.

Here are the available pairing options between **category** and **type**:

Category	Type
general	base
general	advanced
general	scoring
general	misc
general	opponent
general	defense
general	violations
clutch	base
clutch	advanced
clutch	misc
clutch	scoring
shooting	by_zone_base
shooting	by_zone_opponent
shooting	5ft_range_base
shooting	5ft_range_opponent
playtype	cut
playtype	handoff
playtype	isolation
playtype	offrebound
playtype	offscreen
playtype	postup
playtype	prballhandler
playtype	prrollman
playtype	spotup

playtype	transition
playtype	misc
tracking	painttouch
tracking	efficiency
tracking	speeddistance
tracking	defense
tracking	elbowtouch
tracking	posttouch
tracking	passing
tracking	drives
tracking	rebounding
tracking	catchshoot
tracking	pullupshot
tracking	possessions
hustle	(no type required)
shotdashboard	overall
shotdashboard	pullups
shotdashboard	catch_and_shoot
shotdashboard	less_than_10_ft

Regardless of the category + type combination, all data is returned in the same shape. The only difference is the `s tats` property which will contain attribute names that are specific to the requested category + type.

The above commands return JSON structured like this:

```
{
  "data": [
    {
      "team": {
        "id": 1,
        "conference": "East",
        "division": "Southeast",
        "city": "Atlanta",
```

```
    "name": "Hawks",
    "full_name": "Atlanta Hawks",
    "abbreviation": "ATL"
  },
  "season": 2024,
  "season_type": "regular",
  "stats": {
    "l": 42,
    "w": 40,
    "gp": 82,
    "pf": 19.1,
    "ast": 29.6,
    "blk": 5.1,
    "fga": 91.8,
    "fgm": 43.4,
    "fta": 23.2,
    "ftm": 18,
    "min": 48.2,
    "pfd": 19.1,
    "pts": 118.2,
    "reb": 44.5,
    "stl": 9.7,
    "tov": 15.5,
    "blka": 4.9,
    "dreb": 32.6,
    "fg3a": 37.7,
    "fg3m": 13.5,
    "oreb": 11.9,
    "w_pct": 0.488,
    "fg_pct": 0.472,
    "ft_pct": 0.775,
    "fg3_pct": 0.358,
    "plus_minus": -1.1
  }
},
{
  "team": {
    "id": 2,
    "conference": "East",
    "division": "Atlantic",
    "city": "Boston",
    "name": "Celtics",
    "full_name": "Boston Celtics",
    "abbreviation": "BOS"
  },
  "season": 2024,
  "season_type": "regular",
  "stats": {
    "l": 21,
    "w": 61,
    "gp": 82,
    "pf": 15.9,
    "ast": 26.1,
    "blk": 5.5,
    "fga": 90,
    "fgm": 41.6,
    "fta": 19.1,
    "ftm": 15.3,
    "min": 48.4,
    "pfd": 17.5,
```

```
{
  "pts": 116.3,
  "reb": 45.3,
  "stl": 7.2,
  "tov": 11.9,
  "blka": 3.6,
  "dreb": 33.9,
  "fg3a": 48.2,
  "fg3m": 17.8,
  "oreb": 11.4,
  "w_pct": 0.744,
  "fg_pct": 0.462,
  "ft_pct": 0.799,
  "fg3_pct": 0.368,
  "plus_minus": 9.1
}
],
"meta": {
  "next_cursor": 40855,
  "per_page": 2
}
}
```

This endpoint retrieves team season averages for a specific category and type.

HTTP REQUEST

```
GET https://api.balldontlie.io/nba/v1/team_season_averages/{category}
```

ROUTE PARAMETERS

Parameter	Required	Description
category	true	Available options: general, clutch, shooting, playtype, tracking, hustle, shotdashboard

QUERY PARAMETERS

Parameter	Required	Description
season_type	true	Available options: regular, playoffs, ist
type	false	Required for all categories except hustle. See table above for available options per category.
season	true	Returns team season averages for this season
team_ids	false	Returns team season averages for these teams. This should be an array: <code>?team_ids[]=1&team_ids[]=2</code>
cursor	false	The cursor, used for pagination
per_page	false	The number of results per page. Defaults to 25. Max is 100

Game Advanced Stats

❗ Game Advanced stats are only available starting from the 1996 season

❗ Advanced stats are only available upon game completion

❗ A new v2 endpoint with comprehensive advanced stats is available! See [Get All Advanced Stats \(V2\)](#) for 100+ additional metrics including hustle stats, tracking data, and per-period breakdowns.

Attributes (V1)

These response attributes are worth noting.

Attribute	Type	Notes
pie	float	Player Impact Estimate (PIE) measures a player's overall statistical contribution against the total statistics in games they play in. PIE yields results which are comparable to other advanced statistics (e.g. PER) using a simple formula.
pace	float	The number of possessions per 48 minutes.
assist_percentage	float	The percentage of teammate field goals a player assisted on while they were on the floor
assist_ratio	float	Assist Ratio is the number of assists a player averages per 100 possessions used
assist_to_turnover	float	The number of assists compared to the number of turnovers they have committed
defensive_rating	float	The number of points per 100 possessions that the team allows while that individual player is on the court.
defensive_rebound_percentage	float	The percentage of available defensive rebounds a player obtains while on the floor
effective_field_goal_percentage	float	Measures field goal percentage adjusting for made 3-point field goals being 1.5 times more valuable than made 2-point field goals.

net_rating	float	The team's point differential per 100 possessions while the player is on court.
offensive_rating	float	Team points scored per 100 possessions while the player is on court
offensive_rebound_percentage	float	The percentage of available offensive rebounds a player obtains while on the floor
rebound_percentage	float	The percentage of available rebounds a player grabbed while on the floor
true_shooting_percentage	float	A shooting percentage that factors in the value of three-point field goals and free throws in addition to conventional two-point field goals
turnover_ratio	float	The number of turnovers a player averages per 100 possessions used
usage_percentage	float	The percentage of team plays used by a player when they are on the floor

Get All Advanced Stats (V1)

```
curl "https://api.balldontlie.io/nba/v1/stats/advanced?seasons[]=2024"
```

The above command returns JSON structured like this:

```
{
  "data": [
    {
      "id": 3296931,
      "pie": 0.021,
      "pace": 94.83,
      "assist_percentage": 0.097,
      "assist_ratio": 27.3,
      "assist_to_turnover": 0,
      "defensive_rating": 154.5,
      "defensive_rebound_percentage": 0.156,
      "effective_field_goal_percentage": 0.143,
      "net_rating": -37.2,
      "offensive_rating": 117.4,
      "offensive_rebound_percentage": 0,
      "rebound_percentage": 0.082,
      "true_shooting_percentage": 0.254,
      "turnover_ratio": 0,
      "usage_percentage": 0.108,
      "player": {
        "id": 18,
```

```

    "first_name": "OG",
    "last_name": "Anunoby",
    "position": "F",
    "height": "6-7",
    "weight": "240",
    "jersey_number": "8",
    "college": "Indiana",
    "country": "United Kingdom",
    "draft_year": 2017,
    "draft_round": 1,
    "draft_number": 23,
    "team_id": 20
  },
  "team": {
    "id": 20,
    "conference": "East",
    "division": "Atlantic",
    "city": "New York",
    "name": "Knicks",
    "full_name": "New York Knicks",
    "abbreviation": "NYK"
  },
  "game": {
    "id": 15907438,
    "date": "2024-10-22",
    "season": 2024,
    "status": "Final",
    "period": 4,
    "time": "Final",
    "postseason": false,
    "postponed": false,
    "home_team_score": 132,
    "visitor_team_score": 109,
    "home_team_id": 2,
    "visitor_team_id": 20,
    "ist_stage": null
  }
},
...
],
"meta": {
  "next_cursor": 3296931,
  "per_page": 25
}
}

```

This endpoint retrieves all advanced stats.

HTTP REQUEST

```
GET https://api.balldontlie.io/nba/v1/stats/advanced
```

QUERY PARAMETERS

You can combine query parameters. For example: `?seasons[]=2018&seasons[]=2015&player_ids[]=1&player_ids[]=2&postseason=true` will return advanced stats for player_ids 1 and 2 for the 2015-2016 and 2018-2019 postseason.

Parameter	Required	Description
-----------	----------	-------------

cursor	false	The page number, used for pagination.
per_page	false	The number of results returned per call, used for pagination. Max 100.
player_ids	false	Returns stats for these player ids. This should be an array: <code>?player_ids[]=1&player_ids[]=2</code>
game_ids	false	Returns stat for these game ids. This should be an array: <code>?game_ids[]=1&game_ids[]=2</code>
dates	false	Returns stats that match these dates. Dates should be formatted in <code>YYYY-MM-DD</code> . This should be an array: <code>?dates[]=2024-01-01&dates[]=2024-01-02</code>
seasons	false	Returns stats that occurred in these seasons. This should be an array: <code>?seasons[]=2022&seasons[]=2023</code>
postseason	false	Returns playoff stats when set to true. Returns regular season stats when set to false. Returns both when not specified
start_date	false	Returns stats that occurred on or after this date. Date should be formatted in <code>YYYY-MM-DD</code>
end_date	false	Returns stats that occurred on or before this date. Date should be formatted in <code>YYYY-MM-DD</code>

Attributes (V2)

-  V2 advanced stats are only available starting from the 2015 season
-  V2 provides comprehensive advanced stats from 8 different NBA data sources, with per-period breakdowns where available.

The v2 endpoint includes all v1 attributes plus many additional metrics organized by category:

CORE ADVANCED STATS

Attribute	Type	Notes
period	int	0=full game, 1-4=quarters, 5-7=overtime periods
pie	float	Player Impact Estimate
pace	float	Possessions per 48 minutes

pace_per_40	float	Possessions per 40 minutes
possessions	float	Total possessions
assist_percentage	float	Percentage of teammate FGs assisted
assist_ratio	float	Assists per 100 possessions
assist_to_turnover	float	Assist to turnover ratio
defensive_rating	float	Points allowed per 100 possessions
offensive_rating	float	Points scored per 100 possessions
net_rating	float	Point differential per 100 possessions
estimated_defensive_rating	float	Estimated defensive rating
estimated_offensive_rating	float	Estimated offensive rating
estimated_net_rating	float	Estimated net rating
estimated_pace	float	Estimated pace
estimated_usage_percentage	float	Estimated usage percentage
defensive_rebound_percentage	float	Percentage of defensive rebounds obtained
offensive_rebound_percentage	float	Percentage of offensive rebounds obtained
rebound_percentage	float	Total rebound percentage
effective_field_goal_percentage	float	eFG% (adjusts for 3PT value)
true_shooting_percentage	float	TS% (includes FT value)
turnover_ratio	float	Turnovers per 100 possessions
usage_percentage	float	Percentage of team plays used

MISCELLANEOUS STATS

Attribute	Type	Notes
blocks_against	int	Shots blocked by opponents
fouls_drawn	int	Fouls drawn
points_fast_break	int	Fast break points
points_off_turnovers	int	Points off turnovers

points_paint	int	Points in the paint
points_second_chance	int	Second chance points
opp_points_fast_break	int	Opponent fast break points
opp_points_off_turnovers	int	Opponent points off turnovers
opp_points_paint	int	Opponent points in paint
opp_points_second_chance	int	Opponent second chance points

SCORING STATS

Attribute	Type	Notes
pct_assisted_2pt	float	% of 2PT FGs that were assisted
pct_assisted_3pt	float	% of 3PT FGs that were assisted
pct_assisted_fgm	float	% of all FGs that were assisted
pct_unassisted_2pt	float	% of 2PT FGs that were unassisted
pct_unassisted_3pt	float	% of 3PT FGs that were unassisted
pct_unassisted_fgm	float	% of all FGs that were unassisted
pct_fga_2pt	float	% of FGA that are 2PT
pct_fga_3pt	float	% of FGA that are 3PT
pct_pts_2pt	float	% of points from 2PT FGs
pct_pts_3pt	float	% of points from 3PT FGs
pct_pts_fast_break	float	% of points from fast breaks
pct_pts_free_throw	float	% of points from FTs
pct_pts_midrange_2pt	float	% of points from midrange 2PT
pct_pts_off_turnovers	float	% of points off turnovers
pct_pts_paint	float	% of points in the paint

FOUR FACTORS STATS

Attribute	Type	Notes
four_factors_efg_pct	float	Four factors eFG%

free_throw_attempt_rate	float	FTA per FGA
four_factors_oreb_pct	float	Four factors OREB%
team_turnover_pct	float	Team turnover percentage
opp_efg_pct	float	Opponent eFG%
opp_free_throw_attempt_rate	float	Opponent FTA per FGA
opp_oreb_pct	float	Opponent OREB%
opp_turnover_pct	float	Opponent turnover percentage

HUSTLE STATS

Attribute	Type	Notes
box_outs	int	Total box outs
box_out_player_rebounds	int	Box outs leading to player rebounds
box_out_player_team_rebounds	int	Box outs leading to team rebounds
defensive_box_outs	int	Defensive box outs
offensive_box_outs	int	Offensive box outs
charges_drawn	int	Charges drawn
contested_shots	int	Total contested shots
contested_shots_2pt	int	Contested 2PT shots
contested_shots_3pt	int	Contested 3PT shots
deflections	int	Deflections
loose_balls_recovered_def	int	Defensive loose balls recovered
loose_balls_recovered_off	int	Offensive loose balls recovered
loose_balls_recovered_total	int	Total loose balls recovered
screen_assists	int	Screen assists
screen_assist_points	int	Points from screen assists

DEFENSIVE STATS

--

Attribute	Type	Notes
matchup_minutes	string	Minutes guarding primary matchup
matchup_fg_pct	float	Opponent FG% when guarded
matchup_fga	int	Opponent FGA when guarded
matchup_fgm	int	Opponent FGM when guarded
matchup_3pt_pct	float	Opponent 3PT% when guarded
matchup_3pa	int	Opponent 3PA when guarded
matchup_3pm	int	Opponent 3PM when guarded
matchup_assists	int	Opponent assists when guarded
matchup_turnovers	int	Opponent turnovers when guarded
partial_possessions	float	Partial possessions defended
matchup_player_points	int	Points allowed to matchup
switches_on	int	Switches onto player

TRACKING STATS

Attribute	Type	Notes
speed	float	Average speed (mph)
distance	float	Distance traveled (miles)
touches	int	Total touches
passes	int	Total passes
secondary_assists	int	Secondary assists
free_throw_assists	int	Assists leading to FTs
contested_fga	int	Contested FGA
contested_fgm	int	Contested FGM
contested_fg_pct	float	Contested FG%
uncontested_fga	int	Uncontested FGA
uncontested_fgm	int	Uncontested FGM

uncontested_fg_pct	float	Uncontested FG%
defended_at_rim_fga	int	FGA defended at rim
defended_at_rim_fgm	int	FGM defended at rim
defended_at_rim_fg_pct	float	FG% defended at rim
rebound_chances_def	int	Defensive rebound chances
rebound_chances_off	int	Offensive rebound chances
rebound_chances_total	int	Total rebound chances

USAGE STATS

Attribute	Type	Notes
pct_blocks	float	% of team blocks
pct_blocks_allowed	float	% of team blocks allowed
pct_fga	float	% of team FGA
pct_fgm	float	% of team FGM
pct_fta	float	% of team FTA
pct_ftm	float	% of team FTM
pct_personal_fouls	float	% of team personal fouls
pct_personal_fouls_drawn	float	% of team fouls drawn
pct_points	float	% of team points
pct_rebounds_def	float	% of team defensive rebounds
pct_rebounds_off	float	% of team offensive rebounds
pct_rebounds_total	float	% of team total rebounds
pct_steals	float	% of team steals
pct_3pa	float	% of team 3PA
pct_3pm	float	% of team 3PM
pct_turnovers	float	% of team turnovers

Get All Advanced Stats (V2)

```
curl "https://api.balldontlie.io/nba/v2/stats/advanced?seasons[]=2025" \  
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{  
  "data": [  
    {  
      "id": 5,  
      "period": 0,  
      "pie": 0.182,  
      "pace": 93.02,  
      "pace_per_40": 77.52,  
      "possessions": 90,  
      "assist_percentage": 0.208,  
      "assist_ratio": 12.2,  
      "assist_to_turnover": 1.67,  
      "defensive_rating": 104.3,  
      "offensive_rating": 111.1,  
      "net_rating": 6.8,  
      "estimated_defensive_rating": 104.3,  
      "estimated_offensive_rating": 111.1,  
      "estimated_net_rating": 6.8,  
      "estimated_pace": 93.02,  
      "estimated_usage_percentage": 0.34,  
      "defensive_rebound_percentage": 0.109,  
      "offensive_rebound_percentage": 0,  
      "rebound_percentage": 0.051,  
      "effective_field_goal_percentage": 0.481,  
      "true_shooting_percentage": 0.544,  
      "turnover_ratio": 7.3,  
      "usage_percentage": 0.34,  
      "blocks_against": 2,  
      "fouls_drawn": 10,  
      "points_fast_break": 0,  
      "points_off_turnovers": 6,  
      "points_paint": 14,  
      "points_second_chance": 0,  
      "opp_points_fast_break": 2,  
      "opp_points_off_turnovers": 6,  
      "opp_points_paint": 44,  
      "opp_points_second_chance": 19,  
      "pct_assisted_2pt": 0.273,  
      "pct_assisted_3pt": 0,  
      "pct_assisted_fgm": 0.25,  
      "pct_fga_2pt": 0.654,  
      "pct_fga_3pt": 0.346,  
      "pct_pts_2pt": 0.629,  
      "pct_pts_3pt": 0.086,  
      "pct_pts_fast_break": 0,  
      "pct_pts_free_throw": 0.286,  
      "pct_pts_midrange_2pt": 0.229,  
    }  
  ]  
}
```

```
"pct_pts_off_turnovers": 0.171,
"pct_pts_paint": 0.4,
"pct_unassisted_2pt": 0.727,
"pct_unassisted_3pt": 1,
"pct_unassisted_fgm": 0.75,
"four_factors_efg_pct": 0.483,
"free_throw_attempt_rate": 0.256,
"four_factors_oreb_pct": 0,
"team_turnover_pct": 0.095,
"opp_efg_pct": 0.475,
"opp_free_throw_attempt_rate": 0.329,
"opp_oreb_pct": 0.4,
"opp_turnover_pct": 0.207,
"box_outs": 1,
"box_out_player_rebounds": 1,
"box_out_player_team_rebounds": 1,
"defensive_box_outs": 1,
"offensive_box_outs": 0,
"charges_drawn": 0,
"contested_shots": 12,
"contested_shots_2pt": 8,
"contested_shots_3pt": 4,
"deflections": 5,
"loose_balls_recovered_def": 0,
"loose_balls_recovered_off": 0,
"loose_balls_recovered_total": 0,
"screen_assists": 1,
"screen_assist_points": 3,
"matchup_minutes": "20:58",
"matchup_fg_pct": 0.333,
"matchup_fga": 15,
"matchup_fgm": 5,
"matchup_3pt_pct": 0.286,
"matchup_3pa": 7,
"matchup_3pm": 2,
"matchup_assists": 1,
"matchup_turnovers": 5,
"partial_possessions": 88.1,
"matchup_player_points": 14,
"switches_on": 0,
"speed": 3.75,
"distance": 2.89,
"touches": 104,
"passes": 63,
"secondary_assists": 0,
"free_throw_assists": 0,
"contested_fga": 4,
"contested_fgm": 2,
"contested_fg_pct": 0.5,
"uncontested_fga": 22,
"uncontested_fgm": 10,
"uncontested_fg_pct": 0.455,
"defended_at_rim_fga": 5,
"defended_at_rim_fgm": 3,
"defended_at_rim_fg_pct": 0.6,
"rebound_chances_def": 6,
"rebound_chances_off": 4,
"rebound_chances_total": 9,
"pct_blocks": 0.667,
"pct_blocks_allowed": 0.5,
```

```
"pct_fga": 0.302,
"pct_fgm": 0.333,
"pct_fta": 0.636,
"pct_ftm": 0.588,
"pct_personal_fouls": 0.083,
"pct_personal_fouls_drawn": 0.476,
"pct_points": 0.35,
"pct_rebounds_def": 0.238,
"pct_rebounds_off": 0,
"pct_rebounds_total": 0.161,
"pct_steals": 0.2,
"pct_3pa": 0.196,
"pct_3pm": 0.091,
"pct_turnovers": 0.333,
"player": {
  "id": 175,
  "first_name": "Shai",
  "last_name": "Gilgeous-Alexander",
  "position": "G",
  "height": "6-6",
  "weight": "195",
  "jersey_number": "2",
  "college": "Kentucky",
  "country": "Canada",
  "draft_year": 2018,
  "draft_round": 1,
  "draft_number": 11,
  "team_id": 21
},
"team": {
  "id": 21,
  "conference": "West",
  "division": "Northwest",
  "city": "Oklahoma City",
  "name": "Thunder",
  "full_name": "Oklahoma City Thunder",
  "abbreviation": "OKC"
},
"game": {
  "id": 18446819,
  "date": "2025-10-21",
  "season": 2025,
  "status": "Final",
  "period": 6,
  "time": "Final",
  "postseason": false,
  "postponed": false,
  "home_team_score": 125,
  "visitor_team_score": 124,
  "datetime": "2025-10-21T23:30:00.000Z",
  "home_q1": 27,
  "home_q2": 24,
  "home_q3": 24,
  "home_q4": 29,
  "home_ot1": 11,
  "home_ot2": 10,
  "home_ot3": null,
  "home_timeouts_remaining": 1,
  "home_in_bonus": true,
  "visitor_q1": 30,
```

```

    "visitor_q2": 27,
    "visitor_q3": 22,
    "visitor_q4": 25,
    "visitor_ot1": 11,
    "visitor_ot2": 9,
    "visitor_ot3": null,
    "visitor_timeouts_remaining": 0,
    "visitor_in_bonus": false,
    "ist_stage": null,
    "home_team_id": 21,
    "visitor_team_id": 11
  }
},
{
  "meta": {
    "next_cursor": 5,
    "per_page": 25
  }
}
}
```

This endpoint retrieves comprehensive advanced stats including hustle stats, tracking data, and per-period breakdowns.

HTTP REQUEST

GET https://api.balldontlie.io/nba/v2/stats/advanced

QUERY PARAMETERS

You can combine query parameters. For example: `?seasons[]=2025&player_ids[]=175&period=0` will return full-game advanced stats for Shai Gilgeous-Alexander for the 2025-2026 season.

Parameter	Required	Description
cursor	false	The cursor, used for pagination.
per_page	false	The number of results returned per call, used for pagination. Max 100.
player_ids	false	Returns stats for these player ids. This should be an array: <code>?player_ids[]=1&player_ids[]=2</code>
game_ids	false	Returns stats for these game ids. This should be an array: <code>?game_ids[]=1&game_ids[]=2</code>
dates	false	Returns stats that match these dates. Dates should be formatted in <code>YYYY-MM-DD</code> . This should be an array: <code>?dates[]=2024-01-01&dates[]=2024-01-02</code>
seasons	false	Returns stats that occurred in these seasons. This should be an array: <code>?seasons[]=2024&seasons[]=2025</code>
postseason	false	Returns playoff stats when set to true. Returns regular season stats when set to false. Returns both when not specified

start_date	false	Returns stats that occurred on or after this date. Date should be formatted in YYYY-MM-DD
end_date	false	Returns stats that occurred on or before this date. Date should be formatted in YYYY-MM-DD
period	false	Filter by period: 0=full game, 1-4=quarters, 5-7=overtime periods. Note: Hustle, defensive, and tracking stats are only available for full game (period=0)

Box Scores

Get Live Box Scores

i Data from this endpoint is LIVE. It will return all games for the current day updated in real time

```
curl "https://api.balldontlie.io/v1/box_scores/live"
```

The above command returns JSON structured like this:

```
{
  "data": [
    {
      "date": "2024-02-07",
      "season": 2023,
      "status": "Final",
      "period": 4,
      "time": "Final",
      "postseason": false,
      "postponed": false,
      "home_team_score": 117,
      "visitor_team_score": 123,
      "home_team": {
        "id": 4,
        "conference": "East",
        "division": "Southeast",
        "city": "Charlotte",
        "name": "Hornets",
        "full_name": "Charlotte Hornets",
        "abbreviation": "CHA",
        "players": [
          {
            "min": "23",
            "fgm": 1,
            "fga": 2,
            "fg_pct": 0.5,
```

```
    "fg3m": 0,
    "fg3a": 1,
    "fg3_pct": 0,
    "ftm": 1,
    "fta": 2,
    "ft_pct": 0.5,
    "oreb": 0,
    "dreb": 3,
    "reb": 3,
    "ast": 3,
    "stl": 0,
    "blk": 1,
    "turnover": 1,
    "pf": 1,
    "pts": 3,
    "plus_minus": 5,
    "player": {
      "id": 56677866,
      "first_name": "Leaky",
      "last_name": "Black",
      "position": "F",
      "height": "6-6",
      "weight": "209",
      "jersey_number": "12",
      "college": "North Carolina",
      "country": "USA",
      "draft_year": null,
      "draft_round": null,
      "draft_number": null
    }
  },
  ...
]
},
"visitor_team": {
  "id": 28,
  "conference": "East",
  "division": "Atlantic",
  "city": "Toronto",
  "name": "Raptors",
  "full_name": "Toronto Raptors",
  "abbreviation": "TOR",
  "players": [
    {
      "min": "15",
      "fgm": 2,
      "fga": 3,
      "fg_pct": 0.6666667,
      "fg3m": 0,
      "fg3a": 0,
      "fg3_pct": 0,
      "ftm": 0,
      "fta": 0,
      "ft_pct": 0,
      "oreb": 3,
      "dreb": 5,
      "reb": 8,
      "ast": 2,
      "stl": 1,
      "blk": 0,
```

```
    "turnover": 1,
    "pf": 2,
    "pts": 4,
    "plus_minus": -3,
    "player": {
      "id": 489,
      "first_name": "Thaddeus",
      "last_name": "Young",
      "position": "F",
      "height": "6-8",
      "weight": "225",
      "jersey_number": "21",
      "college": "Georgia Tech",
      "country": "USA",
      "draft_year": 2007,
      "draft_round": 1,
      "draft_number": 12
    }
  },
  ...
]
}
},
...
]
```

This endpoint retrieves all live box scores.

HTTP REQUEST

```
GET https://api.balldontlie.io/v1/box_scores/live
```

Get Box Scores

```
curl "https://api.balldontlie.io/v1/box_scores"
```

The above command returns JSON structured like this:

```
{
  "data": [
    {
      "date": "2024-02-07",
      "season": 2023,
      "status": "Final",
      "period": 4,
      "time": "Final",
      "postseason": false,
      "postponed": false,
      "home_team_score": 117,
      "visitor_team_score": 123,
    }
  ]
}
```



```
"home_team": {
  "id": 4,
  "conference": "East",
  "division": "Southeast",
  "city": "Charlotte",
  "name": "Hornets",
  "full_name": "Charlotte Hornets",
  "abbreviation": "CHA",
  "players": [
    {
      "min": "23",
      "fgm": 1,
      "fga": 2,
      "fg_pct": 0.5,
      "fg3m": 0,
      "fg3a": 1,
      "fg3_pct": 0,
      "ftm": 1,
      "fta": 2,
      "ft_pct": 0.5,
      "oreb": 0,
      "dreb": 3,
      "reb": 3,
      "ast": 3,
      "stl": 0,
      "blk": 1,
      "turnover": 1,
      "pf": 1,
      "pts": 3,
      "plus_minus": 5,
      "player": {
        "id": 56677866,
        "first_name": "Leaky",
        "last_name": "Black",
        "position": "F",
        "height": "6-6",
        "weight": "209",
        "jersey_number": "12",
        "college": "North Carolina",
        "country": "USA",
        "draft_year": null,
        "draft_round": null,
        "draft_number": null
      }
    },
    ...
  ]
},
"visitor_team": {
  "id": 28,
  "conference": "East",
  "division": "Atlantic",
  "city": "Toronto",
  "name": "Raptors",
  "full_name": "Toronto Raptors",
  "abbreviation": "TOR",
  "players": [
    {
      "min": "15",
      "fgm": 2,
```

```
    "fga": 3,
    "fg_pct": 0.6666667,
    "fg3m": 0,
    "fg3a": 0,
    "fg3_pct": 0,
    "ftm": 0,
    "fta": 0,
    "ft_pct": 0,
    "oreb": 3,
    "dreb": 5,
    "reb": 8,
    "ast": 2,
    "stl": 1,
    "blk": 0,
    "turnover": 1,
    "pf": 2,
    "pts": 4,
    "plus_minus": -3,
    "player": {
      "id": 489,
      "first_name": "Thaddeus",
      "last_name": "Young",
      "position": "F",
      "height": "6-8",
      "weight": "225",
      "jersey_number": "21",
      "college": "Georgia Tech",
      "country": "USA",
      "draft_year": 2007,
      "draft_round": 1,
      "draft_number": 12
    }
  },
  ...
}
},
...
]
```

This endpoint retrieves all box scores.

HTTP REQUEST

GET https://api.balldontlie.io/v1/box_scores

QUERY PARAMETERS

Parameter	Required	Description
date	true	Returns all box scores for this date. The date should be formatted in YYYY-MM-DD

Lineups

i Data Availability: Lineup data is only available starting from the 2025 NBA season and is only available once the game begins.

Get Game Lineups

```
curl "https://api.balldontlie.io/v1/lineups?game_ids[]=18447170" \  
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{  
  "data": [  
    {  
      "id": 9832,  
      "game_id": 18447170,  
      "starter": true,  
      "position": "F",  
      "player": {  
        "id": 79,  
        "first_name": "Jimmy",  
        "last_name": "Butler",  
        "position": "G-F",  
        "height": "6-6",  
        "weight": "230",  
        "jersey_number": "10",  
        "college": "Marquette",  
        "country": "USA",  
        "draft_year": 2011,  
        "draft_round": 1,  
        "draft_number": 30,  
        "team_id": 10  
      },  
      "team": {  
        "id": 10,  
        "conference": "West",  
        "division": "Pacific",  
        "city": "Golden State",  
        "name": "Warriors",  
        "full_name": "Golden State Warriors",  
        "abbreviation": "GSW"  
      }  
    },  
  ],  
}
```

```
"id": 9833,
"game_id": 18447170,
"starter": true,
"position": "C",
"player": {
  "id": 1028047928,
  "first_name": "Quinten",
  "last_name": "Post",
  "position": "C",
  "height": "7-0",
  "weight": "238",
  "jersey_number": "21",
  "college": "Boston College",
  "country": "Netherlands",
  "draft_year": 2024,
  "draft_round": 2,
  "draft_number": 52,
  "team_id": 10
},
"team": {
  "id": 10,
  "conference": "West",
  "division": "Pacific",
  "city": "Golden State",
  "name": "Warriors",
  "full_name": "Golden State Warriors",
  "abbreviation": "GSW"
}
},
{
  "id": 9834,
  "game_id": 18447170,
  "starter": true,
  "position": "G",
  "player": {
    "id": 210,
    "first_name": "Buddy",
    "last_name": "Hield",
    "position": "G",
    "height": "6-4",
    "weight": "220",
    "jersey_number": "7",
    "college": "Oklahoma",
    "country": "Bahamas",
    "draft_year": 2016,
    "draft_round": 1,
    "draft_number": 6,
    "team_id": 10
  },
  "team": {
    "id": 10,
    "conference": "West",
    "division": "Pacific",
    "city": "Golden State",
    "name": "Warriors",
    "full_name": "Golden State Warriors",
    "abbreviation": "GSW"
  }
},
{
```

```
"id": 9835,
"game_id": 18447170,
"starter": true,
"position": "G",
"player": {
  "id": 795959473,
  "first_name": "Pat",
  "last_name": "Spencer",
  "position": "G",
  "height": "6-2",
  "weight": "205",
  "jersey_number": "61",
  "college": "Northwestern",
  "country": "USA",
  "draft_year": null,
  "draft_round": null,
  "draft_number": null,
  "team_id": 10
},
"team": {
  "id": 10,
  "conference": "West",
  "division": "Pacific",
  "city": "Golden State",
  "name": "Warriors",
  "full_name": "Golden State Warriors",
  "abbreviation": "GSW"
}
},
{
  "id": 9836,
  "game_id": 18447170,
  "starter": true,
  "position": "G",
  "player": {
    "id": 1057395872,
    "first_name": "Will",
    "last_name": "Richard",
    "position": "G",
    "height": "6-3",
    "weight": "206",
    "jersey_number": "3",
    "college": "Florida",
    "country": "USA",
    "draft_year": 2025,
    "draft_round": 2,
    "draft_number": 56,
    "team_id": 10
  },
  "team": {
    "id": 10,
    "conference": "West",
    "division": "Pacific",
    "city": "Golden State",
    "name": "Warriors",
    "full_name": "Golden State Warriors",
    "abbreviation": "GSW"
  }
},
{
```

```
{
  "id": 9837,
  "game_id": 18447170,
  "starter": false,
  "position": "F",
  "player": {
    "id": 56677799,
    "first_name": "Trayce",
    "last_name": "Jackson-Davis",
    "position": "F",
    "height": "6-9",
    "weight": "245",
    "jersey_number": "32",
    "college": "Indiana",
    "country": "USA",
    "draft_year": 2023,
    "draft_round": 2,
    "draft_number": 57,
    "team_id": 10
  }
},
...
],
"meta": {
  "per_page": 25
}
}
```

This endpoint retrieves starting lineups and bench players for NBA games.

HTTP REQUEST

GET https://api.balldontlie.io/v1/lineups

QUERY PARAMETERS

Parameter	Required	Description
game_ids	true	Returns lineups for these game ids. This should be an array: <code>?game_ids[]=1&game_ids[]=2</code>
cursor	false	The cursor, used for pagination
per_page	false	The number of results per page. Default to 25. Max is 100

Plays

i Data Availability: Play-by-play data is only available starting from the 2025 NBA season.

Get Play-by-Play Data

```
curl "https://api.balldontlie.io/v1/plays?game_id=18446820" \  
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{  
  "data": [  
    {  
      "game_id": 18446820,  
      "order": 1,  
      "type": "Jumpball",  
      "text": "Draymond Green vs. Deandre Ayton (Gabe Vincent gains possession)",  
      "home_score": 0,  
      "away_score": 0,  
      "period": 1,  
      "period_display": "1st Quarter",  
      "clock": "12:00",  
      "scoring_play": false,  
      "shooting_play": false,  
      "score_value": null,  
      "team": {  
        "id": 14,  
        "conference": "West",  
        "division": "Pacific",  
        "city": "Los Angeles",  
        "name": "Lakers",  
        "full_name": "Los Angeles Lakers",  
        "abbreviation": "LAL"  
      },  
      "coordinate_x": null,  
      "coordinate_y": null,  
      "wallclock": "2025-10-22T02:17:43.000Z",  
      "participants": [185, 22, 1603383]  
    },  
    {  
      "game_id": 18446820,  
      "order": 2,  
      "type": "Fade Away Jump Shot",  
      "text": "Luka Doncic makes 13-foot two point shot",  
      "home_score": 0,  
      "away_score": 2,  
      "period": 1,  
      "period_display": "1st Quarter",  
      "clock": "11:39",  
      "scoring_play": true,  
      "shooting_play": true,  
      "score_value": 2,  
      "team": {  
        "id": 14,  
        "conference": "West",  
        "division": "Pacific",  
        "city": "Los Angeles",  
        "name": "Lakers",  
        "full_name": "Los Angeles Lakers",  
        "abbreviation": "LAL"  
      },  
      "coordinate_x": null,  
      "coordinate_y": null,  
      "wallclock": "2025-10-22T02:17:43.000Z",  
      "participants": [185, 22, 1603383]  
    }  
  ]  
}
```

```
    "name": "Lakers",
    "full_name": "Los Angeles Lakers",
    "abbreviation": "LAL"
  },
  "coordinate_x": 19,
  "coordinate_y": 13,
  "wallclock": "2025-10-22T02:18:01.000Z",
  "participants": [132]
},
***
]
}
```

This endpoint retrieves play-by-play data for a specific NBA game. Plays are returned in chronological order.

HTTP REQUEST

```
GET https://api.balldontlie.io/v1/plays
```

QUERY PARAMETERS

Parameter	Required	Description
game_id	true	The ID of the game to get plays for

Active Players

Get All Active Players

```
curl "https://api.balldontlie.io/v1/players/active" \
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{
  "data": [
    {
      "id": 115,
      "first_name": "Stephen",
      "last_name": "Curry",
      "position": "G",
      "height": "6-2",
      "weight": "185",
      "jersey_number": "30",
      "college": "Davidson",
      "country": "USA",
      "draft_year": 2009,
      "draft_round": 1,
```



```
    "draft_number": 7,
    "team": {
      "id": 10,
      "conference": "West",
      "division": "Pacific",
      "city": "Golden State",
      "name": "Warriors",
      "full_name": "Golden State Warriors",
      "abbreviation": "GSW"
    }
  },
  // ...
],
"meta": {
  "next_cursor": 25,
  "per_page": 25
}
}
```

This endpoint retrieves all active players.

HTTP REQUEST

GET https://api.balldontlie.io/v1/players/active

QUERY PARAMETERS

Parameter	Required	Description
cursor	false	The cursor, used for pagination
per_page	false	The number of results per page. Default to 25. Max is 100
search	false	Returns players whose first or last name matches this value. For example, <code>?search=davis</code> will return players that have 'davis' in their first or last name.
first_name	false	Returns players whose first name matches this value. For example, <code>?search=anthony</code> will return players that have 'anthony' in their first name.
last_name	false	Returns players whose last name matches this value. For example, <code>?search=davis</code> will return players that have 'davis' in their last name.
team_ids	false	Returns players that belong to these team ids. This should be an array: <code>?team_ids[]=1&team_ids[]=2</code>
player_ids	false	Returns players that match these ids. This should be an array: <code>?player_ids[]=1&player_ids[]=2</code>

Player Injuries

Get All Player Injuries

```
curl "https://api.balldontlie.io/v1/player_injuries" \
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{
  "data": [
    {
      "player": {
        "id": 56677838,
        "first_name": "Kobe",
        "last_name": "Bufkin",
        "position": "G",
        "height": "6-4",
        "weight": "195",
        "jersey_number": "4",
        "college": "Michigan",
        "country": "USA",
        "draft_year": 2023,
        "draft_round": 1,
        "draft_number": 15,
        "team_id": 1
      },
      "return_date": "Nov 17",
      "description": "Nov 16: Bufkin (shoulder) is listed as doubtful for Sunday's game against the Trail Blazers.",
      "status": "Out"
    }
  ],
  "meta": { "next_cursor": 62089, "per_page": 25 }
}
```

This endpoint retrieves all player injuries.

HTTP REQUEST

```
GET https://api.balldontlie.io/v1/player_injuries
```

QUERY PARAMETERS

Parameter	Required	Description
cursor	false	The cursor, used for pagination
per_page	false	The number of results per page. Default to 25. Max is 100
team_ids	false	Returns players that belong to these team ids. This should be an array: <code>?team_ids[]=1&team_ids[]=2</code>
player_ids	false	Returns players that match these ids. This should be an array: <code>?player_ids[]=1&player_ids[]=2</code>

Team Standings

Get Team Standings

```
curl "https://api.balldontlie.io/v1/standings?season=2024" \
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{
  "data": [
    {
      "team": {
        "id": 6,
        "conference": "East",
        "division": "Central",
        "city": "Cleveland",
        "name": "Cavaliers",
        "full_name": "Cleveland Cavaliers",
        "abbreviation": "CLE"
      },
      "conference_record": "41-11",
      "conference_rank": 1,
      "division_record": "12-4",
      "division_rank": 1,
      "wins": 64,
      "losses": 18,
      "home_record": "34-7",
      "road_record": "30-11",
      "season": 2024
    },
    {
      "team": {
        "id": 21,
        "conference": "West",
        "division": "Northwest",
        "city": "Oklahoma City",
        "name": "Thunder",
        "full_name": "Oklahoma City Thunder",
        "abbreviation": "OKC"
      },
      "conference_record": "39-13",
      "conference_rank": 1,
      "division_record": "12-4",
      "division_rank": 1,
      "wins": 68,
      "losses": 14,
      "home_record": "35-6",
      "road_record": "32-8",
      "season": 2024
    },
  ],
}
```

```
    ]
  }
}
```

This endpoint retrieves regular season team standings.

HTTP REQUEST

GET https://api.balldontlie.io/v1/standings

QUERY PARAMETERS

Parameter	Required	Description
season	true	Returns regular season standings for the specified season. For example, <code>?season=2023</code> will return the team standings for the 2023-24 season.

Leaders

Get Leaders

```
curl "https://api.balldontlie.io/v1/leaders?season=2023&stat_type=pts" \
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{
  "data": [
    {
      "player": {
        "id": 19,
        "first_name": "Stephen",
        "last_name": "Curry",
        "position": "G",
        "height": "6-2",
        "weight": "185",
        "jersey_number": "30",
        "college": "Davidson",
        "country": "USA",
        "draft_year": 2009,
        "draft_round": 1,
        "draft_number": 7,
        "team_id": 10,
      },
      "value": 32.3,
      "stat_type": "pts",
      "rank": 1,
      "season": 2023,
    }
  ]
}
```

```
    "games_played": 34
  },
  ...
}
}
```

This endpoint retrieves per game leaders for specific stat categories.

HTTP REQUEST

GET https://api.balldontlie.io/v1/leaders

QUERY PARAMETERS

Parameter	Required	Description
stat_type	true	Returns leaders for the specified stat_type. Valid stat_types are <code>ast</code> , <code>blk</code> , <code>dreb</code> , <code>eff</code> , <code>fg3a</code> , <code>fg3m</code> , <code>fg3_pct</code> , <code>fga</code> , <code>fgm</code> , <code>fg_pct</code> , <code>fta</code> , <code>ftm</code> , <code>ft_pct</code> , <code>min</code> , <code>oreb</code> , <code>pts</code> , <code>reb</code> , <code>stl</code> , <code>tov</code> . For example, <code>?stat_type=pts</code> will return the current points per game leaders
season	true	Returns leaders for the specified season
season_type	false	Returns leaders for the specified season type. Valid values are <code>regular</code> (default) and <code>playoffs</code>

Betting Odds

- ❗ This is a V2 endpoint. Note the different base path.
- ℹ Betting odds data is only available for the 2025 season and beyond.
- ℹ Odds are updated live and reflect real-time changes from sportsbooks.

Get Betting Odds

```
curl "https://api.balldontlie.io/v2/odds?dates[]=2025-01-15" \
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{
  "data": [
    {
      "id": 1105,
      "game_id": 18446819,
      "vendor": "draftkings",
      "spread_home_value": "-7.5",
      "spread_home_odds": -120,
      "spread_away_value": "7.5",
      "spread_away_odds": -110,
      "moneyline_home_odds": -330,
      "moneyline_away_odds": 240,
      "total_value": "228.5",
      "total_over_odds": -115,
      "total_under_odds": -115,
      "updated_at": "2025-10-21T23:46:11.875Z"
    },
    {
      "id": 1106,
      "game_id": 18446820,
      "vendor": "draftkings",
      "spread_home_value": "2.5",
      "spread_home_odds": -112,
      "spread_away_value": "-2.5",
      "spread_away_odds": -108,
      "moneyline_home_odds": 120,
      "moneyline_away_odds": -142,
      "total_value": "227.5",
      "total_over_odds": -108,
      "total_under_odds": -112,
      "updated_at": "2025-10-21T23:46:11.875Z"
    },
    {
      "id": 1051,
      "game_id": 18446819,
      "vendor": "caesars",
      "spread_home_value": "-7.5",
      "spread_home_odds": -105,
      "spread_away_value": "7.5",
      "spread_away_odds": -125,
      "moneyline_home_odds": -320,
      "moneyline_away_odds": 240,
      "total_value": "228.5",
      "total_over_odds": -115,
      "total_under_odds": -115,
      "updated_at": "2025-10-21T23:45:55.739Z"
    },
    {
      "id": 1052,
      "game_id": 18446820,
      "vendor": "caesars",
      "spread_home_value": "2.5",
      "spread_home_odds": -105,
      "spread_away_value": "-2.5",
      "spread_away_odds": -115,
```

```
"moneyline_home_odds": 122,
"moneyline_away_odds": -145,
"total_value": "227",
"total_over_odds": -105,
"total_under_odds": -115,
"updated_at": "2025-10-21T23:45:55.739Z"
},
{
  "id": 1414,
  "game_id": 18446820,
  "vendor": "fanduel",
  "spread_home_value": "2.5",
  "spread_home_odds": -108,
  "spread_away_value": "-2.5",
  "spread_away_odds": -112,
  "moneyline_home_odds": 120,
  "moneyline_away_odds": -142,
  "total_value": "226.5",
  "total_over_odds": -112,
  "total_under_odds": -108,
  "updated_at": "2025-10-21T23:45:41.957Z"
},
{
  "id": 153881,
  "game_id": 18446819,
  "vendor": "bet365",
  "spread_home_value": "-6.5",
  "spread_home_odds": -110,
  "spread_away_value": "6.5",
  "spread_away_odds": -110,
  "moneyline_home_odds": -260,
  "moneyline_away_odds": 210,
  "total_value": "227.5",
  "total_over_odds": -110,
  "total_under_odds": -110,
  "updated_at": "2025-10-21T23:45:39.624Z"
},
{
  "id": 157016,
  "game_id": 18446820,
  "vendor": "bet365",
  "spread_home_value": "2.5",
  "spread_home_odds": -110,
  "spread_away_value": "-2.5",
  "spread_away_odds": -110,
  "moneyline_home_odds": 120,
  "moneyline_away_odds": -140,
  "total_value": "226.5",
  "total_over_odds": -110,
  "total_under_odds": -110,
  "updated_at": "2025-10-21T23:45:39.624Z"
},
{
  "id": 1067,
  "game_id": 18446819,
  "vendor": "betmgm",
  "spread_home_value": "-6.5",
  "spread_home_odds": -125,
  "spread_away_value": "6.5",
  "spread_away_odds": -105,
```

```

    "moneyline_home_odds": -285,
    "moneyline_away_odds": 210,
    "total_value": "227.5",
    "total_over_odds": -110,
    "total_under_odds": -115,
    "updated_at": "2025-10-21T23:45:18.356Z"
  },
  {
    "id": 1068,
    "game_id": 18446820,
    "vendor": "betmgm",
    "spread_home_value": "2.5",
    "spread_home_odds": -115,
    "spread_away_value": "-2.5",
    "spread_away_odds": -105,
    "moneyline_home_odds": 115,
    "moneyline_away_odds": -140,
    "total_value": "227.5",
    "total_over_odds": -110,
    "total_under_odds": -110,
    "updated_at": "2025-10-21T23:45:18.356Z"
  },
  {
    "id": 1413,
    "game_id": 18446819,
    "vendor": "fanduel",
    "spread_home_value": "-6.5",
    "spread_home_odds": -108,
    "spread_away_value": "6.5",
    "spread_away_odds": -112,
    "moneyline_home_odds": -250,
    "moneyline_away_odds": 205,
    "total_value": "225.5",
    "total_over_odds": -108,
    "total_under_odds": -112,
    "updated_at": "2025-10-21T23:42:41.908Z"
  }
],
"meta": {
  "per_page": 25
}
}

```

This endpoint retrieves betting odds for NBA games. At least one of `dates` or `game_ids` must be provided.

Available Vendors:

Vendor	Description
ballybet	Bally Bet
bet365	Bet365
betmgm	BetMGM
betparx	BetParx

betrivers	BetRivers
betway	Betway
caesars	Caesars Sportsbook
draftkings	DraftKings
fanatics	Fanatics Sportsbook
fanduel	FanDuel
kalshi	Kalshi (prediction market)
polymarket	Polymarket (prediction market)
rebet	Rebet

HTTP REQUEST

GET https://api.balldontlie.io/v2/odds

QUERY PARAMETERS

Parameter	Required	Description
cursor	false	The cursor, used for pagination
per_page	false	The number of results per page. Default to 25. Max is 100
dates	false	Returns odds for games on these dates. Dates should be formatted in YYYY-MM-DD. This should be an array: ?dates[]=2025-01-15&dates[]=2025-01-16
game_ids	false	Returns odds for these game ids. This should be an array: ?game_ids[]=15907925&game_ids[]=15907926

Player Props

- i** This is a V2 endpoint. Note the different base path.
- i** Player prop data is LIVE and updated in real-time. We do not store historical data.

i As games near completion, many (or all) player props may be removed from sportsbooks.

Get Player Props

```
curl "https://api.balldontlie.io/v2/odds/player_props?game_id=18447073" \
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{
  "data": [
    {
      "id": 15777190,
      "game_id": 18447073,
      "player_id": 246,
      "vendor": "draftkings",
      "prop_type": "points",
      "line_value": "18",
      "market": {
        "type": "milestone",
        "odds": -1960
      },
      "updated_at": "2025-11-24T23:46:46.653Z"
    },
    {
      "id": 15777199,
      "game_id": 18447073,
      "player_id": 246,
      "vendor": "draftkings",
      "prop_type": "points",
      "line_value": "30.5",
      "market": {
        "type": "over_under",
        "over_odds": -111,
        "under_odds": -115
      },
      "updated_at": "2025-11-24T23:46:46.653Z"
    },
    {
      "id": 15777202,
      "game_id": 18447073,
      "player_id": 246,
      "vendor": "draftkings",
      "prop_type": "points_first3min",
      "line_value": "3",
      "market": {
        "type": "milestone",
        "odds": 139
      },
      "updated_at": "2025-11-24T23:46:46.653Z"
    }
  ]
}
```

```
}
],
"meta": {
  "per_page": 3
}
}
```

This endpoint retrieves live player prop betting data for a specific NBA game. Player props include predictions for individual player performance like points, rebounds, assists, and more.

i This endpoint returns all player props for the specified game in a single response. Pagination is not supported.

The API supports two market types:

- **over_under**: Traditional over/under markets where users can bet on whether a player will go over or under a specific line value
- **milestone**: Milestone markets where users bet on whether a player will reach a specific achievement (e.g., scoring exactly 30+ points)

Available Vendors:

Vendor	Description
ballybet	Bally Bet
betparx	BetParx
betrivers	BetRivers
betway	Betway
caesars	Caesars Sportsbook
draftkings	DraftKings
fanatics	Fanatics Sportsbook
fanduel	FanDuel
rebet	Rebet

HTTP REQUEST

GET https://api.balldontlie.io/v2/odds/player_props

QUERY PARAMETERS

Parameter	Required	Description

game_id	true	The game ID to retrieve player props for
player_id	false	Filter props for a specific player
prop_type	false	Filter by prop type. See supported prop types below.
vendors	false	Filter by specific vendors. This should be an array: <code>?vendors[]=draftkings&vendors[]=betway</code>

SUPPORTED PROP TYPES

The following `prop_type` values are supported:

Prop Type	Description
assists	Total assists
assists_1q	Assists in first quarter
assists_first3min	Assists in first 3 minutes
blocks	Total blocks
double_double	Double-double achievement
points	Total points
points_1q	Points in first quarter
points_assists	Points + assists
points_first3min	Points in first 3 minutes
points_rebounds	Points + rebounds
points_rebounds_assists	Points + rebounds + assists
rebounds	Total rebounds
rebounds_1q	Rebounds in first quarter
rebounds_assists	Rebounds + assists
rebounds_first3min	Rebounds in first 3 minutes
steals	Total steals
threes	Three-pointers made
triple_double	Triple-double achievement

RESPONSE ATTRIBUTES

Attribute	Type	Description
id	integer	Unique identifier for the prop
game_id	integer	The game this prop belongs to
player_id	integer	The player this prop is for
vendor	string	The sportsbook offering this prop
prop_type	string	The type of prop (e.g., "points", "rebounds", "assists", "threes")
line_value	string	The line value for the prop
market	object	Market information - either over_under or milestone type
updated_at	string	ISO 8601 timestamp of when this prop was last updated

Contracts

Get Team Contracts

```
curl "https://api.balldontlie.io/v1/contracts/teams?team_id=5&season=2025" \
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{
  "data": [
    {
      "id": 6251,
      "player_id": 17896065,
      "season": 2025,
      "team_id": 5,
      "cap_hit": 25000000,
      "total_cash": 25000000,
      "base_salary": 25000000,
      "rank": 0,
      "player": {
        "id": 17896065,
        "first_name": "Josh",
        "last_name": "Giddey",
        "position": "G",
        "height": "6-7",
        "weight": "216",
```

```
    "jersey_number": "3",
    "college": "NBA Global Academy",
    "country": "Australia",
    "draft_year": 2021,
    "draft_round": 1,
    "draft_number": 6,
    "team_id": 5
  },
  "team": {
    "id": 5,
    "conference": "East",
    "division": "Central",
    "city": "Chicago",
    "name": "Bulls",
    "full_name": "Chicago Bulls",
    "abbreviation": "CHI"
  }
},
{
  "id": 6263,
  "player_id": 460,
  "season": 2025,
  "team_id": 5,
  "cap_hit": 21481481,
  "total_cash": 21481481,
  "base_salary": 21481481,
  "rank": 85,
  "player": {
    "id": 460,
    "first_name": "Nikola",
    "last_name": "Vucevic",
    "position": "C",
    "height": "6-9",
    "weight": "260",
    "jersey_number": "9",
    "college": "Southern California",
    "country": "Montenegro",
    "draft_year": 2011,
    "draft_round": 1,
    "draft_number": 16,
    "team_id": 5
  },
  "team": {
    "id": 5,
    "conference": "East",
    "division": "Central",
    "city": "Chicago",
    "name": "Bulls",
    "full_name": "Chicago Bulls",
    "abbreviation": "CHI"
  }
},
{
  "id": 6280,
  "player_id": 102,
  "season": 2025,
  "team_id": 5,
  "cap_hit": 18080496,
  "total_cash": 18080496,
  "base_salary": 18080496,
```

```
"rank": 102,
"player": {
  "id": 102,
  "first_name": "Zach",
  "last_name": "Collins",
  "position": "F-C",
  "height": "6-9",
  "weight": "250",
  "jersey_number": "12",
  "college": "Gonzaga",
  "country": "USA",
  "draft_year": 2017,
  "draft_round": 1,
  "draft_number": 10,
  "team_id": 5
},
"team": {
  "id": 5,
  "conference": "East",
  "division": "Central",
  "city": "Chicago",
  "name": "Bulls",
  "full_name": "Chicago Bulls",
  "abbreviation": "CHI"
}
},
{
  "id": 6281,
  "player_id": 3547248,
  "season": 2025,
  "team_id": 5,
  "cap_hit": 18000000,
  "total_cash": 18000000,
  "base_salary": 18000000,
  "rank": 103,
  "player": {
    "id": 3547248,
    "first_name": "Patrick",
    "last_name": "Williams",
    "position": "F",
    "height": "6-6",
    "weight": "215",
    "jersey_number": "44",
    "college": "Florida State",
    "country": "USA",
    "draft_year": 2020,
    "draft_round": 1,
    "draft_number": 4,
    "team_id": 5
  },
  "team": {
    "id": 5,
    "conference": "East",
    "division": "Central",
    "city": "Chicago",
    "name": "Bulls",
    "full_name": "Chicago Bulls",
    "abbreviation": "CHI"
  }
},
},
```

...

HTTP REQUEST

```
GET https://api.balldontlie.io/v1/contracts/teams
```

QUERY PARAMETERS

Parameter	Required	Description
team_id	true	The team ID
season	false	The season year (e.g., 2025). Defaults to current season if not specified.

Get Player Contracts

```
curl "https://api.balldontlie.io/v1/contracts/players?player_id=140" \  
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{  
  "data": [  
    {  
      "id": 7391,  
      "player_id": 140,  
      "season": 2027,  
      "team_id": 11,  
      "cap_hit": 46097561,  
      "total_cash": 46097561,  
      "base_salary": 46097561,  
      "rank": 24,  
      "player": {  
        "id": 140,  
        "first_name": "Kevin",  
        "last_name": "Durant",  
        "position": "F",  
        "height": "6-11",  
        "weight": "240",  
        "jersey_number": "7",  
        "college": "Texas",  
        "country": "USA",  
        "draft_year": 2007,  
        "draft_round": 1,  
        "draft_number": 2,  
        "team_id": 11  
      },  
      "team": {  
        "id": 11,  
        "conference": "West",  
        "division": "Southwest",  
        "city": "Houston",  
        "name": "Rockets",  
        "full_name": "Houston Rockets",  
        "abbreviation": "HOU"  
      }  
    },  
    {  
      "id": 7076,  
      "player_id": 140,  
      "season": 2026,  
      "team_id": 11,  
      "cap_hit": 43902439,  
      "total_cash": 43902439,  
      "base_salary": 43902439,  
      "rank": 28,  
      "player": {  
        "id": 140,
```

```
    "first_name": "Kevin",
    "last_name": "Durant",
    "position": "F",
    "height": "6-11",
    "weight": "240",
    "jersey_number": "7",
    "college": "Texas",
    "country": "USA",
    "draft_year": 2007,
    "draft_round": 1,
    "draft_number": 2,
    "team_id": 11
  },
  "team": {
    "id": 11,
    "conference": "West",
    "division": "Southwest",
    "city": "Houston",
    "name": "Rockets",
    "full_name": "Houston Rockets",
    "abbreviation": "HOU"
  }
},
{
  "id": 6182,
  "player_id": 140,
  "season": 2025,
  "team_id": 11,
  "cap_hit": 54708609,
  "total_cash": 53282608,
  "base_salary": 53282608,
  "rank": 4,
  "player": {
    "id": 140,
    "first_name": "Kevin",
    "last_name": "Durant",
    "position": "F",
    "height": "6-11",
    "weight": "240",
    "jersey_number": "7",
    "college": "Texas",
    "country": "USA",
    "draft_year": 2007,
    "draft_round": 1,
    "draft_number": 2,
    "team_id": 11
  },
  "team": {
    "id": 11,
    "conference": "West",
    "division": "Southwest",
    "city": "Houston",
    "name": "Rockets",
    "full_name": "Houston Rockets",
    "abbreviation": "HOU"
  }
},
{
  "id": 5734,
  "player_id": 140,
```

```
    "season": 2024,
    "team_id": 24,
    "cap_hit": 51179021,
    "total_cash": 49856021,
    "base_salary": 49856021,
    "rank": 4,
    "player": {
      "id": 140,
      "first_name": "Kevin",
      "last_name": "Durant",
      "position": "F",
      "height": "6-11",
      "weight": "240",
      "jersey_number": "7",
      "college": "Texas",
      "country": "USA",
      "draft_year": 2007,
      "draft_round": 1,
      "draft_number": 2,
      "team_id": 11
    },
    "team": {
      "id": 24,
      "conference": "West",
      "division": "Pacific",
      "city": "Phoenix",
      "name": "Suns",
      "full_name": "Phoenix Suns",
      "abbreviation": "PHX"
    }
  },
  ...
],
"meta": {
  "per_page": 25
}
}
```

This endpoint retrieves contracts for a specific player, optionally filtered by seasons. Results are ordered by season in descending order. This endpoint supports pagination.

HTTP REQUEST

GET https://api.balldontlie.io/v1/contracts/players

QUERY PARAMETERS

Parameter	Required	Description
player_id	true	The player ID
seasons	false	Filter by specific seasons. This should be an array: <code>?seasons[]=2024&seasons[]=2025</code>
cursor	false	The cursor, used for pagination
per_page	false	The number of results per page. Defaults to 25. Max is 100

Get Player Contract Aggregates

```
curl "https://api.balldontlie.io/v1/contracts/players/aggregate?player_id=140" \  
-H "Authorization: YOUR_API_KEY"
```

The above command returns JSON structured like this:

```
{  
  "data": [  
    {  
      "id": 4231,  
      "player_id": 140,  
      "start_year": 2026,  
      "end_year": 2027,  
      "contract_type": "Veteran Extension",  
      "contract_status": "UPCOMING EXTENSION",  
      "contract_years": 2,  
      "total_value": 90000000,  
      "average_salary": 45000000,  
      "guaranteed_at_signing": 90000000,  
      "total_guaranteed": 90000000,  
      "signed_using": null,  
      "free_agent_year": 2028,  
      "free_agent_status": "UFA",  
      "contract_notes": ["2027-28: Player Option (deadline 6/29/27)"],  
      "team_id": 11,  
      "player": {  
        "id": 140,  
        "first_name": "Kevin",  
        "last_name": "Durant",  
        "position": "F",  
        "height": "6-11",  
        "weight": "240",  
        "jersey_number": "7",  
        "college": "Texas",  
        "country": "USA",  
        "draft_year": 2007,  
        "draft_round": 1,  
        "draft_number": 2,  
        "team_id": 11  
      },  
    },  
    {  
      "id": 4238,  
      "player_id": 140,  
      "start_year": 2028,  
      "end_year": 2029,  
      "contract_type": "Veteran Extension",  
      "contract_status": "UPCOMING EXTENSION",  
      "contract_years": 2,  
      "total_value": 90000000,  
      "average_salary": 45000000,  
      "guaranteed_at_signing": 90000000,  
      "total_guaranteed": 90000000,  
      "signed_using": null,  
      "free_agent_year": 2030,  
      "free_agent_status": "UFA",  
      "contract_notes": ["2029-30: Player Option (deadline 6/29/29)"],  
      "team_id": 11,  
      "player": {  
        "id": 140,  
        "first_name": "Kevin",  
        "last_name": "Durant",  
        "position": "F",  
        "height": "6-11",  
        "weight": "240",  
        "jersey_number": "7",  
        "college": "Texas",  
        "country": "USA",  
        "draft_year": 2007,  
        "draft_round": 1,  
        "draft_number": 2,  
        "team_id": 11  
      },  
    },  
  ],  
  "team": {  
    "id": 11,  
    "conference": "West",  
    "division": "Southwest",  
    "city": "Houston",  
    "name": "Rockets",  
    "full_name": "Houston Rockets",  
    "abbreviation": "HOU"  
  },  
}
```

```
    "start_year": 2007,
    "end_year": 2010,
    "contract_type": "Rookie",
    "contract_status": "expired",
    "contract_years": 4,
    "total_value": 19505783,
    "average_salary": 4876446,
    "guaranteed_at_signing": null,
    "total_guaranteed": 19505783,
    "signed_using": "rookie-scale-exception",
    "free_agent_year": null,
    "free_agent_status": null,
    "contract_notes": null,
    "team_id": null,
    "player": {
      "id": 140,
      "first_name": "Kevin",
      "last_name": "Durant",
      "position": "F",
      "height": "6-11",
      "weight": "240",
      "jersey_number": "7",
      "college": "Texas",
      "country": "USA",
      "draft_year": 2007,
      "draft_round": 1,
      "draft_number": 2,
      "team_id": 11
    },
    "team": null
  },
  ...
}
```

This endpoint retrieves aggregated multi-year contract data for a specific player, including total contract value, guaranteed amounts, free agency information, and contract metadata. Results are ordered by start_year in descending order.

HTTP REQUEST

GET https://api.balldontlie.io/v1/contracts/players/aggregate

QUERY PARAMETERS

Parameter	Required	Description
player_id	true	The player ID