
Customer-Simplification PDF Report



Feature				Scenario Step					
Name	Duration	<i>T</i>	P	F	S	T	P	F	S
"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points	4 m 45.949 s	1	0	1	0	5	0	1	4

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	"Create Rating Plan" request for EParcel Existing Customers with	As OnBoarding user, on-board existing customer['PROS
	Standard Rate Card (Tier 4 to Tier 8) Pricing Points	ATTY_Dhaya_AfterRefresh'] using "Generate Agreement Document" with *


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@EParcel	1	0	1	0	1	0	1	0
@InternationalDigitalPCMSBundleInclAirmailLetters	1	0	1	0	1	0	1	0
@GenerateAgreement	1	0	1	0	1	0	1	0
@PTEST	1	0	1	0	1	0	1	0
@Regression	1	0	1	0	1	0	1	0
@ExistingCustomers	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to	1	0	1	0	4 m 45.949 s
	Tier 8) Pricing Points					




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	"Create Rating Plan" request for EParcel Existing Customers with *	As OnBoarding user, on-board existing customer['PROS ATTY_Dhaya_AfterRefresh'] using "Generate Agreement *	5	0	1	4	4 m 45.925 s

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points



As OnBoarding user, on-board existing customer['PROS ATTY_Dhaya_AfterRefresh'] using "Generate Agreement Document" with EParcel Bundle belonging to category['<category>'] and price structure['<pri>price_structure>']



#		Step / Hook Details								Status	Duration
1	Given Sales user, created an opportunity['InternationalAirmail_28_11'] for the above organisation['PROS								FAILED	4 m 34.928 s	
	ATTY_Dhaya_AfterRefresh'] with key contact['Dhaya' 'Automation'], post code "", monthly spend "" and changed its stage to										
	"Qualify"										
	sub_type				is_it_startrack	total_value	type	qualify_steps	description		
			Update opportunity deta*			500	New Customer	Determine Go/No Go dec*	Testing		
	* The data	cell text	(s) have been cropped to f	t in the availa	able space.						
	Element no	ot found {	[By.xpath: //span[text()='Cr	edit Assessm	ent']/parent::a}	Expected: vi	sible Screenshot	:: file:/C:/Users/kbd/UCT_Pro	oject/build/	1	
	reports/tes	ts/17011	59340149.0.png Page sou	rce: file:/C:/U	sers/kbd/UCT_	Project/build	reports/tests/170	01159340149.0.html Timeou	ıt: 90 s.		
	-		•	h element: U	nable to locate	element: {"m	ethod":"xpath","	selector":"//span[text()='Cred	lit		
	Assessmer		•		. =						
			e.selenide.impl.WebEleme			•					
	at com.codeborne.selenide.impl.ElementFinder.createElementNotFoundError(ElementFinder.java:142)										
	at com.c	odeborn	e.selenide.impl.WebEleme	ntSource.har	ndleError(WebE	ElementSourd	e.java:143)				
	at com.c	odeborn	e.selenide.impl.WebEleme	ntSource.che	ckConditionAn	dReturnElem	ent(WebElemen	tSource.java:127)			

#	Step / Hook Details	Status	Duration
	at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:30)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:14)		
	at com.codeborne.selenide.commands.Commands.execute(Commands.java:161)		
	at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)		
	at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.shouldBe(Unknown Source)		
	at com.my.salesforce.sandbox.application.BasePage.clickOn(BasePage.java:55)		
	at com.my.salesforce.sandbox.application.pages.opportunities.details.OpportunityTabSet.credit_assessment(OpportunityTabSet.java:33)		
	at steps.regression_testing.new_customer.Create_Opportunity.opportunities(Create_Opportunity.java:50)		
	at ?.Sales user, created an opportunity['InternationalAirmail_28_11'] for the above organisation['PROS ATTY_Dhaya_AfterRefresh'] with key		
	contact['Dhaya' 'Automation'], post code "", monthly spend "" and changed its stage to "Qualify"(file:///C:/Users/kbd/UCT_Project/src/test/		
	resources/features/regression_testing/existing_customer/eparcel/generate_agreement.feature:65)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath", "selector":"//span[text()='Credit Assessment']/parent::a"} (Session info: chrome=118.0.5993.118) For documentation on this		
	error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version:		
	'4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [4933b5e532895e8e89f17ef42450b78e, findElement {using=xpath,		
	value=//span[text()='Credit Assessment']/parent::a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91, userDataDir: C:\Users\kbd\AppData\Local\},		
	fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62074}, networkConnectionEnabled: false, pageLoadStrategy:		
	normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62074/devtoo, se:cdpVersion: 118.0.5993.118, setWindowRect: true,		
	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} Session ID: 4933b5e532895e8e89f17ef42450b78e		
	at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:70)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:44)		

#	Step / Hook Details	Status	Duration
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:33)		
	at com.codeborne.selenide.impl.ElementFinder.getWebElement(ElementFinder.java:122)		
	at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:116)		
	at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:30)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:14)		
	at com.codeborne.selenide.commands.Commands.execute(Commands.java:161)		
	at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)		
	at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.shouldBe(Unknown Source)		
	at com.my.salesforce.sandbox.application.BasePage.clickOn(BasePage.java:55)		
	at com.my.salesforce.sandbox.application.pages.opportunities.details.OpportunityTabSet.credit_assessment(OpportunityTabSet.java:33)		
	at steps.regression_testing.new_customer.Create_Opportunity.opportunities(Create_Opportunity.java:50)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runlnSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethodS(TestInvoker.java:900) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:397) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:396) at org.testng.SuiteRunner.vn(SuiteRunner.java:336) at org.testng.SuiteRunner.Worker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:295) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesCoally(TestNG.java:1200) at org.testng.TestNG.runSuitesCoally(TestNG.java:1114) at org.testng.TestNG.runSuitesCoally(TestNG.java:1052) at org.testng.TestNG.runSuitesCoally(TestNG.java:1052) at org.testng.TestNG.runSuitesCoally(TestNG.java:1053) *Not displayable characters are replaced by '?'. AFTER STEP - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)	PASSED	0.287 s
	image Print Step	PASSED	0.287 \$
	Secretaria Control Con		
2	And "Submitted" a "Customer Onboarding" DSR for "eParcel" to create "New Proposal"	SKIPPED	0.001 s
	description support_work_type Customer Onboarding DSR Express Onboarding		
3	And 'InternationalAirmail_28_11' cart saved with "International Digital PCMS Bundle incl Airmail Letters" after validating 'Construction Services', 'No', '5,000 - 19,999', 'eParcel' and adding lodgement point '3000' by 'Onboarding' user	SKIPPED	0.000 s
4	When 'Onboarding' user "Generate Agreement Document" for "International Digital PCMS Bundle incl Airmail Letters" redirected to contract page	SKIPPED	0.000 s

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	entitytypeproductAustralian Postal CorporationNew ContractInternational		
5	And Creates the contract [0] under 'InternationalAirmail_28_11'	SKIPPED	0.001 s
	AFTER - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)	PASSED	0.221 s
	image		
	The Control of Control		
	TOTAL COLUMN AND AND AND AND AND AND AND AND AND AN		
	Consisting Arians Ariany Order Management to Editry Notice		
	Brish Control Noted Products & Control State v Control Noted Products Control State v Products P		