
## **Customer-Simplification PDF Report**



| Feature   |              |          | Scel | nario |   | Step |   |   |   |
|---|--------------|----------|------|-------|---|------|---|---|---|
| Name  | Duration     | <i>T</i> | P    | F     | S | T    | P | F | S |
| "Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points | 10 m 9.051 s | 1        | 0    | 1     | 0 | 6    | 2 | 1 | 3 |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name  | Scenario Name  |
|---|---|--|
| 1 | "Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points | As OnBoarding user, on-board existing customer['ST LUKES HEALTH CENTER'] using "Generate Agreement Document" with EParcel Bundle * |


<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

| TAG                |   | Scer | nario |   | Feature |   |   |   |
|--------------------|---|------|-------|---|---------|---|---|---|
| Name               | T | P    | F     | S | T       | P | F | S |
| @EParcel           | 1 | 0    | 1     | 0 | 1       | 0 | 1 | 0 |
| @GenerateAgreement | 1 | 0    | 1     | 0 | 1       | 0 | 1 | 0 |
| @PTEST             | 1 | 0    | 1     | 0 | 1       | 0 | 1 | 0 |
| @Regression        | 1 | 0    | 1     | 0 | 1       | 0 | 1 | 0 |
| @ExistingCustomers | 1 | 0    | 1     | 0 | 1       | 0 | 1 | 0 |
| @EParcelBundle     | 1 | 0    | 1     | 0 | 1       | 0 | 1 | 0 |

FEATURES SUMMARY -- 5 --



| # | Feature Name   | T | P | F | S | Duration     |
|---|--|---|---|---|---|--------------|
| 1 | "Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to | 1 | 0 | 1 | 0 | 10 m 9.051 s |
|   | Tier 8) Pricing Points   |   |   |   |   |              |



| # | Feature Name                      | Scenario Name                                      | T | P | F | S | Duration     |
|---|-----------------------------------|--|---|---|---|---|--------------|
| 1 | "Create Rating Plan" request for  | As OnBoarding user, on-board existing customer['ST | 6 | 2 | 1 | 3 | 10 m 9.037 s |
|   | EParcel Existing Customers with * | LUKES HEALTH CENTER'] using "Generate Agreement *  |   |   |   |   |              |


<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

**DETAILED SECTION** 

## "Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points

| Scenarios |                             | Steps                       |   |
|-----------|-----------------------------|-----------------------------|---|
| Total - 1 |                             | Total - 6                   |   |
| Pass - 0  | 1                           | Pass - 2                    | 6   |
| Fail - 1  |                             | Fail - 1                    | ı   |
| Skip - 0  |                             | Skip - 3                    |   |
|           | Total - 1 Pass - 0 Fail - 1 | Total - 1 Pass - 0 Fail - 1 | Total - 1 Pass - 0 Fail - 1 Total - 6 Pass - 2 Fail - 1 |

As OnBoarding user, on-board existing customer['ST LUKES HEALTH CENTER'] using "Generate Agreement Document" with EParcel Bundle belonging to category['CAT2 - 2000 to 4999'] and price structure['BANDED {Z6}']



| # | Step / Hook Details   | Status | Duration     |
|---|---|--------|--------------|
| 1 | Given Sales user, created an opportunity['As Onboarding generate agreement document for EParcel existing  | PASSED | 3 m 17.547 s |
|   | customer_21_11_2023'] for the above organisation['ST LUKES HEALTH CENTER'] with key contact['Dhayanidhi KB'   |        |              |
|   | 'Automation Tester'], post code "", monthly spend "" and changed its stage to "Qualify"   |        |              |
|   | sub_type         stage         identify_steps         close_date         is_it_startrack         total_value         type         qualify_steps         description |        |              |
|   | New Identify Update opportunity deta* 31/12/2023 No 500 New Customer Determine Go/No Go dec* Testing  |        |              |
|   | * The data cell text(s) have been cropped to fit in the available space.  |        |              |
| 2 | And "Submitted" a "Customer Onboarding" DSR for "eParcel" to create "New Proposal"  | PASSED | 39.850 s     |
|   | description   support_work_type   |        |              |
|   | Customer Onboarding DSR Express Onboarding  |        |              |
| 3 | And 'As Onboarding generate agreement document for EParcel existing customer 21 11 2023' cart saved with "eParcel" after  | FAILED | 6 m 1.458 s  |
|   | validating 'CAT2 - 2000 to 4999', "BANDED WINE {Z40}", '3000', '60' and adding lodgement point '3000' by 'Onboarding' user  |        | 0 200 0      |
|   | Element not found {By.xpath: //a[@part='breadcrumb' and text()='As Onboarding generate agreement document for EParcel existing                                      |        |              |
|   | customer 21 11 2023']/parent::lightning-breadcrumb} Expected: visible Screenshot: file:/C:/Users/kbd/UCT Project/build/reports/tests/                               |        |              |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | 1700589042925.0.png Page source: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1700589042925.0.html Timeout: 90 s. Caused by:  |        |          |
|   | NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//a[@part='breadcrumb' and text()='As   |        |          |
|   | Onboarding generate agreement document for EParcel existing customer_21_11_2023']/parent::lightning-breadcrumb"}  |        |          |
|   | at com.codeborne.selenide.impl.WebElementSource.createElementNotFoundError(WebElementSource.java:91)  |        |          |
|   | at com.codeborne.selenide.impl.ElementFinder.createElementNotFoundError(ElementFinder.java:142)   |        |          |
|   | at com.codeborne.selenide.impl.WebElementSource.handleError(WebElementSource.java:143)  |        |          |
|   | at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:127)   |        |          |
|   | at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104)   |        |          |
|   | at com.codeborne.selenide.commands.Should.execute(Should.java:30)   |        |          |
|   | at com.codeborne.selenide.commands.Should.execute(Should.java:14)   |        |          |
|   | at com.codeborne.selenide.commands.Commands.execute(Commands.java:161)  |        |          |
|   | at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)   |        |          |
|   | at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)  |        |          |
|   | at jdk.proxy2/jdk.proxy2.\$Proxy46.shouldBe(Unknown Source)   |        |          |
|   | at com.my.salesforce.sandbox.application.BasePage.clickOn(BasePage.java:55)   |        |          |
|   | at com.my.salesforce.sandbox.application.pages.opportunities.details.edit_products.EditProducts.back_to_opportunity(EditProducts.java:46)   |        |          |
|   | at steps.regression_testing.new_customer.eparcel.skip_proposal.Save_Cart_And_Edit_Opportunity_Products.   |        |          |
|   | save_cart_and_edit_products(Save_Cart_And_Edit_Opportunity_Products.java:42)  |        |          |
|   | at ?.'As Onboarding generate agreement document for EParcel existing customer_21_11_2023' cart saved with "eParcel" after validating  |        |          |
|   | 'CAT2 - 2000 to 4999', "BANDED WINE {Z40}", '3000', '60' and adding lodgement point '3000' by 'Onboarding' user(file:///C:/Users/kbd/   |        |          |
|   | UCT_Project/src/test/resources/features/regression_testing/existing_customer/eparcel/generate_agreement.feature:19)   |        |          |
|   | Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:   |        |          |
|   | {"method":"xpath","selector":"//a[@part='breadcrumb' and text()='As Onboarding generate agreement document for EParcel existing customer 21 11 2023']/parent::lightning-breadcrumb"} (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: |        |          |
|   | https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision:  |        |          |
|   | '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.   |        |          |
|   | chrome.ChromeDriver Command: [9e0f97090472435a91734d80fd5c006b, findElement {using=xpath, value=//a[@part='breadcrumb' and  |        |          |
|   | text()='As Onboarding generate agreement document for EParcel existing customer_21_11_2023']/parent::lightning-breadcrumb}] Capabilities  |        |          |
|   | {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70   |        |          |
|   | (e52f33f30b91, userDataDir: C:\Users\kbd\AppData\Local\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:   |        |          |
|   | localhost:58991}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp:   |        |          |
|   | ws://localhost:58991/devtoo, se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,  |        |          |
|   | pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,   |        |          |
|   | webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:  |        |          |
|   | true} Session ID: 9e0f97090472435a91734d80fd5c006b  |        |          |
|   | at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)  |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  |        |          |
|   | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  |        |          |
|   | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)   |        |          |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)   |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)                                 |        |          |
|   | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)                                       |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)   |        |          |
|   | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)                                     |        |          |
|   | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)   |        |          |
|   | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)   |        |          |
|   | at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:70)   |        |          |
|   | at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:44)   |        |          |
|   | at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:33)   |        |          |
|   | at com.codeborne.selenide.impl.ElementFinder.getWebElement(ElementFinder.java:122)  |        |          |
|   | at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:116)                                 |        |          |
|   | at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104)   |        |          |
|   | at com.codeborne.selenide.commands.Should.execute(Should.java:30)   |        |          |
|   | at com.codeborne.selenide.commands.Should.execute(Should.java:14)   |        |          |
|   | at com.codeborne.selenide.commands.Commands.execute(Commands.java:161)  |        |          |
|   | at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)                                       |        |          |
|   | at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)  |        |          |
|   | at jdk.proxy2/jdk.proxy2.\$Proxy46.shouldBe(Unknown Source)   |        |          |
|   | at com.my.salesforce.sandbox.application.BasePage.clickOn(BasePage.java:55)   |        |          |
|   | at com.my.salesforce.sandbox.application.pages.opportunities.details.edit_products.EditProducts.back_to_opportunity(EditProducts.java:46) |        |          |
|   | at steps.regression_testing.new_customer.eparcel.skip_proposal.Save_Cart_And_Edit_Opportunity_Products.                                   |        |          |
|   | save_cart_and_edit_products(Save_Cart_And_Edit_Opportunity_Products.java:42)  |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   |        |          |
|   | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)                                       |        |          |
|   | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)                               |        |          |
|   | at java.base/java.lang.reflect.Method.invoke(Method.java:568)   |        |          |
|   | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)   |        |          |
|   | at io.cucumber.java.Invoker.invoke(Invoker.java:24)   |        |          |
|   | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   |        |          |
|   | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)  |        |          |
|   | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   |        |          |
|   | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)   |        |          |
|   | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)  |        |          |
|   | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)   |        |          |
|   | at io.cucumber.core.runner.TestStep.run(TestStep.java:56)   |        |          |
|   | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)   |        |          |
|   | at io.cucumber.core.runner.TestCase.run(TestCase.java:84)   |        |          |
|   | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)   |        |          |
|   | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)  |        |          |

| at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)  |        |         |
|--|--------|---------|
|  |        |         |
| at io cucumber core runtime CucumberExecutionContext runTestCase(CucumberExecutionContext java:137)  |        |         |
| at location of the first production of the first produ |        |         |
| at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)  |        |         |
| at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)   |        |         |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  |        |         |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  |        |         |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  |        |         |
| at java.base/java.lang.reflect.Method.invoke(Method.java:568)  |        |         |
| at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)   |        |         |
| at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)   |        |         |
| at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)   |        |         |
| at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)   |        |         |
| at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)  |        |         |
| at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)  |        |         |
| at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)  |        |         |
| at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)  |        |         |
| at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)  |        |         |
| at org.testng.TestRunner.privateRun(TestRunner.java:848)   |        |         |
| at org.testng.TestRunner.run(TestRunner.java:621)  |        |         |
| at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)  |        |         |
| at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)  |        |         |
| at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)   |        |         |
| at org.testng.SuiteRunner.run(SuiteRunner.java:336)  |        |         |
| at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)  |        |         |
| at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)   |        |         |
| at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)   |        |         |
| at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)  |        |         |
| at org.testng.TestNG.runSuites(TestNG.java:1114)   |        |         |
| at org.testng.TestNG.run(TestNG.java:1082)   |        |         |
| at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)   |        |         |
| at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)   |        |         |
| * Not displayable characters are replaced by '?'.  |        |         |
| AFTER_STEP - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)  | PASSED | 0.207 s |
| image  |        |         |

DETAILED SECTION -- 11 --

| # | Step / Hook Details  | Status  | Duration |
|---|--|---------|----------|
|   | State   Stat |         |          |
| 4 | And 'As Onboarding generate agreement document for EParcel existing customer_21_11_2023' cart saved with "eParcel  | SKIPPED | 0.000 s  |
|   | Express" after validating 'CAT2 - 2000 to 4999', 'BANDED {Z6}', '3000', '60' and adding lodgement point '3000' by 'Onboarding' user  |         |          |
| 5 | When 'Onboarding' user "Generate Agreement Document" for "eParcel" redirected to contract page   | SKIPPED | 0.001 s  |
|   | entity     type     product       Australian Postal Corporation     New Contract     eParcels Domestic   |         |          |
| 6 | And Creates the contract [0] under 'As Onboarding generate agreement document for EParcel existing customer_21_11_2023'  | SKIPPED | 0.001 s  |
|   | AFTER - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)   | PASSED  | 0.179 s  |
|   | image  |         |          |
|   | Same    |         |          |