




# Customer-Simplification PDF Report

23 Nov 2023, 1:37:21 am

Start : Nov 23, 1:29:21.061 am	End : Nov 23, 1:37:17.028 am	Duration : 7 m 55.967 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 2



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points</u>	7 m 55.967 s	1	0	1	0	5	2	1	2


#	Feature Name	Scenario Name
1	<u>"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points</u>	<u>As OnBoarding user, on-board existing customer['ST LUKES HEALTH CENTER'] using "Generate Agreement Document" with EParcel Bundle *</u>

\* The feature name and/or scenario name has been cropped to fit in the available space.

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@EParcel	1	0	1	0	1	0	1	0
@GenerateAgreement	1	0	1	0	1	0	1	0
@PTEST	1	0	1	0	1	0	1	0
@Regression	1	0	1	0	1	0	1	0
@ExistingCustomers	1	0	1	0	1	0	1	0
@InternationalDigitalPCMSBundle	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points	1	0	1	0	7 m 55.967 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	"Create Rating Plan" request for EParcel Existing Customers with *	As OnBoarding user, on-board existing customer['ST LUKES HEALTH CENTER'] using "Generate Agreement *	5	2	1	2	7 m 55.951 s

\* The feature name and/or scenario name has been cropped to fit in the available space.

## "Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points

<b>FAILED</b>	DURATION - 7 m 55.967 s	Scenarios		Steps	
/ 1:29:21.061 am // 1:37:17.028 am /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 5 Pass - 2 Fail - 1 Skip - 2	

## As OnBoarding user, on-board existing customer['ST LUKES HEALTH CENTER'] using "Generate Agreement Document" with EParcel Bundle belonging to category['<category>'] and price structure['<price\_structure>']

FAILED		DURATION - 7 m 55.951 s			Steps	
/ 1:29:21.077 am // 1:37:17.028 am /					Total - 5	
"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) *					Pass - 2	
@EParcel @GenerateAgreement @PTEST					Fail - 1	
@Regression @ExistingCustomers					Skip - 2	
@InternationalDigitalPCMSBundle						

#	Step / Hook Details	Status	Duration				
1	Given Sales user, created an opportunity['International_PCMS_Bundle_23-11'] for the above organisation['ST LUKES HEALTH CENTER'] with key contact['Dhayanidhi KB' 'Automation Tester'], post code '', monthly spend '' and changed its stage to "Qualify"	PASSED	3 m 13.468 s				
	sub_typestageidentify_stepsclose_dateis_it_startracktotal_valuetypequalify_stepsdescription						
	NewIdentifyUpdate opportunity deta*31/12/2023No500New CustomerDetermine Go/No Go dec*Testing						
	* The data cell text(s) have been cropped to fit in the available space.						
2	And "Submitted" a "Customer Onboarding" DSR for "eParcel" to create "New Proposal"	PASSED	42.551 s				
	descriptionsupport_work_type						
	Customer Onboarding DSRExpress Onboarding						
3	And 'International_PCMS_Bundle_23-11' cart saved with "International Digital PCMS Bundle" after validating 'Construction Services', 'Yes', 'Less than 3,000', 'eParcel' and adding lodgement point '3000' by 'Onboarding' user	FAILED	3 m 49.986 s				
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.						

#	Step / Hook Details	Status	Duration
	<p>ChromeDriver Command: [27fc633dea6b4d36207340362eca829b, actions {actions=[org.openqa.selenium.interactions.Sequence@c94f221]]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\kdb\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62347/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 27fc633dea6b4d36207340362eca829b</p> <p>at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:520)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:182)  at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:204)  at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)  at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179)  at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)  at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)  at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)  at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)  at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:204)  at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:222)  at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)  at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:217)  at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400)  at org.openqa.selenium.json.Json.toJson(Json.java:133)  at org.openqa.selenium.json.Json.toJson(Json.java:119)  at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:280)  at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:130)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:693)  at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:598)  at com.my.salesforce.sandbox.application.BasePage.mouseOverAndClickOn(BasePage.java:79)  at com.my.salesforce.sandbox.application.pages.shopping_cart.eparcel.ValidateAttributes.validate(ValidateAttributes.java:32)</p>		



#	Step / Hook Details	Status	Duration
	<p>at com.my.salesforce.sandbox.application.pages.shopping_cart.eparcel.EParcelProductAttributesPage.  enter_and_validate(EParcelProductAttributesPage.java:27)  at steps.regression_testing.new_customer.eparcel.skip_proposal.Save_Cart_And_Edit_Opportunity_Products.  save_cart_and_edit_products(Save_Cart_And_Edit_Opportunity_Products.java:36)  at ?. 'International_PCMS_Bundle_23-11' cart saved with "International Digital PCMS Bundle" after validating 'Construction Services', 'Yes',  'Less than 3,000', 'eParcel' and adding lodgement point '3000' by 'Onboarding' user(file:///C:/Users/kbd/UCT_Project/src/test/resources/  features/regression_testing/existing_customer/eparcels/generate_agreement.feature:52)  Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.15.0', revision:  '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: driver.version:  RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:431) at org.openqa.selenium.json.Json.  toJson(Json.java:131) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec.  AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:280) at org.openqa.selenium.remote.codec.  AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:130) at org.openqa.selenium.remote.HttpCommandExecutor.  execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor.  invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.  execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:693) at org.openqa.selenium.interactions.  Actions\$BuiltAction.perform(Actions.java:598) at com.my.salesforce.sandbox.application.BasePage.mouseOverAndClickOn(BasePage.  java:79) at com.my.salesforce.sandbox.application.pages.shopping_cart.eparcel.ValidateAttributes.validate(ValidateAttributes.java:32)  at com.my.salesforce.sandbox.application.pages.shopping_cart.eparcel.EParcelProductAttributesPage.  enter_and_validate(EParcelProductAttributesPage.java:27) at steps.regression_testing.new_customer.eparcel.skip_proposal.  Save_Cart_And_Edit_Opportunity_Products.save_cart_and_edit_products(Save_Cart_And_Edit_Opportunity_Products.java:36) at java.  base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.  invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.  invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.  Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.  invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.  cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.  runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.  cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.  cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.  lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.  lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.  executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.  runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.  runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.  runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.  DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.  java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.  internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.  invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at  org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.  invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.</p>		

#	Step / Hook Details	Status	Duration
	<p>java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.lang.reflect.InvocationTargetException</p> <p>atjdk.internal.reflect.GeneratedMethodAccessor108.invoke(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:516)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$16(JsonOutput.java:182)</p> <p>at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$22(JsonOutput.java:204)</p> <p>at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.accept(ForEachOps.java:183)</p> <p>at java.base/java.util.stream.ReferencePipeline\$2\$1.accept(ReferencePipeline.java:179)</p> <p>at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)</p> <p>at java.base/java.util.Spliterators\$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)</p> <p>at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)</p> <p>at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)</p> <p>at java.base/java.util.stream.ForEachOps\$ForEachOp.evaluateSequential(ForEachOps.java:150)</p> <p>at java.base/java.util.stream.ForEachOps\$ForEachOp\$OfRef.evaluateSequential(ForEachOps.java:173)</p> <p>at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)</p> <p>at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$23(JsonOutput.java:204)</p> <p>at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$24(JsonOutput.java:222)</p> <p>at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)</p> <p>at org.openqa.selenium.json.JsonOutput.lambda\$new\$25(JsonOutput.java:217)</p> <p>at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)</p> <p>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400)</p> <p>at org.openqa.selenium.json.Json.toJson(Json.java:133)</p> <p>at org.openqa.selenium.json.Json.toJson(Json.java:119)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:280)</p> <p>at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:130)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:693) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:598) at com.my.salesforce.sandbox.application.BasePage.mouseOverAndClickOn(BasePage.java:79) at com.my.salesforce.sandbox.application.pages.shopping_cart.eparcel.ValidateAttributes.validate(ValidateAttributes.java:32) at com.my.salesforce.sandbox.application.pages.shopping_cart.eparcel.EParcelProductAttributesPage. enter_and_validate(EParcelProductAttributesPage.java:27) at steps.regression_testing.new_customer.eparcel.skip_proposal.Save_Cart_And_Edit_Opportunity_Products. save_cart_and_edit_products(Save_Cart_And_Edit_Opportunity_Products.java:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		

#	Step / Hook Details	Status	Duration
	<p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)  at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)  at org.testng.TestRunner.privateRun(TestRunner.java:848)  at org.testng.TestRunner.run(TestRunner.java:621)  at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)  at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)  at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)  at org.testng.SuiteRunner.run(SuiteRunner.java:336)  at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)  at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)  at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)  at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)  at org.testng.TestNG.runSuites(TestNG.java:1114)  at org.testng.TestNG.run(TestNG.java:1082)  at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)  at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)</p> <p>Caused by: Element not found {By.xpath: //div[text()='Less than 3,000']/parent::div} Expected: exist Screenshot: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1700663835916.0.png Page source: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1700663835916.0.html Timeout: 90 s.  Caused by: NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Less than 3,000']/parent::div"}  at com.codeborne.selenide.impl.WebElementSource.createElementNotFoundError(WebElementSource.java:91)  at com.codeborne.selenide.impl.ElementFinder.createElementNotFoundError(ElementFinder.java:142)  at com.codeborne.selenide.impl.ExceptionWrapper.wrap(ExceptionWrapper.java:32)  at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:154)  at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)  at jdk.proxy2/jdk.proxy2.\$Proxy46.getWrappedElement(Unknown Source)  at org.openqa.selenium.interactions.PointerInput\$Origin.asArg(PointerInput.java:259)  at org.openqa.selenium.interactions.PointerInput\$Move.encode(PointerInput.java:208)  at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72)  at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81)  ... 87 more Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Less than 3,000']/parent::div"} (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [27fc633dea6b4d36207340362eca829b, findElement {using=xpath, value=//div[text()='Less than 3,000']/parent::div}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:/Users/kbd/AppData/Local/..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62347}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:62347/devtoo..., se.cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 27fc633dea6b4d36207340362eca829b</p>		

#	Step / Hook Details	Status	Duration						
	<div>atjdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source)</div> <div>atjava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</div> <div>atjava.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</div> <div>atjava.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</div> <div>atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</div> <div>atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</div> <div>atorg.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</div> <div>atorg.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</div> <div>atorg.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</div> <div>atorg.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</div> <div>atorg.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)</div> <div>atorg.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</div> <div>atorg.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</div> <div>atorg.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)</div> <div>atorg.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)</div> <div>atcom.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:70)</div> <div>atcom.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:44)</div> <div>atcom.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:33)</div> <div>atcom.codeborne.selenide.impl.ElementFinder.getWebElement(ElementFinder.java:122)</div> <div>atcom.codeborne.selenide.commands.GetWrappedElement.execute(GetWrappedElement.java:19)</div> <div>atcom.codeborne.selenide.commands.GetWrappedElement.execute(GetWrappedElement.java:13)</div> <div>atcom.codeborne.selenide.commands.Commands.execute(Commands.java:161)</div> <div>atcom.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)</div> <div>* Not displayable characters are replaced by '?'. </div>								
	<div>AFTER_STEP - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)</div> <div>image</div> <div></div>	PASSED	0.272 s						
4	<div>When 'Onboarding' user "Generate Agreement Document" for "International" redirected to contract page</div> <div><table><tr><td>entity</td><td>type</td><td>product</td></tr><tr><td>Australian Postal Corporation</td><td>New Contract</td><td>International</td></tr></table></div>	entity	type	product	Australian Postal Corporation	New Contract	International	SKIPPED	0.001 s
entity	type	product							
Australian Postal Corporation	New Contract	International							
5	<div>And Creates the contract [0] under 'International_PCMS_Bundle_23-11'</div>	SKIPPED	0.000 s						
	<div>AFTER - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)</div> <div>image</div>	PASSED	0.311 s						

#	Step / Hook Details	Status	Duration
	 A screenshot of a software application window titled 'Proposal 2023-Nov_ST LUKES HEALTH C...'. The interface shows a sidebar with navigation options like 'AP Tools', 'Home', 'Tools', 'Contacts', 'Operations', and 'Chief Support Request'. The main content area displays 'International Digital PCMS Bundle' with a 'View Data' button and a 'Add More Products' button. Below this, there are sections for 'Product Attributes', 'International Features', 'International Options', and 'International Returns'. The 'International Features' section is expanded, showing a 'Usage Text' and a 'Warning'.		