
Customer-Simplification PDF Report



Feature				nario		Step				
Name	Duration	<i>T</i>	P	F	S	T	P	F	S	
"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points	3 m 57.609 s	1	0	1	0	5	0	1	4	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	"Create Rating Plan" request for EParcel Existing Customers with	As OnBoarding user, on-board existing customer['PROS
	Standard Rate Card (Tier 4 to Tier 8) Pricing Points	ATTY_Dhaya_AfterRefresh'] using "Generate Agreement Document" with *


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

TAG		Scer	nario			Feature		
Name	T	P	F	S	T	P	F	S
@EParcel	1	0	1	0	1	0	1	0
@InternationalDigitalPCMSBundleInclAirmailLetters	1	0	1	0	1	0	1	0
@GenerateAgreement	1	0	1	0	1	0	1	0
@PTEST	1	0	1	0	1	0	1	0
@Regression	1	0	1	0	1	0	1	0
@ExistingCustomers	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to	1	0	1	0	3 m 57.609 s
	Tier 8) Pricing Points					




ture Name	Scenario Name	T	P	F	S	Duration
ate Rating Plan" request for cel Existing Customers with *	As OnBoarding user, on-board existing customer['PROS ATTY_Dhaya_AfterRefresh'] using "Generate Agreement *	5	0	1	4	3 m 57.591 s
at	e Rating Plan" request for el Existing Customers with *	e Rating Plan" request for As OnBoarding user, on-board existing customer['PROS ATTY_Dhaya_AfterRefresh'] using "Generate Agreement *	e Pating Plan" request for As OnRoarding user, on-hoard existing customer "PPOS 5	e Pating Plan" request for As OnBoarding user, on-hoard existing customer "PPOS 5 0	e Pating Plan" request for As OnBoarding user on-hoard existing customer "PPOS 5 0 1	e Pating Plan" request for As OnBoarding user, on-hoard existing customer PPOS 5 0 1 4

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points



As OnBoarding user, on-board existing customer['PROS ATTY_Dhaya_AfterRefresh'] using "Generate Agreement Document" with EParcel Bundle belonging to category['<category>'] and price structure['<pri>price_structure>']



#		Step / Hook Details							Status	Duration	
1	Given Sal	iven Sales user, created an opportunity['InternationalAirmail_28_11'] for the above organisation['PROS								FAILED	3 m 39.233 s
	ATTY_Dhaya_AfterRefresh'] with key contact['Dhaya' 'Automation'], post code "", monthly spend "" and changed its stage to										
	"Qualify"										
	sub_type				is_it_startrack	total_value	type	qualify_steps	description		
			Update opportunity deta*			500	New Customer	Determine Go/No Go dec*	Testing		
	* The data	a cell text	(s) have been cropped to fi	t in the availa	able space.						
	Element no	ot found {	[By.xpath: //div[contains(@	class,'slds-th	eme error')]} E	xpected: visi	ble Screenshot:	file:/C:/Users/kbd/UCT_Proje	ect/build/]	
								01156509985.0.html Timeoເ			
	-		nElementException: no suc	h element: U	nable to locate	element: {"m	nethod":"xpath","	selector":"//div[contains(@cl	ass,'slds-		
	theme_erro	,,,,	a salanida impl WahElama	ntSource ero	atoElomontNot	EquadError()	NobElomontSou	roo iava:01)			
	at com.codeborne.selenide.impl.WebElementSource.createElementNotFoundError(WebElementSource.java:91) at com.codeborne.selenide.impl.ElementFinder.createElementNotFoundError(ElementFinder.java:142)										
			e.selenide.impl.WebEleme			•	•	· -)			
			e.selenide.impl.WebEleme		•		•	tSource.java:127)			
							(

#	Step / Hook Details	Status	Duration
	at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:30)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:14)		
	at com.codeborne.selenide.commands.Commands.execute(Commands.java:161)		
	at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)		
	at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)		
	at jdk.proxy2/jdk.proxy2.\$Proxy47.shouldBe(Unknown Source)		
	at com.my.salesforce.sandbox.application.BasePage.isItVisible(BasePage.java:39)		
	at com.my.salesforce.sandbox.application.pages.opportunities.details.headers.OutStandingActions.is_ready(OutStandingActions.java:13)		
	at com.my.salesforce.sandbox.application.pages.opportunities.details.headers.OpportunitySubHeader.		
	verify_outstanding_actions(OpportunitySubHeader.java:27)		
	at steps.regression_testing.new_customer.Create_Opportunity.opportunities(Create_Opportunity.java:36)		
	at ?.Sales user, created an opportunity['InternationalAirmail_28_11'] for the above organisation['PROS ATTY_Dhaya_AfterRefresh'] with key contact['Dhaya' 'Automation'], post code "", monthly spend "" and changed its stage to "Qualify"(file:///C:/Users/kbd/UCT_Project/src/test/		
	resources/features/regression_testing/existing_customer/eparcel/generate_agreement.feature:65)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(@class,'slds-theme_error')]"} (Session info: chrome=118.0.5993.118) For documentation on this		
	error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version:		
	'4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.		
	openga.selenium.chrome.ChromeDriver Command: [bb077dc1ace24b15c77b4f144ebf4bbf, findElement {using=xpath,		
	value=//div[contains(@class, 'slds-theme_error')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91, userDataDir: C:\Users\kbd\AppData\Local\},		
	fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60557}, networkConnectionEnabled: false, pageLoadStrategy:		
	normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60557/devtoo, se:cdpVersion: 118.0.5993.118, setWindowRect: true,		
	strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} Session ID: bb077dc1ace24b15c77b4f144ebf4bbf		
	at jdk.internal.reflect.GeneratedConstructorAccessor28.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		

#	Step / Hook Details	Status	Duration
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:70)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:44)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:33)		
	at com.codeborne.selenide.impl.ElementFinder.getWebElement(ElementFinder.java:122)		
	at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:116)		
	at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:30)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:14)		
	at com.codeborne.selenide.commands.Commands.execute(Commands.java:161)		
	at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)		
	at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)		
	at jdk.proxy2/jdk.proxy2.\$Proxy47.shouldBe(Unknown Source)		
	at com.my.salesforce.sandbox.application.BasePage.isItVisible(BasePage.java:39)		
	at com.my.salesforce.sandbox.application.pages.opportunities.details.headers.OutStandingActions.is_ready(OutStandingActions.java:13)		
	at com.my.salesforce.sandbox.application.pages.opportunities.details.headers.OpportunitySubHeader.		
	verify_outstanding_actions(OpportunitySubHeader.java:27)		
	at steps.regression_testing.new_customer.Create_Opportunity.opportunities(Create_Opportunity.java:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.MethodRouthod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRouthor.cationAgent.invoke(TestInvoker.java:50) at org.testng.internal.invokers.TestInvoker.invokeTestMethodRouthocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethodS(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.invoteTestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:443) at org.testng.TestRunner.privateRun(TestRunner.java:443) at org.testng.SuiteRunner.run(TestRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:397) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:336) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:396) at org.testng.SuiteRunner.privateRun(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.TestnG.runSuitesSequentially(TestnG.java:1280) at org.testng.TestnG.runSuitesSequentially(TestnG.java:1200) at org.testng.TestnG.runSuitesCocally(TestnG.java:1200) at org.testng.TestnG.runSuitesCocally(TestnG.java:1114) at org.testng.TestnG.runSuitesCocally(TestnG.java:100) **Not displayable characters are replaced by '?'.		
	AFTER_STEP - steps.Hooks.addSnapShot(io.cucumber.java.Scenario) image I	PASSED	0.290 s
2	And "Submitted" a "Customer Onboarding" DSR for "eParcel" to create "New Proposal"	SKIPPED	0.001 s
	description support_work_type Customer Onboarding DSR Express Onboarding		
3	And 'InternationalAirmail_28_11' cart saved with "International Digital PCMS Bundle incl Airmail Letters" after validating	SKIPPED	0.001 s

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	'Construction Services', 'No', '5,000 - 19,999', 'eParcel' and adding lodgement point '3000' by 'Onboarding' user		
4	When 'Onboarding' user "Generate Agreement Document" for "International Digital PCMS Bundle incl Airmail Letters" redirected	SKIPPED	0.002 s
	to contract page		
	entity type product		
	Australian Postal Corporation New Contract International		
5	And Creates the contract [0] under 'InternationalAirmail_28_11'	SKIPPED	0.000 s
	AFTER - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)	PASSED	0.221 s
	image		
	Mark (10) Mar		
	## 5585		
	Signification Street Section S		
	and the property of the control of t		
	Settle Group broad Accretion by Problem Accretion b		
	© Note that the state of the s		