UCT Project PDF Report

| Start : Dec 01, 11:51:14.144 pm	End : Dec 02, 12:42:43.838 am	Duration : 51 m 29.694 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 5 FAILED - 2 SKIPPED - 5

Features: 1

Scenarios: 2

Steps: 12

Pass %: 0 %

Pass %: 0 %

Pass %: 41 %

| Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
"Create contract with UCT change" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points	51 m 29.694 s	2	0	2	0	12	5	2	5

#	Feature Name	Scenario Name
1	*"Create contract with UCT change" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points*	*As OnBoarding user, on-board existing customer['BLUE SPRING CTR'] using "Generate Agreement Document" with EParcel Bundle belonging to **
2		*As OnBoarding user, on-board existing customer['BLUE SPRING CTR'] using "Generate Agreement Document" with EParcel Bundle belonging to **

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@EParcel	2	0	2	0	1	0	1	0
@GenerateAgreement	2	0	2	0	1	0	1	0
@PTEST	2	0	2	0	1	0	1	0
@Regression	2	0	2	0	1	0	1	0
@ExistingCustomers	2	0	2	0	1	0	1	0
@EParcelBundle	2	0	2	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*"Create contract with UCT change" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points*	2	0	2	0	51 m 29.694 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	"Create contract with UCT change" request for EParcel Existing Custom *	As OnBoarding user, on-board existing customer['BLUE SPRING CTR'] using "Generate Agreement Document" w *	6	5	1	0	47 m 51.729 s
2		As OnBoarding user, on-board existing customer['BLUE SPRING CTR'] using "Generate Agreement Document" w *	6	0	1	5	3 m 37.880 s

The feature name and/or scenario name has been cropped to fit in the available space.

"Create contract with UCT change" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points

FAILED	DURATION - 51 m 29.694 s		Scenarios		Steps	
/ 11:51:14.144 pm // 12:42:43.838 am /			Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Total - 12 Pass - 5 Fail - 2 Skip - 5	12

As OnBoarding user, on-board existing customer['BLUE SPRING CTR'] using "Generate Agreement Document" with EParcel Bundle belonging to category['CAT5 - 20000 to 49999'] and price structure['BANDED {Z6}']

FAILED	DURATION - 47 m 51.729 s		Steps	
/ 11:51:14.160 pm // 12:39:05.889 am /			Total - 6	6
"Create contract with UCT change" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to *			Pass - 5 Fail - 1 Skip - 0	
@EParcel @GenerateAgreement @PTEST @Regression @ExistingCustomers @EParcelBundle				

#	Step / Hook Details	Status	Duration
1	Given Sales user, created an opportunity['eParcel_Express_CAT5'] for the above organisation['BLUE SPRING CTR'] with key contact['Dhaya' 'Automation Tester'], post code "", monthly spend "" and changed its stage to "Qualify"	PASSED	2 m 28.834 s

sub_type	stage	identify_steps	close_date	is_it_startrack	total_value	type	qualify_steps	description
New	Identify	Update opportunity deta*	31/12/2023	No	500	New Customer	Determine Go/No Go dec*	Testing
* The data cell text(s) have been cropped to fit in the available space.								

#	Step / Hook Details	Status	Duration
2	And "Submitted" a "Customer Onboarding" DSR for "eParcel" to create "New Proposal"	PASSED	42.662 s

description	support_work_type
Customer Onboarding DSR	Express Onboarding

| #	Step / Hook Details	Status	Duration
3	And 'eParcel_Express_CAT5' cart saved with "eParcel" after validating 'CAT5 - 20000 to 49999', 'BANDED {Z6}', '3000', '60' and adding lodgement point '3000' by 'Onboarding' user	PASSED	3 m 35.213 s
4	And 'eParcel_Express_CAT5' cart saved with "eParcel Express" after validating 'CAT5 - 20000 to 49999', 'BANDED {Z6}', '3000', '60' and adding lodgement point '3000' by 'Onboarding' user	PASSED	3 m 52.680 s

#	Step / Hook Details	Status	Duration
5	When 'Onboarding' user "Generate Agreement Document" for "eParcel" redirected to contract page | entity	type	product
---	---	---
Australian Postal Corporation	New Contract	eParcels Domestic		PASSED	35 m 20.118 s

6	And Creates the contract [0] under 'eParcel_Express_CAT5'
	
	Element not found {By.id: logo} Expected: visible Screenshot: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1701437945002.0.png Page source: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1701437945002.0.html Timeout: 90 s. Caused by: NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#logo"}
	
	  at com.codeborne.selenide.impl.WebElementSource.createElementNotFoundError(WebElementSource.java:91)
	  at com.codeborne.selenide.impl.ElementFinder.createElementNotFoundError(ElementFinder.java:142)
	  at com.codeborne.selenide.impl.WebElementSource.handleError(WebElementSource.java:143)
	  at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:127)
	  at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104)
	  at com.codeborne.selenide.commands.Should.execute(Should.java:30)
	  at com.codeborne.selenide.commands.Should.execute(Should.java:14)
	  at com.codeborne.selenide.commands.Commands.execute(Commands.java:161)
	  at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)
	  at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.shouldBe(Unknown Source)
	  at com.my.salesforce.sandbox.application.BasePage.isItVisible(BasePage.java:39)
	  at com.my.salesforce.sandbox.application.pages.welcome.LoginPage.is_ready(LoginPage.java:12)
	  at steps.Base.login_into_salesforce_as(Base.java:26)
	  at steps.regression_testing.existing_customer.startrack.Create_Unmerge_Contract_Agreement. create_the_contract(Create_Unmerge_Contract_Agreement.java:23)
	  at ?.Creates the contract [0] under 'eParcel_Express_CAT5'(file:///C:/Users/kbd/UCT_Project/src/test/resources/features/regression_testing/ existing_customer/eparcel/generate_agreement.feature:24)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#logo"} (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: https://www.selenium.dev/ documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [712b43c90f0bd96c40a0ad0e08e2c473, findElement {using=id, value=logo}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\kbd\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64949}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64949/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 712b43c90f0bd96c40a0ad0e08e2c473
	  at jdk.internal.reflect.GeneratedConstructorAccessor27.newInstance(Unknown Source)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
		FAILED	1 m 35.873 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:70)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:44)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:33)		
	at com.codeborne.selenide.impl.ElementFinder.getWebElement(ElementFinder.java:122)		
	at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:116)		
	at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:30)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:14)		
	at com.codeborne.selenide.commands.Commands.execute(Commands.java:161)		
	at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)		
	at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)		
	at jdk.proxy2/jdk.proxy2.$Proxy46.shouldBe(Unknown Source)		
	at com.my.salesforce.sandbox.application.BasePage.isItVisible(BasePage.java:39)		
	at com.my.salesforce.sandbox.application.pages.welcome.LoginPage.is_ready(LoginPage.java:12)		
	at steps.Base.login_into_salesforce_as(Base.java:26)		
	at steps.regression_testing.existing_customer.startrack.Create_Unmerge_Contract_Agreement. create_the_contract(Create_Unmerge_Contract_Agreement.java:23)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)	PASSED	0.245 s
	image		

| #	Step / Hook Details	Status	Duration
	AFTER - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)	PASSED	0.177 s
	image		

As OnBoarding user, on-board existing customer['BLUE SPRING CTR'] using "Generate Agreement Document" with EParcel Bundle belonging to category['CAT6 - Above 50000'] and price structure['BANDED {Z6}']

FAILED	DURATION - 3 m 37.880 s
/ 12:39:05.958 am // 12:42:43.838 am /	
"Create contract with UCT change" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to *	
@EParcel @GenerateAgreement @PTEST @Regression @ExistingCustomers @EParcelBundle	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

#	Step / Hook Details	Status	Duration
1	Given Sales user, created an opportunity['eParcel_Express_CAT6'] for the above organisation['BLUE SPRING CTR'] with key contact['Dhaya' 'Automation Tester'], post code "", monthly spend "" and changed its stage to "Qualify"	FAILED	3 m 33.507 s

sub_type	stage	identify_steps	close_date	is_it_startrack	total_value	type	qualify_steps	description
New	Identify	Update opportunity deta*	31/12/2023	No	500	New Customer	Determine Go/No Go dec*	Testing

* The data cell text(s) have been cropped to fit in the available space.

Element not found {By.xpath: //div[text()='Opportunity']/parent::h1/descendant::lightning-formatted-text[text()='eParcel_Express_CAT6']}
Expected: visible Screenshot: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1701438162839.1.png Page source: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1701438162839.1.html Timeout: 90 s. Caused by: NoSuchElementException: no such element: Unable to

#	Step / Hook Details	Status	Duration
	locate element: {"method":"xpath","selector":"//div[text()='Opportunity']/parent::h1/descendant::lightning-formatted-text[text()='eParcel_Express_CAT6']"}		
	at com.codeborne.selenide.impl.WebElementSource.createElementNotFoundError(WebElementSource.java:91)		
	at com.codeborne.selenide.impl.ElementFinder.createElementNotFoundError(ElementFinder.java:142)		
	at com.codeborne.selenide.impl.WebElementSource.handleError(WebElementSource.java:143)		
	at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:127)		
	at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:30)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:14)		
	at com.codeborne.selenide.commands.Commands.execute(Commands.java:161)		
	at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)		
	at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)		
	at jdk.proxy2/jdk.proxy2.$Proxy46.shouldBe(Unknown Source)		
	at com.my.salesforce.sandbox.application.BasePage.isItVisible(BasePage.java:39)		
	at com.my.salesforce.sandbox.application.pages.opportunities.details.headers.OpportunityHeader.is_ready(OpportunityHeader.java:21)		
	at steps.regression_testing.new_customer.Create_Opportunity.opportunities(Create_Opportunity.java:34)		
	at ?.Sales user, created an opportunity['eParcel_Express_CAT6'] for the above organisation['BLUE SPRING CTR'] with key contact['Dhaya' 'Automation Tester'], post code "", monthly spend "" and changed its stage to "Qualify"(file:///C:/Users/kbd/UCT_Project/src/test/resources/features/regression_testing/existing_customer/eparcel/generate_agreement.feature:13)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Opportunity']/parent::h1/descendant::lightning-formatted-text[text()='eParcel_Express_CAT6']"} (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [44a785db1ca551f8ef25dbc488b05f29, findElement {using=xpath, value=//div[text()='Opportunity']/parent::h1/descendant::lightning-formatted-text[text()='eParcel_Express_CAT6']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\kbd\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:49737}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:49737/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 44a785db1ca551f8ef25dbc488b05f29		
	at jdk.internal.reflect.GeneratedConstructorAccessor27.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:70)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:44)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:33)		
	at com.codeborne.selenide.impl.ElementFinder.getWebElement(ElementFinder.java:122)		
	at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:116)		
	at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:30)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:14)		
	at com.codeborne.selenide.commands.Commands.execute(Commands.java:161)		
	at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)		
	at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)		
	at jdk.proxy2/jdk.proxy2.$Proxy46.shouldBe(Unknown Source)		
	at com.my.salesforce.sandbox.application.BasePage.isItVisible(BasePage.java:39)		
	at com.my.salesforce.sandbox.application.pages.opportunities.details.headers.OpportunityHeader.is_ready(OpportunityHeader.java:21)		
	at steps.regression_testing.new_customer.Create_Opportunity.opportunities(Create_Opportunity.java:34)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)	PASSED	0.250 s
	image 		
2	And "Submitted" a "Customer Onboarding" DSR for "eParcel" to create "New Proposal"	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	<table><tr><td>description</td><td>support_work_type</td></tr><tr><td>Customer Onboarding DSR</td><td>Express Onboarding</td></tr></table>		
3	And 'eParcel_Express_CAT6' cart saved with "eParcel" after validating 'CAT6 - Above 50000', 'BANDED {Z6}', '3000', '60' and adding lodgement point '3000' by 'Onboarding' user	SKIPPED	0.000 s
4	And 'eParcel_Express_CAT6' cart saved with "eParcel Express" after validating 'CAT6 - Above 50000', 'BANDED {Z6}', '3000', '60' and adding lodgement point '3000' by 'Onboarding' user	SKIPPED	0.001 s
5	When 'Onboarding' user "Generate Agreement Document" for "eParcel" redirected to contract page <table><tr><td>entity</td><td>type</td><td>product</td></tr><tr><td>Australian Postal Corporation</td><td>New Contract</td><td>eParcels Domestic</td></tr></table>	SKIPPED	0.000 s
6	And Creates the contract [0] under 'eParcel_Express_CAT6'	SKIPPED	0.001 s
	AFTER - steps.Hooks.addSnapShot(io.cucumber.java.Scenario) image 	PASSED	0.258 s