
Customer-Simplification PDF Report



| Feature | | | Scei | nario | | | St | ер | |
|---|---------------|----------|------|-------|---|---|----|----|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| "Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points | 19 m 57.920 s | 1 | 0 | 1 | 0 | 6 | 5 | 1 | 0 |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|---|---|--|
| 1 | "Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points | As OnBoarding user, on-board existing customer['ST LUKES HEALTH CENTER'] using "Generate Agreement Document" with EParcel Bundle * |


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

| TAG | Scenario | | | | Feature | | | |
|--------------------|----------|---|---|---|---------|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @EParcel | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @GenerateAgreement | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @PTEST | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Regression | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ExistingCustomers | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @EParcelBundle | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 5 --



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|---------------|
| 1 | "Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to | 1 | 0 | 1 | 0 | 19 m 57.920 s |
| | Tier 8) Pricing Points | | | | | |



| ; | # Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-----------------------------------|--|---|---|---|---|---------------|
| | "Create Rating Plan" request for | As OnBoarding user, on-board existing customer['ST | 6 | 5 | 1 | 0 | 19 m 57.902 s |
| | EParcel Existing Customers with * | LUKES HEALTH CENTER'] using "Generate Agreement * | | | | | |


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION

"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points

| s Steps |
|--------------|
| Total - 6 |
| 1 Pass - 5 6 |
| Fail - 1 |
| Skip - 0 |
| |

As OnBoarding user, on-board existing customer['ST LUKES HEALTH CENTER'] using "Generate Agreement Document" with EParcel Bundle belonging to category['CAT2 - 2000 to 4999'] and price structure['BANDED {Z6}']



| # | Step / Hook Details | Status | Duration |
|---|--|--------|--------------|
| 1 | Given Sales user, created an opportunity['As Onboarding generate agreement document for EParcel existing | PASSED | 3 m 14.904 s |
| | customer_21_11_2023'] for the above organisation['ST LUKES HEALTH CENTER'] with key contact['Dhayanidhi KB' | | |
| | 'Automation Tester'], post code "", monthly spend "" and changed its stage to "Qualify" | | |
| | sub_type stage identify_steps close_date is_it_startrack total_value type qualify_steps description | | |
| | New Identify Update opportunity deta* 31/12/2023 No 500 New Customer Determine Go/No Go dec* Testing | | |
| | * The data cell text(s) have been cropped to fit in the available space. | | |
| 2 | And "Submitted" a "Customer Onboarding" DSR for "eParcel" to create "New Proposal" | PASSED | 41.496 s |
| | description support_work_type | | |
| | Customer Onboarding DSR Express Onboarding | | |
| 3 | And 'As Onboarding generate agreement document for EParcel existing customer_21_11_2023' cart saved with "eParcel" after | PASSED | 4 m 39.065 s |
| | validating 'CAT2 - 2000 to 4999', "BANDED WINE {Z40}", '3000', '60' and adding lodgement point '3000' by 'Onboarding' user | | |
| 4 | And 'As Onboarding generate agreement document for EParcel existing customer_21_11_2023' cart saved with "eParcel | PASSED | 4 m 23.250 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|--------------|
| | Express" after validating 'CAT2 - 2000 to 4999', 'BANDED {Z6}', '3000', '60' and adding lodgement point '3000' by 'Onboarding' user | | |
| 5 | When 'Onboarding' user "Generate Agreement Document" for "eParcel" redirected to contract page | PASSED | 3 m 56.228 s |
| | entity type product Australian Postal Corporation New Contract eParcels Domestic | | |
| 6 | And Creates the contract [0] under 'As Onboarding generate agreement document for EParcel existing customer_21_11_2023' | FAILED | 2 m 51.243 s |
| | Element not found {By,xpath; //input(@type=checkbox and @name=j_id0_j_id28:GenerateDocsPage.GenerateDocsFrom:TemplateBlock_j_id104*]} Expected: visible Screenshot: file /C:/Users/kbd/l UCT. Project/buildr/peports/tests/1700590318384.0.ntml Timeout: 90 s. Caused by; NoSuchElementException: no such element: Unable to locate element: {method:"xpath";selector"://input(@type=checkbox' and @name=j_id0*j_id28:GenerateDocsPage.GenerateDocsFrom:TemplateBlock.j_id104*]*} at com.codeborne.selenide.impl.WebElementSource.createElementNotFoundError(WebElementSource.java:91) at com.codeborne.selenide.impl.WebElementSource.createElementNotFoundError(ElementFinder.java:142) at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:127) at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104) at com.codeborne.selenide.commands.Should.execute(Should.java:30) at com.codeborne.selenide.commands.Should.execute(Should.java:14) at com.codeborne.selenide.commands.Should.execute(Should.java:14) at com.codeborne.selenide.commands.Commands.execute(Should.java:14) at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132) at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132) at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:132) at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:32) at co | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: | | |
| | true} Session ID: 3ce4d805f7e9544154a866aa1ba71301 | | |
| | at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:70) | | |
| | at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:44) | | |
| | at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:33) | | |
| | at com.codeborne.selenide.impl.ElementFinder.getWebElement(ElementFinder.java:122) | | |
| | at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:116) | | |
| | at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104) | | |
| | at com.codeborne.selenide.commands.Should.execute(Should.java:30) | | |
| | at com.codeborne.selenide.commands.Should.execute(Should.java:14) | | |
| | at com.codeborne.selenide.commands.Commands.execute(Commands.java:161) | | |
| | at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132) | | |
| | at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy46.shouldBe(Unknown Source) | | |
| | at com.my.salesforce.sandbox.application.BasePage.clickOn(BasePage.java:55) | | |
| | at com.my.salesforce.sandbox.application.pages.contract.Contract.unmerge_document(Contract.java:25) | | |
| | at steps.regression_testing.existing_customer.startrack.Create_Renewal_Generating_Contract_Agreement. | | |
| | create_the_contract(Create_Renewal_Generating_Contract_Agreement.java:40) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | | |
| | at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:848) | | |
| | at org.testng.TestRunner.run(TestRunner.java:621) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:336) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1114) | | |
| | at org.testng.TestNG.run(TestNG.java:1082) | | |
| | at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) | | |
| | at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |

DETAILED SECTION -- 11 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - steps.Hooks.addSnapShot(io.cucumber.java.Scenario) | PASSED | 0.253 s |
| | image | | |
| | Research Research | | |
| | AFTER - steps.Hooks.addSnapShot(io.cucumber.java.Scenario) | PASSED | 0.265 s |
| | image | | |
| | State Control Contro | | |