



Customer-Simplification PDF Report

10 Nov 2023, 5:28:56 pm

| | | |
|---|---|---|
| Start : Nov 10, 5:16:46.570 pm | End : Nov 10, 5:28:53.628 pm | Duration : 12 m 7.058 s |
| Features | Scenarios | Steps |
| PASSED - 0 FAILED - 1 SKIPPED - 0 | PASSED - 0 FAILED - 1 SKIPPED - 0 | PASSED - 2 FAILED - 1 SKIPPED - 6 |



| Feature | | Scenario | | | | Step | | | |
|---|--------------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>"Create Rating Plan" request is "Submitted" to SAP for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) *</u> | 12 m 7.058 s | 1 | 0 | 1 | 0 | 9 | 2 | 1 | 6 |

* The feature name has been cropped to fit in the available space.


| # | Feature Name | Scenario Name |
|---|---|--|
| 1 | <u>"Create Rating Plan" request is "Submitted" to SAP for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) *</u> | <u>As a Onboarding user, on-board existing StarTrack customer['MCKENZIE SUPERANNUATION FUND', '<abn>'] using "Generate Agreement *</u> |

* The feature name and/or scenario name has been cropped to fit in the available space.

| TAG | Scenario | | | | Feature | | | |
|--------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @STE | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @GenerateAgreement | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @PTEST | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Regression | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @StarTrack | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ExistingCustomers | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|--------------|
| 1 | <u>"Create Rating Plan" request is "Submitted" to SAP for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points</u> | 1 | 0 | 1 | 0 | 12 m 7.058 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|--------------|
| 1 | "Create Rating Plan" request is "Submitted" to SAP for EParcel Exist * | As a Onboarding user, on-board existing StarTrack customer['MCKENZIE SUPERANNUATION FUND', '<abn * | 9 | 2 | 1 | 6 | 12 m 7.044 s |

* The feature name and/or scenario name has been cropped to fit in the available space.

"Create Rating Plan" request is "Submitted" to SAP for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points

| | | | | | |
|--------------------------------------|-------------------------|---|---|---|---|
| FAILED | DURATION - 12 m 7.058 s | Scenarios |  | Steps |  |
| / 5:16:46.570 pm // 5:28:53.628 pm / | | Total - 1 Pass - 0 Fail - 1 Skip - 0 | | Total - 9 Pass - 2 Fail - 1 Skip - 6 | |

As a Onboarding user, on-board existing StarTrack customer['MCKENZIE SUPERANNUATION FUND', '<abn>'] using "Generate Agreement Document" belonging to tier['<tier>'] with service type['PRM'] and monthly spend['11000']


| | | | | |
|---|-------------------------|--|---|---|
| FAILED | DURATION - 12 m 7.044 s |  | Steps |  |
| / 5:16:46.584 pm // 5:28:53.628 pm / | | | Total - 9 Pass - 2 Fail - 1 Skip - 6 | |
| "Create Rating Plan" request is "Submitted" to SAP for EParcel Existing Customers with Standard Rate Card * | | | | |
| @STE @GenerateAgreement @PTEST @Regression @StarTrack @ExistingCustomers | | | | |


| # | Step / Hook Details | Status | Duration | | | | | | | | |
|---|---|--------------------|--------------|-------------------|--------------------------|------------|-----------------|-------------|--------------|-------------------------|-------------|
| 1 | Given Sales user, created an opportunity[As Onboarding generate agreement document for StarTrack Road Express existing customer_31_10_2023] for the above organisation[MCKENZIE SUPERANNUATION FUND] with key contact[Automation_Tester_094' 'Vinoth_Murali_094'], post code '3000-MELBOURNE', monthly spend '11000' and changed its stage to "Qualify" | PASSED | 3 m 55.860 s | | | | | | | | |
| | | | | | | | | | | | |
| | sub_type | | | stage | identify_steps | close_date | is_it_startrack | total_value | type | qualify_steps | description |
| | New | | | Identify | Update opportunity deta* | 31/12/2023 | Yes | 500 | New Customer | Determine Go/No Go dec* | Testing |
| | * The data cell text(s) have been cropped to fit in the available space. | | | | | | | | | | |
| 2 | And "Submitted" a "Customer Onboarding" DSR for "StarTrack" to create "New Proposal" | PASSED | 46.779 s | | | | | | | | |
| | | | | | | | | | | | |
| | description | | | support_work_type | | | | | | | |
| | Customer Onboarding DSR | Express Onboarding | | | | | | | | | |
| 3 | And 'As Onboarding generate agreement document for StarTrack Road Express existing customer_31_10_2023' cart saved with 'Premium - STE' after validating 'PRM', '3000-MELBOURNE', '3000-MELBOURNE' and 'Tier 4' by 'Onboarding' user | FAILED | 7 m 5.693 s | | | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>Element not found {By.xpath: //label[text()='Unit Sales Price (Ex GST)']/following-sibling::div/input} Expected: editable Screenshot: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1699597732182.0.png Page source: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1699597732182.0.html Timeout: 90 s. Caused by: NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//label[text()='Unit Sales Price (Ex GST)']/following-sibling::div/input"}</p> <p>at com.codeborne.selenium.impl.WebElementSource.createElementNotFoundError(WebElementSource.java:91) at com.codeborne.selenium.impl.ElementFinder.createElementNotFoundError(ElementFinder.java:142) at com.codeborne.selenium.impl.WebElementSource.handleError(WebElementSource.java:143) at com.codeborne.selenium.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:127) at com.codeborne.selenium.impl.WebElementSource.findAndAssertElementIsEditable(WebElementSource.java:184) at com.codeborne.selenium.commands.Clear.execute(Clear.java:41) at com.codeborne.selenium.commands.Clear.execute(Clear.java:33) at com.codeborne.selenium.commands.Commands.execute(Commands.java:161) at com.codeborne.selenium.impl.SeleniumElementProxy.dispatchAndRetry(SeleniumElementProxy.java:132) at com.codeborne.selenium.impl.SeleniumElementProxy.invoke(SeleniumElementProxy.java:84) atjdk.proxy2/jdk.proxy2.\$Proxy46.clear(Unknown Source) at com.codeborne.selenium.commands.Clear.clear(Clear.java:72) at com.codeborne.selenium.commands.Type.clearField(Type.java:67) at com.codeborne.selenium.commands.Type.execute(Type.java:35) at com.codeborne.selenium.commands.Type.execute(Type.java:19) at com.codeborne.selenium.commands.Commands.execute(Commands.java:161) at com.codeborne.selenium.impl.SeleniumElementProxy.dispatchAndRetry(SeleniumElementProxy.java:132) at com.codeborne.selenium.impl.SeleniumElementProxy.invoke(SeleniumElementProxy.java:84) atjdk.proxy2/jdk.proxy2.\$Proxy46.type(Unknown Source) at com.my.salesforce.sandbox.application.BasePage.type(BasePage.java:69) at com.my.salesforce.sandbox.application.pages.opportunities.details.edit_products.Edit.unit_sales(Edit.java:77) at com.my.salesforce.sandbox.application.pages.opportunities.details.edit_products.EditProducts.edit_unit_sales(EditProducts.java:25) at steps.regression_testing.new_customer.startrack.skip_proposal.Save_Cart_And_Edit_Opportunity_Products. save_cart_and_edit_products(Save_Cart_And_Edit_Opportunity_Products.java:57) at ?.As Onboarding generate agreement document for StarTrack Road Express existing customer_31_10_2023' cart saved with 'Premium - STE' after validating 'PRM', '3000-MELBOURNE', '3000-MELBOURNE' and 'Tier 4' by 'Onboarding' user(file:///C:/Users/kbd/UCT_Project/src/test/resources/features/regression_testing/existing_customer/startrack/generate_agreement.feature:19) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//label[text()='Unit Sales Price (Ex GST)']/following-sibling::div/input"} (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3b47f594ebd2ad944e207e93c73cf733, findElement {using=xpath, value=//label[text()='Unit Sales Price (Ex GST)']/following-sibling::div/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:/Users/kbd/AppData/Local/...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:59865}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:59865/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3b47f594ebd2ad944e207e93c73cf733 at jdk.internal.reflect.GeneratedConstructorAccessor27.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:70) at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:44) at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:33) at com.codeborne.selenide.impl.ElementFinder.getWebElement(ElementFinder.java:122) at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:116) at com.codeborne.selenide.impl.WebElementSource.findAndAssertElementIsEditable(WebElementSource.java:184) at com.codeborne.selenide.commands.Clear.execute(Clear.java:41) at com.codeborne.selenide.commands.Clear.execute(Clear.java:33) at com.codeborne.selenide.commands.Commands.execute(Commands.java:161) at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132) at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84) at jdk.proxy2/jdk.proxy2.\$Proxy46.clear(Unknown Source) at com.codeborne.selenide.commands.Clear.clear(Clear.java:72) at com.codeborne.selenide.commands.Type.clearField(Type.java:67) at com.codeborne.selenide.commands.Type.execute(Type.java:35) at com.codeborne.selenide.commands.Type.execute(Type.java:19) at com.codeborne.selenide.commands.Commands.execute(Commands.java:161) at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132) at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84) at jdk.proxy2/jdk.proxy2.\$Proxy46.type(Unknown Source) at com.my.salesforce.sandbox.application.BasePage.type(BasePage.java:69) at com.my.salesforce.sandbox.application.pages.opportunities.details.edit_products.Edit.unit_sales(Edit.java:77) at com.my.salesforce.sandbox.application.pages.opportunities.details.edit_products.EditProducts.edit_unit_sales(EditProducts.java:25) at steps.regression_testing.new_customer.startrack.skip_proposal.Save_Cart_And_Edit_Opportunity_Products. | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> save_cart_and_edit_products(Save_Cart_And_Edit_Opportunity_Products.java:57) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) </pre> | | |

| # | Step / Hook Details | Status | Duration | | | | | | | | | | |
|---------------------------|--|-----------------|---------------------------|-----------------|---------------------------|---------------|---------------|--------------|-----------------|---------------------------|-----------|---------|---------|
| | <pre>at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)</pre> <p>* Not displayable characters are replaced by '?'. </p> | | | | | | | | | | | | |
| | <p>AFTER_STEP - steps.Hooks.addSnapshot(io.cucumber.java.Scenario)</p> <p>image</p>  | PASSED | 0.349 s | | | | | | | | | | |
| 4 | <p>And Sales user "Propose" the 'As Onboarding generate agreement document for StarTrack Road Express existing customer_31_10_2023' for "Develop proposal" after adding competitors and status</p> <table><tr><td>type</td><td>product</td><td>name</td><td>status</td><td>advantage</td></tr><tr><td>Competitor</td><td>Courier</td><td>Couriers Please</td><td>Even with the Competition</td><td>Testing</td></tr></table> | type | product | name | status | advantage | Competitor | Courier | Couriers Please | Even with the Competition | Testing | SKIPPED | 0.001 s |
| type | product | name | status | advantage | | | | | | | | | |
| Competitor | Courier | Couriers Please | Even with the Competition | Testing | | | | | | | | | |
| 5 | <p>When 'Onboarding' user "Generate Agreement Document" for 'Premium - STE' redirected to contract page</p> <table><tr><td>entity</td><td>type</td><td>product</td></tr><tr><td>StarTrack Express Pty Ltd</td><td>New Contract</td><td>StarTrack</td></tr></table> | entity | type | product | StarTrack Express Pty Ltd | New Contract | StarTrack | SKIPPED | 0.001 s | | | | |
| entity | type | product | | | | | | | | | | | |
| StarTrack Express Pty Ltd | New Contract | StarTrack | | | | | | | | | | | |
| 6 | <p>And 'As Onboarding generate agreement document for StarTrack Road Express existing customer_31_10_2023' contains "Accepted without proposal document" with contact 'Automation_Tester_094 Vinoth_Murali_094' and creates a contract documents</p> | SKIPPED | 0.000 s | | | | | | | | | | |
| 7 | <p>And Onboarding user, manually sign the contract[0] under 'As Onboarding generate agreement document for StarTrack Road Express existing customer_31_10_2023' and confirming its status as "SFDC DSR Created"</p> <table><tr><td>sign_step</td><td>sign_status</td><td>approval_status</td><td>active_step</td><td>active_status</td></tr><tr><td>In Signatures</td><td>Fully Signed</td><td>Approved</td><td>In Effect</td><td>Activated</td></tr></table> | sign_step | sign_status | approval_status | active_step | active_status | In Signatures | Fully Signed | Approved | In Effect | Activated | SKIPPED | 0.001 s |
| sign_step | sign_status | approval_status | active_step | active_status | | | | | | | | | |
| In Signatures | Fully Signed | Approved | In Effect | Activated | | | | | | | | | |
| 8 | <p>Then Make sure that there are 2 "Customer Onboarding" dsr under 'As Onboarding generate agreement document for StarTrack Road Express existing customer_31_10_2023' in "Submitted" status "without" psr</p> | SKIPPED | 0.002 s | | | | | | | | | | |
| 9 | <p>And Validate the response when "Create Rating Plan" request is "Submitted" for 'Premium - STE' to SAP and finally 'As Onboarding generate agreement document for StarTrack Road Express existing customer_31_10_2023' is "Closed Won" with</p> | SKIPPED | 0.001 s | | | | | | | | | | |

| # | Step / Hook Details | Status | Duration | | | | | | |
|---------|--|--|---------------|--------------------|---------|-----------|--|--|--|
| | details["Commence implementation", "Capability", "Its a win"] | | | | | | | | |
| | <table><tr><td>status</td><td>rating_status</td><td>rating_description</td></tr><tr><td>Success</td><td>Completed</td><td>Rating plan(s) have been activated successfully.</td></tr></table> | status | rating_status | rating_description | Success | Completed | Rating plan(s) have been activated successfully. | | |
| status | rating_status | rating_description | | | | | | | |
| Success | Completed | Rating plan(s) have been activated successfully. | | | | | | | |
| | AFTER - steps.Hooks.addSnapShot(io.cucumber.java.Scenario) | PASSED | 0.257 s | | | | | | |
| | image | | | | | | | | |
| |  | | | | | | | | |