
Customer-Simplification PDF Report



| Feature | | | Scel | nario | | | St | ер | |
|---|---------------|----------|------|-------|---|---|----|----|---|
| Name | Duration | <i>T</i> | P | F | S | T | P | F | S |
| "Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points | 14 m 34.425 s | 1 | 0 | 1 | 0 | 5 | 3 | 1 | 1 |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|---|---|--|
| 1 | "Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points | As OnBoarding user, on-board existing customer['ST LUKES HEALTH CENTER'] using "Generate Agreement Document" with EParcel Bundle * |


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

| TAG | | Scer | nario | | Feature | | | | |
|---------------------------------|---|------|-------|---|---------|---|---|---|--|
| Name | T | P | F | S | T | P | F | S | |
| @EParcel | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @GenerateAgreement | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @PTEST | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @Regression | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @ExistingCustomers | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @InternationalDigitalPCMSBundle | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |

FEATURES SUMMARY -- 5 --



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|---------------|
| 1 | "Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to | 1 | 0 | 1 | 0 | 14 m 34.425 s |
| | Tier 8) Pricing Points | | | | | |




| # | # Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|--|---|---|---|---|---------------|
| 1 | "Create Rating Plan" request for EParcel Existing Customers with * | As OnBoarding user, on-board existing customer['ST LUKES HEALTH CENTER'] using "Generate Agreement * | 5 | 3 | 1 | 1 | 14 m 34.410 s |


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION

"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points



As OnBoarding user, on-board existing customer['ST LUKES HEALTH CENTER'] using "Generate Agreement Document" with EParcel Bundle belonging to category['<category>'] and price structure['<price_structure>']



| # | Step / Hook Details | Status | Duration |
|---|---|--------|--------------|
| 1 | Given Sales user, created an opportunity['International_PCMS_Bundle_22-11'] for the above organisation['ST LUKES HEALTH | PASSED | 3 m 16.457 s |
| | CENTER'] with key contact['Dhayanidhi KB' 'Automation Tester'], post code "", monthly spend "" and changed its stage to | | |
| | "Qualify" | | |
| | sub_type stage identify_steps close_date is_it_startrack total_value type qualify_steps description | | |
| | New Identify Update opportunity deta* 31/12/2023 No 500 New Customer Determine Go/No Go dec* Testing | | |
| | * The data cell text(s) have been cropped to fit in the available space. | | |
| 2 | And "Submitted" a "Customer Onboarding" DSR for "eParcel" to create "New Proposal" | PASSED | 45.544 s |
| | description support_work_type | | |
| | Customer Onboarding DSR Express Onboarding | | |
| 3 | And 'International_PCMS_Bundle_22-11' cart saved with "International Digital PCMS Bundle" after validating 'Construction | PASSED | 4 m 24.987 s |
| | Services', 'Yes', 'Less than 3,000', 'eParcel' and adding lodgement point '3000' by 'Onboarding' user | | |
| 4 | When 'Onboarding' user "Generate Agreement Document" for "International" redirected to contract page | FAILED | 5 m 55.480 s |

| entity type product Australian Postal Corporation New Contract International Element not found {By.xpath: //b[text()='New Charge Account']/following-sibling::a/img} Expected: visible Screenshot: file:/C:/Users/kbd/ UCT_Project/build/reports/tests/1700657443203.0.png Page source: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1700657443203.0.htm | | |
|--|-----|--|
| Element not found {By.xpath: //b[text()='New Charge Account']/following-sibling::a/img} Expected: visible Screenshot: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1700657443203.0.png Page source: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1700657443203.0.htm | | |
| UCT_Project/build/reports/tests/1700657443203.0.png Page source: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1700657443203.0.html | | |
| Timeout: 90 s. Caused by: NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//b[text()='NeCharge Account']/following-sibling::a/img"} | N | |
| at com.codeborne.selenide.impl.WebElementSource.createElementNotFoundError(WebElementSource.java:91) | | |
| at com.codeborne.selenide.impl.ElementFinder.createElementNotFoundError(ElementFinder.java:142) | | |
| at com.codeborne.selenide.impl.WebElementSource.handleError(WebElementSource.java:143) | | |
| at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:127) | | |
| at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104) | | |
| at com.codeborne.selenide.commands.Should.execute(Should.java:30) | | |
| at com.codeborne.selenide.commands.Should.execute(Should.java:14) | | |
| at com.codeborne.selenide.commands.Commands.execute(Commands.java:161) | | |
| at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132) | | |
| at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84) | | |
| at jdk.proxy2/jdk.proxy2.\$Proxy46.shouldBe(Unknown Source) | | |
| at com.my.salesforce.sandbox.application.BasePage.clickOn(BasePage.java:55) | | |
| at com.my.salesforce.sandbox.application.pages.contract.details.lodgement_point.EditLodgementPointPopUp. | | |
| search_charge_account(EditLodgementPointPopUp.java:22) | | |
| at com.my.salesforce.sandbox.application.pages.contract.details.manage.ManageAccountNumber. | | |
| manage_charge_account_for(ManageAccountNumber.java:21) | | |
| at steps.regression_testing.existing_customer.appc.skip_proposal.Generate_Agreement_Document. | | |
| generate_agreement_document(Generate_Agreement_Document.java:110) | | |
| at ?.'Onboarding' user "Generate Agreement Document" for "International" redirected to contract page(file:///C:/Users/kbd/UCT_Project/src | ′ | |
| test/resources/features/regression_testing/existing_customer/eparcel/generate_agreement.feature:53) | | |
| Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("Israels a William at the War of the State of th | | |
| {"method":"xpath", "selector":"//b[text()='New Charge Account']/following-sibling::a/img"} (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element- | | |
| exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. | | |
| version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6cb3c763f500322d88d1a42417558406, findElement | | |
| {using=xpath, value=//b[text()='New Charge Account']/following-sibling::a/img}] Capabilities {acceptInsecureCerts: false, browserName: chror | ne, | |
| browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91, userDataDir: | | |
| $C: \label{locallimit} C: locallimit$ | ed: | |
| false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57872/devtoo, se:cdpVersion: | | |
| 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, | | |
| unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, | | |
| webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6cb3c763f500322d88d1a42417558406 | | |
| at jdk.internal.reflect.GeneratedConstructorAccessor25.newInstance(Unknown Source) | | |
| at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:70) | | |
| | at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:44) | | |
| | at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:33) | | |
| | at com.codeborne.selenide.impl.ElementFinder.getWebElement(ElementFinder.java:122) | | |
| | at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:116) | | |
| | at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104) | | |
| | at com.codeborne.selenide.commands.Should.execute(Should.java:30) | | |
| | at com.codeborne.selenide.commands.Should.execute(Should.java:14) | | |
| | at com.codeborne.selenide.commands.Commands.execute(Commands.java:161) | | |
| | at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132) | | |
| | at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy46.shouldBe(Unknown Source) | | |
| | at com.my.salesforce.sandbox.application.BasePage.clickOn(BasePage.java:55) | | |
| | at com.my.salesforce.sandbox.application.pages.contract.details.lodgement_point.EditLodgementPointPopUp. | | |
| | search_charge_account(EditLodgementPointPopUp.java:22) | | |
| | at com.my.salesforce.sandbox.application.pages.contract.details.manage.ManageAccountNumber. | | |
| | manage_charge_account_for(ManageAccountNumber.java:21) | | |
| | at steps.regression_testing.existing_customer.appc.skip_proposal.Generate_Agreement_Document. | | |
| | generate_agreement_document(Generate_Agreement_Document.java:110) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | | |
| | at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:848) | | |
| | at org.testng.TestRunner.run(TestRunner.java:621) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:336) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1114) | | |
| | at org.testng.TestNG.run(TestNG.java:1082) | | |
| | at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) | | |
| | at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - steps.Hooks.addSnapShot(io.cucumber.java.Scenario) | PASSED | 0.295 s |

DETAILED SECTION -- 11 --

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | image | | |
| | Management of the control of the con | | |
| 5 | And Creates the contract [0] under 'International_PCMS_Bundle_22-11' | SKIPPED | 0.001 s |
| | AFTER - steps.Hooks.addSnapShot(io.cucumber.java.Scenario) | PASSED | 0.250 s |
| | image | | |
| | Management of the control of the con | | |