Customer-Simplification PDF Report

Start : Nov 28, 7:42:33.042 pm	End : Nov 28, 7:47:06.709 pm	Duration : 4 m 33.667 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 3

Features: 1

Scenarios: 1

Steps: 5

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 20 %

| Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points	*4 m 33.667 s*	*1*	*0*	*1*	*0*	*5*	*1*	*1*	*3*

#	Feature Name	Scenario Name
1	*"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points*	*As OnBoarding user, on-board existing customer['PROS ATTY_Dhaya_AfterRefresh'] using "Generate Agreement Document" with **

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@EParcel	1	0	1	0	1	0	1	0
@InternationalDigitalPCMSBundleInclAirmailLetters	1	0	1	0	1	0	1	0
@GenerateAgreement	1	0	1	0	1	0	1	0
@PTEST	1	0	1	0	1	0	1	0
@Regression	1	0	1	0	1	0	1	0
@ExistingCustomers	1	0	1	0	1	0	1	0

| #	Feature Name	T	P	F	S	Duration
1	*"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points*	1	0	1	0	4 m 33.667 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	"Create Rating Plan" request for EParcel Existing Customers with *	As OnBoarding user, on-board existing customer['PROS ATTY_Dhaya_AfterRefresh'] using "Generate Agreement *	5	1	1	3	4 m 33.652 s

The feature name and/or scenario name has been cropped to fit in the available space.

"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points

FAILED	DURATION - 4 m 33.667 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 7:42:33.042 pm // 7:47:06.709 pm /		Pass - 0	1	Pass - 1	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

As OnBoarding user, on-board existing customer['PROS ATTY_Dhaya_AfterRefresh'] using "Generate Agreement Document" with EParcel Bundle belonging to category['<category>'] and price structure['<price_structure>']

FAILED	DURATION - 4 m 33.652 s		Steps	
/ 7:42:33.057 pm // 7:47:06.709 pm /			Total - 5	
"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) *			Pass - 1	5
@EParcel @InternationalDigitalPCMSBundleInclAirmailLetters @GenerateAgreement @PTEST @Regression *			Fail - 1 Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given Sales user, created an opportunity['InternationalAirmail_28_11'] for the above organisation['PROS ATTY_Dhaya_AfterRefresh'] with key contact['Dhaya' 'Automation'], post code "", monthly spend "" and changed its stage to "Qualify"	PASSED	2 m 36.717 s

sub_type	stage	identify_steps	close_date	is_it_startrack	total_value	type	qualify_steps	description
New	Identify	Update opportunity deta*	31/12/2023	No	500	New Customer	Determine Go/No Go dec*	Testing

* The data cell text(s) have been cropped to fit in the available space.

#	Step / Hook Details	Status	Duration
2	And "Submitted" a "Customer Onboarding" DSR for "eParcel" to create "New Proposal"	FAILED	1 m 45.418 s

description	support_work_type
Customer Onboarding DSR	Express Onboarding

Element not found {By.xpath: //span[text()='Select the Deal Support Request Type']} Expected: visible Page source: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1701161226601.0.html Timeout: 90 s. Caused by: NoSuchWindowException: no such window: target window already closed
   at com.codeborne.selenide.impl.WebElementSource.createElementNotFoundError(WebElementSource.java:91)

#	Step / Hook Details	Status	Duration
	at com.codeborne.selenide.impl.ElementFinder.createElementNotFoundError(ElementFinder.java:142)		
	at com.codeborne.selenide.impl.WebElementSource.handleError(WebElementSource.java:143)		
	at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:127)		
	at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:30)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:14)		
	at com.codeborne.selenide.commands.Commands.execute(Commands.java:161)		
	at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)		
	at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)		
	at jdk.proxy2/jdk.proxy2.$Proxy46.shouldBe(Unknown Source)		
	at com.my.salesforce.sandbox.application.BasePage.isItVisible(BasePage.java:39)		
	at com.my.salesforce.sandbox.application.pages.dsr.NewDealSupportRequest.is_ready(NewDealSupportRequest.java:20)		
	at steps.regression_testing.new_customer.appc.dsr.Customer_Onboarding_DSR.customer_onboarding_dsr(Customer_Onboarding_DSR.java:22)		
	at ?."Submitted" a "Customer Onboarding" DSR for "eParcel" to create "New Proposal"(file:///C:/Users/kbd/UCT_Project/src/test/resources/features/regression_testing/existing_customer/eparcel/generate_agreement.feature:68)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.118) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c9a95e52ee7999419a0118e79f8ef058, findElement {using=xpath, value=//span[text()='Select the Deal Support Request Type']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\kbd\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63169}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63169/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c9a95e52ee7999419a0118e79f8ef058		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:70)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:44)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:33)		
	at com.codeborne.selenide.impl.ElementFinder.getWebElement(ElementFinder.java:122)		
	at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:116)		
	at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:30)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:14)		
	at com.codeborne.selenide.commands.Commands.execute(Commands.java:161)		
	at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)		
	at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)		
	at jdk.proxy2/jdk.proxy2.$Proxy46.shouldBe(Unknown Source)		
	at com.my.salesforce.sandbox.application.BasePage.isItVisible(BasePage.java:39)		
	at com.my.salesforce.sandbox.application.pages.dsr.NewDealSupportRequest.is_ready(NewDealSupportRequest.java:20)		
	at steps.regression_testing.new_customer.appc.dsr.Customer_Onboarding_DSR.customer_onboarding_dsr(Customer_Onboarding_DSR.java:22)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)	FAILED	0.007 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.118) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c9a95e52ee7999419a0118e79f8ef058, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\kbd\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63169}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63169/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c9a95e52ee7999419a0118e79f8ef058
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at steps.Hooks.addSnapShot(Hooks.java:39)		
3	And 'InternationalAirmail_28_11' cart saved with "International Digital PCMS Bundle incl Airmail Letters" after validating 'Construction Services', 'No', '5,000 - 19,999', 'eParcel' and adding lodgement point '3000' by 'Onboarding' user	SKIPPED	0.001 s
4	When 'Onboarding' user "Generate Agreement Document" for "International Digital PCMS Bundle incl Airmail Letters" redirected to contract page | entity	type	product | |---|---|---| | Australian Postal Corporation | New Contract | International |	SKIPPED	0.000 s
5	And Creates the contract [0] under 'InternationalAirmail_28_11'	SKIPPED	0.001 s
	AFTER - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)	FAILED	0.005 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.118) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c9a95e52ee7999419a0118e79f8ef058, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\kbd\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63169}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63169/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c9a95e52ee7999419a0118e79f8ef058 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at steps.Hooks.addSnapShot(Hooks.java:39)		