Customer-Simplification PDF Report

Start : Nov 29, 6:27:01.648 pm	End : Nov 29, 6:31:57.866 pm	Duration : 4 m 56.218 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 3

Features: 1

Scenarios: 1

Steps: 5

Pass %: 0 %

Pass %: 0 %

Pass %: 20 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points	*4 m 56.218 s*	*1*	*0*	*1*	*0*	*5*	*1*	*1*	*3*

| #	Feature Name	Scenario Name
1	"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points	As OnBoarding user, on-board existing customer['PROS ATTY_Dhaya_AfterRefresh'] using "Generate Agreement Document" with *

* The feature name and/or scenario name has been cropped to fit in the available space.

| TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@EParcel	1	0	1	0	1	0	1	0
@InternationalDigitalPCMSBundleInclAirmailLetters	1	0	1	0	1	0	1	0
@GenerateAgreement	1	0	1	0	1	0	1	0
@PTEST	1	0	1	0	1	0	1	0
@Regression	1	0	1	0	1	0	1	0
@ExistingCustomers	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points	1	0	1	0	4 m 56.218 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	"Create Rating Plan" request for EParcel Existing Customers with *	As OnBoarding user, on-board existing customer['PROS ATTY_Dhaya_AfterRefresh'] using "Generate Agreement *	5	1	1	3	4 m 56.201 s

"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points

FAILED	DURATION - 4 m 56.218 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 6:27:01.648 pm // 6:31:57.866 pm /		Pass - 0	1	Pass - 1	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

As OnBoarding user, on-board existing customer['PROS ATTY_Dhaya_AfterRefresh'] using "Generate Agreement Document" with International Digital PCMS Bundle incl Airmail Letters belonging to category['<category>'] and price structure['<price_structure>']

FAILED	DURATION - 4 m 56.201 s		Steps	
/ 6:27:01.665 pm // 6:31:57.866 pm /			Total - 5	
"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) *			Pass - 1	5
@EParcel @InternationalDigitalPCMSBundleInclAirmailLetters @GenerateAgreement @PTEST @Regression *			Fail - 1 Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given Sales user, created an opportunity['InternationalAirmailLetters_29_11'] for the above organisation['PROS ATTY_Dhaya_AfterRefresh'] with key contact['Dhaya' 'Automation'], post code "", monthly spend "" and changed its stage to "Qualify"	PASSED	2 m 45.589 s

sub_type	stage	identify_steps	close_date	is_it_startrack	total_value	type	qualify_steps	description
New	Identify	Update opportunity deta*	31/12/2023	No	500	New Customer	Determine Go/No Go dec*	Testing

* The data cell text(s) have been cropped to fit in the available space.

#	Step / Hook Details	Status	Duration
2	And "Submitted" a "Customer Onboarding" DSR for "International Digital PCMS Bundle incl Airmail Letters" to create "New Proposal"	FAILED	1 m 54.704 s

description	support_work_type
Customer Onboarding DSR	Express Onboarding

Element not found {By.xpath: //span[text()='Available']/following-sibling::div/descendant::div[@data-value='International Digital PCMS Bundle

#	Step / Hook Details	Status	Duration
	incl Airmail Letters']} Expected: visible Screenshot: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1701243114811.0.png Page source: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1701243114811.0.html Timeout: 90 s. Caused by: NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Available']/following-sibling::div/descendant::div[@data-value='International Digital PCMS Bundle incl Airmail Letters']"}		
	at com.codeborne.selenide.impl.WebElementSource.createElementNotFoundError(WebElementSource.java:91)		
	at com.codeborne.selenide.impl.ElementFinder.createElementNotFoundError(ElementFinder.java:142)		
	at com.codeborne.selenide.impl.WebElementSource.handleError(WebElementSource.java:143)		
	at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:127)		
	at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:30)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:14)		
	at com.codeborne.selenide.commands.Commands.execute(Commands.java:161)		
	at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)		
	at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)		
	at jdk.proxy2/jdk.proxy2.$Proxy47.shouldBe(Unknown Source)		
	at com.my.salesforce.sandbox.application.BasePage.clickOn(BasePage.java:55)		
	at com.my.salesforce.sandbox.application.pages.dsr.customer_onboarding.ProductListBox.choose(ProductListBox.java:10)		
	at com.my.salesforce.sandbox.application.pages.dsr.customer_onboarding.CustomerOnboardingDSR.enter(CustomerOnboardingDSR.java:27)		
	at com.my.salesforce.sandbox.application.pages.dsr.NewDealSupportRequest.fill(NewDealSupportRequest.java:34)		
	at steps.regression_testing.new_customer.appc.dsr.Customer_Onboarding_DSR.customer_onboarding_dsr(Customer_Onboarding_DSR.java:24)		
	at ?."Submitted" a "Customer Onboarding" DSR for "International Digital PCMS Bundle incl Airmail Letters" to create "New Proposal"(file:///C:/Users/kbd/UCT_Project/src/test/resources/features/regression_testing/existing_customer/eparcel/generate_agreement.feature:68)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Available']/following-sibling::div/descendant::div[@data-value='International Digital PCMS Bundle incl Airmail Letters']"} (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a87ad250662b4609c7cacfc229af2d48, findElement {using=xpath, value=//span[text()='Available']/following-sibling::div/descendant::div[@data-value='International Digital PCMS Bundle incl Airmail Letters']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91..., userDataDir: C:\Users\kbd\AppData\Local\...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58768}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58768/devtoo..., se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a87ad250662b4609c7cacfc229af2d48		
	at jdk.internal.reflect.GeneratedConstructorAccessor27.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:70)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:44)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:33)		
	at com.codeborne.selenide.impl.ElementFinder.getWebElement(ElementFinder.java:122)		
	at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:116)		
	at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:30)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:14)		
	at com.codeborne.selenide.commands.Commands.execute(Commands.java:161)		
	at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)		
	at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)		
	at jdk.proxy2/jdk.proxy2.$Proxy47.shouldBe(Unknown Source)		
	at com.my.salesforce.sandbox.application.BasePage.clickOn(BasePage.java:55)		
	at com.my.salesforce.sandbox.application.pages.dsr.customer_onboarding.ProductListBox.choose(ProductListBox.java:10)		
	at com.my.salesforce.sandbox.application.pages.dsr.customer_onboarding.CustomerOnboardingDSR.enter(CustomerOnboardingDSR.java:27)		
	at com.my.salesforce.sandbox.application.pages.dsr.NewDealSupportRequest.fill(NewDealSupportRequest.java:34)		
	at steps.regression_testing.new_customer.appc.dsr.Customer_Onboarding_DSR.customer_onboarding_dsr(Customer_Onboarding_DSR.java:24)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)	PASSED	1.459 s
	image		

#	Step / Hook Details	Status	Duration
3	And 'InternationalAirmailLetters_29_11' cart saved with "International Digital PCMS Bundle incl Airmail Letters" after validating 'Construction Services', 'Yes', '5,000 - 19,999', 'eParcel' and adding lodgement point '3000' by 'Onboarding' user	SKIPPED	0.000 s
4	When 'Onboarding' user "Generate Agreement Document" for "International Digital PCMS Bundle incl Airmail Letters" redirected to contract page	SKIPPED	0.003 s
	<table><tr><td>entity</td><td>type</td><td>product</td></tr><tr><td>Australian Postal Corporation</td><td>New Contract</td><td>International</td></tr></table>		
5	And Creates the contract [0] under 'InternationalAirmailLetters_29_11'	SKIPPED	0.000 s
	AFTER - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)	PASSED	0.408 s
	image		