
## **UCT Project PDF Report**



Feature				nario		Step			
Name	Duration	<i>T</i>	P	F	S	<b>T</b>	P	F	S
"Create contract with UCT change" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points	1 m 50.901 s	1	0	1	0	5	0	1	4

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	"Create contract with UCT change" request for EParcel Existing  Customers with Standard Pate Card (Tier 4 to Tier 8) Pricing Points	As OnBoarding user, on-board existing customer['BLUE SPRING CTR']
	Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points	using "Generate Agreement Document" with International Digital PCMS *


<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

TAG		Scer	nario		Feature			
Name	T	P	F	S	T	P	F	S
@EParcel	1	0	1	0	1	0	1	0
@InternationalDigitalPCMSBundleInclAirmailLetters	1	0	1	0	1	0	1	0
@GenerateAgreement	1	0	1	0	1	0	1	0
@PTEST	1	0	1	0	1	0	1	0
@Regression	1	0	1	0	1	0	1	0
@ExistingCustomers	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	"Create contract with UCT change" request for EParcel Existing Customers with Standard Rate	1	0	1	0	1 m 50.901 s
	Card (Tier 4 to Tier 8) Pricing Points					




7	Feature Name	Scenario Name	T	P	F	S	Duration
	"Create contract with UCT change"	As OnBoarding user, on-board existing customer['BLUE	5	0	1	4	1 m 50.883 s
	request for EParcel Existing Custom *	SPRING CTR'] using "Generate Agreement Document" w *					

<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

## "Create contract with UCT change" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points



As OnBoarding user, on-board existing customer['BLUE SPRING CTR'] using "Generate Agreement Document" with International Digital PCMS Bundle incl Airmail Letters belonging to category['<category>'] and price structure['<price\_structure>']



#			S	tep / Hook	Details			Status	Duration
1	Given Sales us	Given Sales user, created an opportunity['IntlLetters_DC_No_20Kto35K_12_12'] for the above organisation['BLUE SPRING							
	CTR'] with key	CTR'] with key contact['Dhaya' 'Automation Tester'], post code "", monthly spend "" and changed its stage to "Qualify"							
	sub_type stage	sub_type stage identify_steps close_date is_it_startrack total_value type qualify_steps							
	New Identify Update opportunity details 31/12/2023 No 500 Existing Customer Determine Go/No Go decision								
	build/reports/tes 1708058375927 selector","select at com.codeb at com.codeb at com.codeb at com.codeb		e source: file:/C by: NoSuchEl ntSource.creat der.createElen ntSource.hand ntSource.checl	C:/Users/kbd/PiementException eElementNotF nentNotFoundl leError(WebElok kConditionAnd	rojects/UCT_ on: no such e oundError(W Error(Elemer ementSource ReturnEleme	Feature/UCTFinalC element: Unable to lo debElementSource.ja htFinder.java:142) e.java:143) ent(WebElementSou	ava:91)		

#	Step / Hook Details	Status	Duration
	at com.codeborne.selenide.commands.Should.execute(Should.java:30)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:14)		
	at com.codeborne.selenide.commands.Commands.execute(Commands.java:161)		
	at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)		
	at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)		
	at jdk.proxy2/jdk.proxy2.\$Proxy45.shouldBe(Unknown Source)		
	at com.my.salesforce.sandbox.application.BasePage.isItVisible(BasePage.java:39)		
	at com.my.salesforce.sandbox.application.pages.welcome.Header.is_ready(Header.java:18)		
	at steps.Base.login_into_salesforce_as(Base.java:29)		
	at steps.regression_testing.existing_customer.new_customer.Create_Opportunity.opportunities(Create_Opportunity.java:22)		
	at ?.Sales user, created an opportunity['IntlLetters_DC_No_20Kto35K_12_12'] for the above organisation['BLUE SPRING CTR'] with key		
	contact['Dhaya' 'Automation Tester'], post code "", monthly spend "" and changed its stage to "Qualify"(file:///C:/Users/kbd/Projects/		
	UCT_Feature/UCTFinalCode/uct_project/src/test/resources/features/regression_testing/existing_customer/eparcel/generate_agreement.		
	feature:59)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css		
	selector", "selector": ".slds-global-actions" (Session info: chrome=121.0.6167.161) For documentation on this error, please visit: https://www.		
	selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openga.selenium.chrome.		
	ChromeDriver Command: [19212e560c44e87194137fd6f54ab923, findElement {using=css selector, value=.slds-global-actions}] Capabilities		
	{acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.161, chrome: {chromedriverVersion: 121.0.6167.85		
	(3f98d690ad7e, userDataDir: C:\Users\kbd\AppData\Local\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:		
	localhost:53472}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp:		
	ws://localhost:53472/devtoo, se:cdpVersion: 121.0.6167.161, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: 19212e560c44e87194137fd6f54ab923		
	at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:70)		

#	Step / Hook Details	Status	Duration
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:44)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:33)		
	at com.codeborne.selenide.impl.ElementFinder.getWebElement(ElementFinder.java:122)		
	at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:116)		
	at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:30)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:14)		
	at com.codeborne.selenide.commands.Commands.execute(Commands.java:161)		
	at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)		
	at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)		
	at jdk.proxy2/jdk.proxy2.\$Proxy45.shouldBe(Unknown Source)		
	at com.my.salesforce.sandbox.application.BasePage.isItVisible(BasePage.java:39)		
	at com.my.salesforce.sandbox.application.pages.welcome.Header.is_ready(Header.java:18)		
	at steps.Base.login_into_salesforce_as(Base.java:29)		
	at steps.regression_testing.existing_customer.new_customer.Create_Opportunity.opportunities(Create_Opportunity.java:22)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:227) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker.invokeTestMethodS(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethodS(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethodS(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.run(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:337) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:336) at org.testng.SuiteRunner.vorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.runSuiteRunnerWorker.java:95) at org.testng.SuiteRunnerWorker.runSuiteRunnerWorker.java:98) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1280) at org.testng.TestNG.runSuitesCostNG.java:1114) at org.testng.TestNG.runSuitesCostNG.java:1082) at com.intellij.rt.testng.RemoteTestNG.java:1082) at com.intellij.rt.testng.RemoteTestNG.starter.main(RemoteTestNGStarter.java:105) *Not displayable characters are replaced by '?'.	PASSED	0.286 s
	AFTER_STEP - steps.Hooks.addSnapShot(io.cucumber.java.Scenario) image	PASSED	0.200 \$
	Note in the control of the control o		
2	And "Submitted" a "Customer Onboarding" DSR for "International" to create "New Proposal"	SKIPPED	0.002 s
	description     support_work_type       Customer Onboarding DSR     Express Onboarding		
3	And 'IntlLetters_DC_No_20Kto35K_12_12' cart saved with "International Digital PCMS Bundle incl Airmail Letters" after validating 'Construction Services', 'No', '20,000 - 34,999', 'Direct Integration' and adding lodgement point '3000' by 'Onboarding' user	SKIPPED	0.000 s

DETAILED SECTION -- 11 --

#		Step / Hook Details						
4	When 'Onboarding' user "G	SKIPPED	0.002 s					
	to contract page							
	entity	type	product					
	Australian Postal Corporation							
5	And Creates the contract [0]	And Creates the contract [0] under 'IntlLetters_DC_No_20Kto35K_12_12'						