
Customer-Simplification PDF Report



| Feature | | Scenario | | | | Step | | | |
|---|---------------|----------|---|---|---|------|---|---|---|
| Name | Duration | <i>T</i> | P | F | S | T | P | F | S |
| "Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points | 14 m 36.970 s | 1 | 0 | 1 | 0 | 4 | 3 | 1 | 0 |

FAIL & SKIP SCENARIOS -- 3 --

| # | Feature Name | Scenario Name |
|---|---|--|
| 1 | "Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points | As OnBoarding user, on-board existing customer['ST LUKES HEALTH CENTER'] using "Generate Agreement Document" with EParcel Bundle * |


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

| TAG | Scenario Feature | | | | | | | |
|---|------------------|---|---|---|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @EParcel | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @InternationalDigitalPCMSBundleInclAirmailLetters | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @GenerateAgreement | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @PTEST | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Regression | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ExistingCustomers | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 5 --



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|---------------|
| 1 | "Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to | 1 | 0 | 1 | 0 | 14 m 36.970 s |
| | Tier 8) Pricing Points | | | | | |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|--|---|---|---|---|---------------|
| 1 | "Create Rating Plan" request for EParcel Existing Customers with * | As OnBoarding user, on-board existing customer['ST LUKES HEALTH CENTER'] using "Generate Agreement * | 4 | 3 | 1 | 0 | 14 m 36.954 s |


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION

"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points

| Scenarios | | Steps | |
|-----------|-----------------------------|-----------------------------|--|
| Total - 1 | | Total - 4 | |
| Pass - 0 | 1 | Pass - 3 | 4 |
| Fail - 1 | | Fail - 1 | |
| Skip - 0 | | Skip - 0 | |
| | Total - 1 Pass - 0 Fail - 1 | Total - 1 Pass - 0 Fail - 1 | Total - 1 Pass - 0 Fail - 1 Total - 4 Pass - 3 Fail - 1 |

As OnBoarding user, on-board existing customer['ST LUKES HEALTH CENTER'] using "Generate Agreement Document" with EParcel Bundle belonging to category['<category>'] and price structure['<price_structure>']



| # | Step / Hook Details | Status | Duration |
|---|---|--------|--------------|
| 1 | Given Sales user, created an opportunity['InternationalAirmailThree'] for the above organisation['ST LUKES HEALTH CENTER'] | PASSED | 3 m 17.901 s |
| | with key contact['Dhayanidhi KB' 'Automation Tester'], post code "", monthly spend "" and changed its stage to "Qualify" | | |
| | sub_type stage identify_steps close_date is_it_startrack total_value type qualify_steps description | | |
| | New Identify Update opportunity deta* 31/12/2023 No 500 New Customer Determine Go/No Go dec* Testing | | |
| | * The data cell text(s) have been cropped to fit in the available space. | | |
| 2 | And "Submitted" a "Customer Onboarding" DSR for "eParcel" to create "New Proposal" | PASSED | 36.380 s |
| | description support_work_type | | |
| | Customer Onboarding DSR Express Onboarding | | |
| 3 | And 'InternationalAirmailThree' cart saved with "International Digital PCMS Bundle incl Airmail Letters" after validating | PASSED | 4 m 35.257 s |
| | 'Construction Services', 'No', '20,000 - 34,999', 'Direct Integration' and adding lodgement point '3000' by 'Onboarding' user | | |
| 4 | When 'Onboarding' user "Generate Agreement Document" for "International" redirected to contract page | FAILED | 5 m 53.226 s |
| | entity type product | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | Australian Postal Corporation New Contract International | | |
| | Element not found {By.xpath: //span[text()='International']/ancestor::td/preceding-sibling::td[3]//a} Expected: visible Screenshot: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1700718099884.0.png Page source: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1700718099884.0.html Timeout: 90 s. Caused by: NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//span[text()='International']/ancestor::td/preceding-sibling::td[3]//a"} at com.codeborne.selenide.impl.WebElementSource.createElementNotFoundError(WebElementSource.java:91) at com.codeborne.selenide.impl.ElementFinder.createElementNotFoundError(ElementFinder.java:142) at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:127) at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104) at com.codeborne.selenide.commands.Should.execute(Should.java:30) at com.codeborne.selenide.commands.Should.execute(Should.java:14) at com.codeborne.selenide.commands.Commands.execute(Commands.java:161) at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132) at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84) at jdk.proxy2/jdk.proxy2.\$Proxy46.shouldBe(Unknown Source) at com.my.salesforce.sandbox.application.BasePage.clickOn(BasePage.java:55) | | |
| | at com.my.salesforce.sandbox.application.pages.contract.details.manage.ManageAccountNumber.manage_billing_account_for(ManageAccountNumber.java:27) | | |
| | at steps.regression_testing.existing_customer.appc.skip_proposal.Generate_Agreement_Document. generate_agreement_document(Generate_Agreement_Document.java:111) at ?.'Onboarding' user "Generate Agreement Document" for "International" redirected to contract page(file:///C:/Users/kbd/UCT_Project/src/test/resources/features/regression_testing/existing_customer/eparcel/generate_agreement.feature:72) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='International']/ancestor::td/preceding-sibling::td[3]//a"} (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. | | |
| | version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [be4321ae9e6832353b8644dbf18fd026, findElement {using=xpath, value=//span[text()='International']/ancestor::td/preceding-sibling::td[3]//a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91, userDataDir: C:\Users\kbd\AppData\Local\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65533}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:65533/devtoo, se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: be4321ae9e6832353b8644dbf18fd026 | | |
| | at jdk.internal.reflect.GeneratedConstructorAccessor27.newInstance(Unknown Source) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) | | |
| | at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:70) | | |
| | at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:44) | | |
| | at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:33) | | |
| | at com.codeborne.selenide.impl.ElementFinder.getWebElement(ElementFinder.java:122) | | |
| | at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:116) | | |
| | at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104) | | |
| | at com.codeborne.selenide.commands.Should.execute(Should.java:30) | | |
| | at com.codeborne.selenide.commands.Should.execute(Should.java:14) | | |
| | at com.codeborne.selenide.commands.Commands.execute(Commands.java:161) | | |
| | at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132) | | |
| | at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy46.shouldBe(Unknown Source) | | |
| | at com.my.salesforce.sandbox.application.BasePage.clickOn(BasePage.java:55) | | |
| | at com.my.salesforce.sandbox.application.pages.contract.details.manage.ManageAccountNumber. | | |
| | manage_billing_account_for(ManageAccountNumber.java:27) | | |
| | at steps.regression_testing.existing_customer.appc.skip_proposal.Generate_Agreement_Document. | | |
| | generate_agreement_document(Generate_Agreement_Document.java:111) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:66) | | |
| | at io.cucumber.java.lnvoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:56) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | | |
| | at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:848) | | |
| | at org.testng.TestRunner.run(TestRunner.java:621) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:336) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1114) | | |
| | at org.testng.TestNG.run(TestNG.java:1082) | | |
| | at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) | | |
| | at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - steps.Hooks.addSnapShot(io.cucumber.java.Scenario) | PASSED | 0.211 s |
| | image | | |

DETAILED SECTION -- 11 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | IN A DECEMBER 1 AND A DECEMBER 2 AND A D | | |
| | AFTER - steps.Hooks.addSnapShot(io.cucumber.java.Scenario) image | PASSED | 0.180 s |
| | Months of the control | | |