
## **Customer-Simplification PDF Report**



Feature		Scenario				Step			
Name	Duration	<i>T</i>	P	F	S	<b>T</b>	P	F	S
"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points	14 m 8.128 s	1	0	1	0	5	3	1	1


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points	As OnBoarding user, on-board existing customer['ST LUKES HEALTH CENTER'] using "Generate Agreement Document" with EParcel Bundle *


<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

TAG		Scer	nario		Feature				
Name	T	P	F	S	T	P	F	S	
@EParcel	1	0	1	0	1	0	1	0	
@InternationalDigitalPCMSBundleInclAirmailLetters	1	0	1	0	1	0	1	0	
@GenerateAgreement	1	0	1	0	1	0	1	0	
@PTEST	1	0	1	0	1	0	1	0	
@Regression	1	0	1	0	1	0	1	0	
@ExistingCustomers	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	"Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to	1	0	1	0	14 m 8.128 s
	Tier 8) Pricing Points					



#	Feature Name	Scenario Name	<b>T</b>	P	F	S	Duration
1	"Create Rating Plan" request for	As OnBoarding user, on-board existing customer['ST	5	3	1	1	14 m 8.113 s
	EParcel Existing Customers with *	LUKES HEALTH CENTER'] using "Generate Agreement *					


<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

**DETAILED SECTION** 

## "Create Rating Plan" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points

Scenarios		Steps	
Total - 1		Total - 5	
Pass - 0	1	Pass - 3	5
Fail - 1		Fail - 1	ı v
Skip - 0		Skip - 1	
	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1  Total - 5 Pass - 3 Fail - 1

As OnBoarding user, on-board existing customer['ST LUKES HEALTH CENTER'] using "Generate Agreement Document" with EParcel Bundle belonging to category['<category>'] and price structure['<price\_structure>']



#	Step / Hook Details	Status	Duration
1	Given Sales user, created an opportunity['InternationalAirmailOne'] for the above organisation['ST LUKES HEALTH CENTER']	PASSED	3 m 32.434 s
	with key contact['Dhayanidhi KB' 'Automation Tester'], post code "", monthly spend "" and changed its stage to "Qualify"		
	sub_type         stage         identify_steps         close_date         is_it_startrack         total_value         type         qualify_steps         description		
	New Identify Update opportunity deta* 31/12/2023 No 500 New Customer Determine Go/No Go dec* Testing		
	* The data cell text(s) have been cropped to fit in the available space.		
2	And "Submitted" a "Customer Onboarding" DSR for "eParcel" to create "New Proposal"	PASSED	41.219 s
	description support_work_type		
	Customer Onboarding DSR Express Onboarding		
3	And 'InternationalAirmailOne' cart saved with "International Digital PCMS Bundle incl Airmail Letters" after validating	PASSED	4 m 5.723 s
	'Construction Services', 'Yes', 'Less than 3,000', 'eParcel' and adding lodgement point '3000' by 'Onboarding' user		
4	When 'Onboarding' user "Generate Agreement Document" for "International" redirected to contract page	FAILED	5 m 29.778 s
	entity type product		

#	Step / Hook Details	Status	Duration
	Australian Postal Corporation New Contract International		
	Element not found {By.xpath: //span[text()='International Digital PCMS Bundle']/ancestor::td/preceding-sibling::td[3]//a} Expected: visible Screenshot: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1700713389902.0.png Page source: file:/C:/Users/kbd/UCT_Project/build/reports/tests/1700713389902.0.html Timeout: 90 s. Caused by: NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//span[text()='International Digital PCMS Bundle']/ancestor::td/preceding-sibling::td[3]//a"} at com.codeborne.selenide.impl.WebElementSource.createElementNotFoundError(WebElementSource.java:91) at com.codeborne.selenide.impl.ElementFinder.createElementNotFoundError(ElementFinder.java:142) at com.codeborne.selenide.impl.WebElementSource.handleError(WebElementSource.java:143) at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:127) at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104) at com.codeborne.selenide.commands.Should.execute(Should.java:30) at com.codeborne.selenide.commands.Should.execute(Should.java:14) at com.codeborne.selenide.commands.Commands.execute(Commands.java:161) at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132) at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84) at jdk.proxy2/jdk.proxy2.\$Proxy46.shouldBe(Unknown Source) at com.my.salesforce.sandbox.application.BasePage.clickOn(BasePage.java:55)		
	at com.my.salesforce.sandbox.application.BasePage.clickOn(BasePage.java:55) at com.my.salesforce.sandbox.application.pages.contract.details.manage.ManageAccountNumber.		
	manage_billing_account_for(ManageAccountNumber.java:27)		
	at steps.regression_testing.existing_customer.appc.skip_proposal.Generate_Agreement_Document. generate_agreement_document(Generate_Agreement_Document.java:110) at ?.'Onboarding' user "Generate Agreement Document" for "International" redirected to contract page(file:///C:/Users/kbd/UCT_Project/src/		
	test/resources/features/regression_testing/existing_customer/eparcel/generate_agreement.feature:72)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='International Digital PCMS Bundle']/ancestor::td/preceding-sibling::td[3]//a"} (Session info: chrome=118.0.5993.118) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [36763f9621805bce3559d350a47d8cc8, findElement {using=xpath, value=//span[text()='International Digital PCMS Bundle']/ancestor::td/preceding-sibling::td[3]//a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91, userDataDir: C:\Users\kbd\AppData\Local\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62271}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62271/devtoo, se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:		
	true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		
	webauthn:virtualAuthenticators: true} Session ID: 36763f9621805bce3559d350a47d8cc8		
	at jdk.internal.reflect.GeneratedConstructorAccessor27.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:70)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:44)		
	at com.codeborne.selenide.impl.WebElementSelector.findElement(WebElementSelector.java:33)		
	at com.codeborne.selenide.impl.ElementFinder.getWebElement(ElementFinder.java:122)		
	at com.codeborne.selenide.impl.WebElementSource.checkConditionAndReturnElement(WebElementSource.java:116)		
	at com.codeborne.selenide.impl.WebElementSource.checkCondition(WebElementSource.java:104)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:30)		
	at com.codeborne.selenide.commands.Should.execute(Should.java:14)		
	at com.codeborne.selenide.commands.Commands.execute(Commands.java:161)		
	at com.codeborne.selenide.impl.SelenideElementProxy.dispatchAndRetry(SelenideElementProxy.java:132)		
	at com.codeborne.selenide.impl.SelenideElementProxy.invoke(SelenideElementProxy.java:84)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.shouldBe(Unknown Source)		
	at com.my.salesforce.sandbox.application.BasePage.clickOn(BasePage.java:55)		
	at com.my.salesforce.sandbox.application.pages.contract.details.manage.ManageAccountNumber.		
	manage_billing_account_for(ManageAccountNumber.java:27)		
	at steps.regression_testing.existing_customer.appc.skip_proposal.Generate_Agreement_Document.		
	generate_agreement_document(Generate_Agreement_Document.java:110)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
,	Not displayable characters are replaced by '?'.		
	AFTER_STEP - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)	PASSED	0.256 s
	mage	1	

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	Note: 1 to 1 t		
5	And Creates the contract [0] under 'InternationalAirmailOne'	SKIPPED	0.000 s
	AFTER - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)	PASSED	0.176 s
	image		
	The state of the control of the cont		