
## **UCT Project PDF Report**



Feature			Scei	nario			St	ер	
Name	Duration	<i>T</i>	P	F	S	<b>T</b>	P	F	S
"Create contract with UCT change" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points	22.140 s	1	0	1	0	6	0	1	5

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	"Create contract with UCT change" request for EParcel Existing	As OnBoarding user, on-board existing customer['BLUE SPRING CTR']
	Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points	using "Generate Agreement Document" with EParcel Bundle belonging to *


<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@EParcel	1	0	1	0	1	0	1	0
@GenerateAgreement	1	0	1	0	1	0	1	0
@PTEST	1	0	1	0	1	0	1	0
@Regression	1	0	1	0	1	0	1	0
@ExistingCustomers	1	0	1	0	1	0	1	0
@EParcelBundle	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	"Create contract with UCT change" request for EParcel Existing Customers with Standard Rate	1	0	1	0	22.140 s
	Card (Tier 4 to Tier 8) Pricing Points					




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	"Create contract with UCT change"	As OnBoarding user, on-board existing customer['BLUE	6	0	1	5	22.124 s
	request for EParcel Existing Custom *	SPRING CTR'] using "Generate Agreement Document" w *					

<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

## "Create contract with UCT change" request for EParcel Existing Customers with Standard Rate Card (Tier 4 to Tier 8) Pricing Points



As OnBoarding user, on-board existing customer['BLUE SPRING CTR'] using "Generate Agreement Document" with EParcel Bundle belonging to category['CAT6 - Above 50000'] and price structure['BANDED {Z6}']



#		Step / Hook Details						
1	Given Sales user, created an opportunity['eParcel_Express_CAT6'] for the above organisation['BLUE SPRING CTR'] with key						FAILED	0.095 s
	contact['Dhaya' 'Automation Tester'], post co	ode "", monthly sp	oend "" and chang	ged its stage to	"Qualify"			
	sub_type stage   identify_steps   cl	lose_date   is_it_sta	artrack total_value	type	qualify_steps	description		
	New Identify Update opportunity deta* 33	1/12/2023 No	500	New Customer	Determine Go/No Go dec*	Testing		
	* The data cell text(s) have been cropped to fit in the available space.							
	org.openga.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found							
	(Session info: chrome=118.0.5993.118) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch:							
	'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:							
	[7e7b4fb478970e12af94ed7cc8a2569f, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome,							
	browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91, userDataDir:							
	C:\Users\kbd\AppData\Local\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64382}, networkConnectionEnabled							
	alse, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64382/devtoo, se:cdpVersion: L18.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},							
	unhandledPromptBehavior: dismiss and notify, w							
	webauthn:extension:minPinLength: true, webauth	inn:extension:pm: trt	ie, webauthn:virtua	iAuthenticators: 1	true} Session ID:			

odfb478970e12af94ed7cc8a2569f  java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)  org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)  org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:123)  com.my.salesforce.sandbox.helpers.actions.Browser.maximize(Browser.java:13)		
java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:1123) com.my.salesforce.sandbox.helpers.actions.Browser.maximize(Browser.java:13)		
java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:1123) com.my.salesforce.sandbox.helpers.actions.Browser.maximize(Browser.java:13)		
java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:1123) com.my.salesforce.sandbox.helpers.actions.Browser.maximize(Browser.java:13)		
java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriver.java:1123) com.my.salesforce.sandbox.helpers.actions.Browser.maximize(Browser.java:13)		
org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriver.java:684) org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1123) com.my.salesforce.sandbox.helpers.actions.Browser.maximize(Browser.java:13)		
org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriver.java:684) org.openqa.selenium.remote.RemoteWebDriversRemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1123) com.my.salesforce.sandbox.helpers.actions.Browser.maximize(Browser.java:13)		
org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1123) com.my.salesforce.sandbox.helpers.actions.Browser.maximize(Browser.java:13)		
org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1123) com.my.salesforce.sandbox.helpers.actions.Browser.maximize(Browser.java:13)		
org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1123) com.my.salesforce.sandbox.helpers.actions.Browser.maximize(Browser.java:13)		
org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1123) com.my.salesforce.sandbox.helpers.actions.Browser.maximize(Browser.java:13)		
org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1123) com.my.salesforce.sandbox.helpers.actions.Browser.maximize(Browser.java:13)		
org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1123) com.my.salesforce.sandbox.helpers.actions.Browser.maximize(Browser.java:13)		
org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1123) com.my.salesforce.sandbox.helpers.actions.Browser.maximize(Browser.java:13)		
org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1123) com.my.salesforce.sandbox.helpers.actions.Browser.maximize(Browser.java:13)		
com.my.salesforce.sandbox.helpers.actions.Browser.maximize(Browser.java:13)		
		The second secon
com.my.salesforce.sandbox.application.pages.Salesforce.visit(Salesforce.java:12)		
steps.Base.login_into_salesforce_as(Base.java:24)		
steps.regression_testing.new_customer.Create_Opportunity.opportunities(Create_Opportunity.java:22)		
?.Sales user, created an opportunity['eParcel_Express_CAT6'] for the above organisation['BLUE SPRING CTR'] with key contact['Dhaya'		
omation Tester'], post code "", monthly spend "" and changed its stage to "Qualify"(file:///C:/Users/kbd/UCT_Project/src/test/resources/		
ures/regression_testing/existing_customer/eparcel/generate_agreement.feature:13)		
t displayable characters are replaced by '?'.		
ER_STEP - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)	FAILED	0.019 s
ppenga.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found		
sion info: chrome=118.0.5993.118) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch:		
164', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		
addition that the transfer and justice in the justi		
iava_base/idk_internal_reflect_NativeConstructorAccessorImpl.newInstanceO(Native Method)		
java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
b 0 n tF	sion info: chrome=118.0.5993.118) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: 04fb478970e12af94ed7cc8a2569f, screenshot {} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91, userDataDir: C:\Users\kbd\AppData\Local\}, n:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64382}, networkConnectionEnabled: false, pageLoadStrategy: al, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64382/devtoo, se:cdpVersion: 118.0.5993.118, setWindowRect: true, FileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, authn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, authn:virtualAuthenticators: true} Session ID: 7e7b4fb478970e12af94ed7cc8a2569f java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)	Sion info: chrome=118.0.5993.118) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: 0.4fb478970e12af94ed7cc8a2569f, screenshot {} Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91, userDataDir: C:\Users\kbd\AppData\Local\}, m:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64382}, networkConnectionEnabled: false, pageLoadStrategy: al, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64382/devtoo, se:cdpVersion: 118.0.5993.118, setWindowRect: true, FileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, unthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, unthn:virtualAuthenticators: true} Session ID: 7e7b4fb478970e12af94ed7cc8a2569f java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at steps.Hooks.addSnapShot(Hooks.java:39)		
2	And "Submitted" a "Customer Onboarding" DSR for "eParcel" to create "New Proposal"	SKIPPED	0.001 s
	description   support_work_type     Customer Onboarding DSR   Express Onboarding		
3	And 'eParcel_Express_CAT6' cart saved with "eParcel" after validating 'CAT6 - Above 50000', 'BANDED {Z6}', '3000', '60' and adding lodgement point '3000' by 'Onboarding' user	SKIPPED	0.001 s
4	And 'eParcel_Express_CAT6' cart saved with "eParcel Express" after validating 'CAT6 - Above 50000', 'BANDED {Z6}', '3000', '60' and adding lodgement point '3000' by 'Onboarding' user	SKIPPED	0.001 s
5	When 'Onboarding' user "Generate Agreement Document" for "eParcel" redirected to contract page	SKIPPED	0.001 s
	entity         type         product           Australian Postal Corporation         New Contract         eParcels Domestic		
6	And Creates the contract [0] under 'eParcel_Express_CAT6'	SKIPPED	0.000 s
	AFTER - steps.Hooks.addSnapShot(io.cucumber.java.Scenario)	FAILED	0.010 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=118.0.5993.118) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7e7b4fb478970e12af94ed7cc8a2569f, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.118, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91, userDataDir: C:\Users\kbd\AppData\Local\}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64382}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64382/devtoo, se:cdpVersion: 118.0.5993.118, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7e7b4fb478970e12af94ed7cc8a2569f  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at steps.Hooks.addSnapShot(Hooks.java:39)		