

Latihan2_123190046

R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean   : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.   :120.00
```

Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

```
library (dslabs)
data (murders)
```

1

```
str (murders)
```

Pernyataan yang paling sesuai adalah pernyataan c

2

```
names (murders)
```

3

```
a = murders$abb
class (a)
a
```

4

```
b = murders [1:51, 2]
```

```
b
```

```
z <- a == b
```

```
z
```

5

```
length (levels (murders$region))
```

6

```
table (murders$region)
```