IBM

SPRINT 3 REPORT

SMARTFARMER – IoT ENABLED
SMART FARMING APPLICATION

TEAM ID – PNT2022TMID28579

- **TEAM LEADER : SHANMUGAM B**
- **TEAM MEMBER : SHREEDHAREN M**
- **TEAM MEMBER : SELVARAJ S**
- **TEAM MEMBER : SREEDHAR M**

Project Tracker

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	15	5 Days	26 Oct 2022	30 Oct 2022	15	30 Oct 2022
Sprint-2	15	7 Days	31 Oct 2022	06 Nov 2022	15	07 Nov 2022
Sprint-3	15	6 Days	07 Nov 2022	12 Nov 2022	15	13 Nov 2022
Sprint-4	15	6 Days	13 Nov 2022	18 Nov 2022		18 Nov 2022 – 19 Nov 2022

S.NO	Tools & Technology Used
1	Python 3.7.0
2	IBM Cloud
3	Node-Red

Python Script:

```
import time
import sys
import ibmiotf.application
import ibmiotf.device
import random

#Provide your IBM Watson Device Credentials
organization = "x0fxss" #replace the ORG ID
deviceType = "Testing"#replace the Device type wi
deviceId = "Testdevice1"#replace Device ID
authMethod = "token"
authToken = "123456789" #Replace the authtoken
# Initialize GPIO

#Receives Command from Node-red
def myCommandCallback(cmd):
    print ("Command received: %s" % cmd.data['command'])
    status=cmd.data['command']
    if status=="motoron":
        print ("motor is on")
    elif status == "motoroff" :
        print ("motor is off")
    elif status == "motor30" :
        print ("motor is on for 30 minutes")

try:
    deviceOptions = {"org": organization, "type": deviceType, "id": deviceId, "auth-method": authMethod, "auth-token":
authToken}
    deviceCli = ibmiotf.device.Client(deviceOptions)
```

```
except Exception as e:
    print("Caught exception connecting device: %s" % str(e))
    sys.exit()

# Connect and send a datapoint "hello" with value "world" into the cloud as an event of type "greeting" 10 times
deviceCli.connect()

while True:
        #Get Sensor Data from DHT11

        temp=random.randint(0,100)
        Humid=random.randint(0,100)
        soilmoisture=random.randint(0,100)

        data = { 'temp' : temp, 'Humid': Humid, 'soilmoisture': soilmoisture }
        #print data
        def myOnPublishCallback():
            print ("Published Temperature = %s C" % temp, "Humidity = %s %%" % Humid, "soilmoisture = %s %%"
%soilmoisture, "to IBM Watson")

        success = deviceCli.publishEvent("IoTSensor", "json", data, qos=0, on_publish=myOnPublishCallback)
        if not success:
            print("Not connected to IoTF")
        time.sleep(5)

        deviceCli.commandCallback = myCommandCallback

# Disconnect the device and application from the cloud
deviceCli.disconnect()
```

OUTPUT:

We are running python script to send data to IBM cloud and data is displayed in web-ui by using node-red.




IBM Watson IoT Platform
312819106035@smartinternz.com
ID: x0fxss
Browse
Action
Device Types
Interfaces
Add Device
1234
Disconnected
Noder
Device
24 Oct 2022 09:50
Testdevice1
Connected
Testing
Device
11 Nov 2022 15:08
Identity
Device Information
Recent Events
State
Logs
The recent events listed show the live stream of data that is coming and going from this device.
Event
Value
Format
Last Received
IoTSensor
{"temp":59,"Humid":96,"soilmoisture":100}
json
a few seconds ago
IoTSensor
{"temp":26,"Humid":59,"soilmoisture":99}
json
a few seconds ago
IoTSensor
{"temp":74,"Humid":13,"soilmoisture":96}
json
a few seconds ago
IoTSensor
{"temp":79,"Humid":24,"soilmoisture":28}
json
a few seconds ago


Node-RED
Deploy
filter nodes
Flow 1
Flow 1
tcp out
tcp request
udp in
udp out
input
ibmiot in
output
ibmiot out
sequence
split
join
sort
IBM IoT
connected
debug 2
Humidity
Humidity Gauge
Temperature Gauge
temp
Soil Moisture Gauge
Soil Moisture
Motor ON
Motor OFF
Motor for 30 minutes
IBM IoT
connected
debug
current flow
all
11/11/2022, 4:00:06 PM node: debug 2
iot-2/type/Testing/id/Testdevice1/evt/IoTSensor/fmt/json : msg.payload : Object
{ temp: 61, Humid: 10, soilmoisture: 54 }
11/11/2022, 4:00:06 PM node: debug 2
iot-2/type/Testing/id/Testdevice1/evt/IoTSensor/fmt/json : msg.payload : Object
{ temp: 61, Humid: 73, soilmoisture: 38 }
11/11/2022, 4:00:06 PM node: debug 2
iot-2/type/Testing/id/Testdevice1/evt/IoTSensor/fmt/json : msg.payload : Object
{ temp: 4, Humid: 82, soilmoisture: 10 }
11/11/2022, 4:00:06 PM node: debug 2
iot-2/type/Testing/id/Testdevice1/evt/IoTSensor/fmt/json : msg.payload : Object
{ temp: 56, Humid: 26, soilmoisture: 48 }
11/11/2022, 4:00:12 PM node: debug 2
iot-2/type/Testing/id/Testdevice1/evt/IoTSensor/fmt/json : msg.payload : Object
{ temp: 13, Humid: 23, soilmoisture: 19 }



Data are successfully received and displayed.

Velocity Chart



Sprint	Commitment	Completed
SFDP Sprint 1	15	15
SFDP Sprint 2	15	15
SFDP Sprint 3	15	15


NOV
3
4
5
6
7
8
9
10
11
12
13
NOV
14
15
16
17
NOV
Sprints
SFDP Sprint 2
SFDP Sprint 3
Releases
SFDP-1 This Epic is to accomplish user should able...
SFDP-2 This Epic is to accomplish user should able...
SFDP-3 This Epic is to create a dashboard in our ap...
SFDP-4 This Epic is to accomplish the IoT Device C...
SFDP-5 This Epic is to accomplish to solve the user...
SFDP-6 This Epic is to accomplish to solve the user...
SFDP-7 This Epic is to accomplish to solve particula...
SFDP-8 This Epic is to accomplish the conection wit...
SFDP-9 This Epic is to accomplish to application Cr...

Projects / Smart Farmer Development Phase / SFDP board / Reports

Burndown Chart

SFDP Sprint 3 Story Points