

CS23336-Introduction to Python Programming

Started on Saturday, 9 November 2024, 10:25 PM

State Finished


Completed on Saturday, 9 November 2024, 10:31 PM

Time taken 5 mins 29 secs

Question 1

Complete

Marked out of 1.00

 Flag question

Question text

What type of search would be most appropriate for finding an element in a list that is frequently updated?


Question 1 Answer

- ☐ a. Linear search
- ☐ b. Hash search
- ☐ c. Interpolation search
- ☒ d. Binary search

Question 2

Complete

Marked out of 1.00

 Flag question

Question text

Which of the following is a limitation of binary search?


Question 2 Answer

- ☒ a. It requires the list to be sorted
- ☐ b. It does not work with negative numbers
- ☐ c. It can only be applied to large lists
- ☐ d. It is slower than linear search for small lists

Question 3

Complete

Marked out of 1.00

 Flag question

Question text

Given an array `arr = {45,77,89,90,94,99,100}` and `key = 99`; what are the mid values(corresponding array elements) in the first and second levels of recursion?


Question 3 Answer

Question 3 Answer

- ☐ a.
90 and 94
- ☐ b.
89 and 94
- ☐ c.
89 and 99
- ☒ d.
90 and 99

Question 4

Complete
Marked out of 1.00

 Flag question

Question text


In _____ checks the elements of a list, one at a time, without skipping any element.

Question 4 Answer

- ☒ a.
Linear search
- ☐ b.
Binary search
- ☐ c.
Both (1) & (3)
- ☐ d.
Hash search

Question 5

Complete
Marked out of 1.00

 Flag question

Question text

_____ search takes a sorted/ordered list and divides it in the middle.

Question 5 Answer

- ☐ a.
Hash
- ☐ b.

Linear



c.

Both (1) & (3)



d.

Binary

Question 6

Complete

Marked out of 1.00



Flag question

Question text

In the context of searching, what is a successful search?

Question 6 Answer



a.

When the list contains duplicate elements



b.

When the element is found in the list



c.

When the list is sorted



d.

When the search algorithm finishes

Question 7

Complete

Marked out of 1.00



Flag question

Question text

During a binary search, what happens if the target element matches the middle element?

Question 7 Answer



a.

The search continues in the right sublist



b.

The list is sorted



c.

The search ends successfully



d.

The search continues in the left sublist

Question 8

Complete

Marked out of 1.00



Flag question

Question text

In binary search, what happens if the middle element does not match the target element?


Question 8 Answer



- a.
The search stops
☒
- b.
The search continues in the left or right sublist
☐
- c.
The list is sorted
☐
- d.
The search continues from the beginning
☐

Question 9

Complete
Marked out of 1.00

 Flag question

Question text


In linear search, how is the element searched?

Question 9 Answer

- ☐ a.
By dividing the list into halves
- ☐ b.
By sorting the list first
- ☒ c.
By using a hash function
- ☐ d.
By comparing each element in the list sequentially

Question 10

Complete
Marked out of 1.00

 Flag question

Question text


The average case occurs in the linear search algorithm

Question 10 Answer

- ☐ a.
When the item is not the array at all
- ☐ b.
Item is the last element in the array or item is not there at all
- ☒ c.
When the item is the last element in the array
- ☐ d.
When the item is somewhere in the middle of the array

Question 11

Complete
Marked out of 1.00

 Flag question

Question text


Which of the following is not the required condition for a binary search algorithm?

Question 11 Answer

- ☒ a.
There should be direct access to the middle element in any sublist
- ☐ b.
There must be a mechanism to delete and/or insert elements in the list
- ☐ c.
The list must be sorted
- ☐ d.
Number values should only be present
Number values should only be present

Question 12

Complete
Marked out of 1.00

 Flag question

Question text


In linear search, if the target element is not found in the list, what is the result?

Question 12 Answer

- ☐ a.
The last element is returned
- ☐ b.
An error is raised
- ☐ c.
The first element is returned
- ☒ d.
The search is considered unsuccessful

Question 13

Complete
Marked out of 1.00

 Flag question

Question text

Which method of searching involves sequentially comparing each element until a match is found?


Question 13 Answer

- ☐ a.
Jump search
- ☐ b.
Binary search
- ☒

- c.
Linear search
- ☐
- d.
Hashing

Question 14

Complete
Marked out of 1.00

 Flag question

Question text


Which of the following scenarios is best suited for applying binary search?

Question 14 Answer

- ☐
- a.
When the list is unsorted
- ☐
- b.
When the list contains duplicate elements
- ☐
- c.
When the list is very small
- ☒
- d.
When the list is sorted

Question 15

Complete
Marked out of 1.00

 Flag question

Question text

If a list contains 1000 elements, how many comparisons would a binary search typically make in the worst case?

Question 15 Answer

- ☐
- a.
1000
- ☒
- b.
10
- ☐
- c.
500
- ☐
- d.
100

Finish review

[Skip Quiz navigation](#)

Quiz navigation

[Question 1 This page](#) [Question 2 This page](#) [Question 3 This page](#) [Question 4 This page](#) [Question 5 This page](#) [Question 6 This page](#) [Question 7 This page](#) [Question 8 This page](#) [Question 9 This page](#) [Question 10 This page](#) [Question 11 This page](#) [Question 12 This page](#) [Question 13 This page](#) [Question 14 This page](#) [Question 15 This page](#)

[Show one page at a time](#) Finish review