

Dheeraj Kumar

(108720708461464319301_21511016_1)

Assessment Date : 29-09-2024 08:50:50 (GMT+05:30)

Performance Level : Moderate 

7.00

Your Total
Score

10.00

Assessment
Score

5.00

Cut-Off marks
(Pass Marks)

70.00

Your
Percentage

M

Performance
Category

This report helps you to achieve your targets as per below stated objectives:

Improve your conceptual understanding
Address specific areas of improvement
personalized to you



Performance Categories

Based on the performance of the students, we have framed the following categories to place you in accordance with your performance

Performance Category Definitions



Excellent

Outstanding level of performance indicates that the candidate has done excellent work and mastered the concepts.



High

High level of performance indicates that the candidate has done above average work and mastered almost all the concepts.



Moderate

Acceptable level of performance indicates that the candidate has done average work and has mastered many of the concepts.



Low

Needs improvement in performance indicates that the candidate has done and mastered very few or none of the concepts.

Performance Criteria

PERFORMANCE CATEGORY	RANGE
Excellent	91% to 100% of Max Marks
High	81% to 90% of Max Marks
Moderate	61% to 80% of Max Marks
Low	Below 60% of Max Marks

Performance Category based on student marks

SECTION (GROUP)	EXCELLENT	HIGH	MODERATE	LOW
Array and Strings Assessment (C Array and Strings Assessment)	9.10 and above	8.10 to 9.00	6.10 to 8.00	Below 6.00

SECTION (GROUP)	EXCELLENT	HIGH	MODERATE	LOW
Overall Score	9.10 and above	8.10 to 9.00	6.10 to 8.00	Below and equal to 6.00

Where do you stand?

SECTION (GROUP)	SCORE	PERFORMANCE CATEGORY
Array and Strings Assessment (C Array and Strings Assessment)	7.00 / 10.00	M
Overall Score	7.00 / 10.00	M

Recommendations and Suggestions

1. Based on your overall scores:

Your overall score falls in the **M** category. Please avoid misconceptions and try to increase the speed of solving.

2. Based on your section-wise performance:

You seem to be strong in **Array and Strings Assessment**. So it is suggested that you attempt **Array and Strings Assessment** section first

3. Some general suggestions to optimize your score:

The best performers plan and allocate equal time to each section.

Overall Performance Analysis


The below table shows section-wise analysis of marks scored by you, time spent by you, your percentage, your accuracy and number of correct, incorrect, unanswered and marked for review questions.


SECTION (GROUP)	MARKS SCORED BY YOU	TIME SPENT BY YOU (IN MINS)	YOUR SECTION PERCENTAGE	YOUR SECTION ACCURACY	TOTAL QUESTIONS	MAX NO OF QUESTIONS - TO ATTEMPT	QUESTIONS ATTEMPTED	CORRECT	INCORRECT	UNANSWERED	MARKED FOR REVIEW
Array and Strings Assessment (C Array and Strings Assessment)	7.00	17:41	70.00%	70.00%	10	10	10	7	3	0	0
Total	7.00	17:41	70.00%	70.00%	10	10	10	7	3	0	0

Note: The percentage (%) and accuracy below the prescribed values (60 %) are shown in red color

Below pie-chart shows section-wise percentage of marks scored

Section-wise marks



 Array and Strings Assessment

Impact of Incorrect Responses

Below table provides the marks lost due to incorrect responses.

SECTION(GROUP)	NUMBER OF INCORRECT RESPONSES	MARKS LOST DUE TO INCORRECT RESPONSES	TOTAL SCORE IF INCORRECT RESPONSES WERE NOT MARKED
Array and Strings Assessment(grp1)	3	0	7
Overall	3	0	7.00

- In order to attempt more accurately, consider the following suggestions while attempting the questions:
- 1. If you are not able to solve a question correctly or have doubts in your approach towards the solution, skip it for later.
 - 2. Quickly revise the steps for avoiding calculation or casual mistakes.
 - 3. Avoid guesswork.

Overall Preparedness Analysis

The below table represents the percentage of correct questions achieved at the analysis level.

- Conceptual errors, for which you would require more reading and understanding of concepts.
- Minor or careless mistakes, for which you would require a more composed and calm approach towards solving the question paper.

The topics marked in red need your immediate attention.

Time Management

Below table shows the time you spent in each section.

SECTION (GROUP)	TIME SPENT BY YOU (IN MINS)
Array and Strings Assessment (C Array and Strings Assessment)	17:41
Total time spent	17:41

Recommendations

1. It is essential for each aspirant to plan and schedule time for each section diligently. This is important to score well in each section and ultimately meet the cut-off.
2. This will also help you in attempting all the questions in each section and hence not missing the opportunity to score more.

Response Change Pattern

Below table provides the number of times you have changed your responses while answering the test and also the nature of those response changes.

SECTION(GROUP)	CORRECT TO INCORRECT	INCORRECT TO CORRECT	INCORRECT TO INCORRECT	CORRECT TO UNANSWERED	INCORRECT TO UNANSWERED	UNANSWERD TO CORRECT	UNANSWERD TO INCORRECT
Array and Strings Assessment (C Array and Strings Assessment)	0	0	0	0	0	7	3
Overall	0	0	0	0	0	7	3

It is suggested that guesswork should be avoided for any type of response changes. It has been observed that more often than not, guesswork leads to an incorrect response thereby inviting negative marks which in turn has an adverse effect on the overall rank. You must use your knowledge, observation and elimination skills to arrive at the correct answer.

Interpretation and Suggestions

1. Incorrect to incorrect response change:
You may need to work more on the concept level, in order to gain confidence.

2. Incorrect to correct response change:
At the first glance you were not very sure about the solution.
You must spend at least 1 minute per question and if you are not able to reach to the solution, you must revisit the question to enhance your score.
Perform this response change only when you are confident or have spotted a mistake in the solution of your first response.
3. Correct to incorrect response change:
You are not sure of the solution and have either applied a wrong concept or made a calculation mistake.
You need to practice more questions on the same concept.
4. Correct to unanswered response change:
You are not sure of the solution
You need to practice more questions on the same concept.
Perform this response change only when you are not confident of your solution.
You must try to spend at least 1 min before leaving it unanswered.
5. Incorrect to unanswered response change:
Your judgment of avoiding negative marks is right.
You must try to spend at least 1 min before leaving it unanswered.


Overview: Array and Strings Assessment

The below table provides your marks in Array and Strings Assessment along with the average marks scored by the others (students who cleared this assessment) and the marks scored by the topper.

MARKS SCORED BY YOU	YOUR SECTION PERCENTAGE	YOUR SECTION ACCURACY	TIME SPENT BY YOU (IN MINS)
7.00 / 10.00	70.00%	70.00%	17:41

Note: *The percentage (%) and accuracy below the prescribed values (60%) are shown in red color*

Question wise Analysis



 Correct  InCorrect  UnAnswered  Marked for Review

Performance Analysis: Array and Strings Assessment

1. The below table analyzes your performance at question level
2. It highlights conceptually strong and improvement areas within the section and areas that require reinforcement of concepts.
3. The accuracy of the response to each question and time spent are correlated and interpreted in terms of expert advice on preparedness level.

Question wise details

Please click on question to view detailed analysis

🚩 = Not Evaluated

📌 = Evaluated

✅ = Correct

❌ = Incorrect

⚠️ = Not Attempted

★ = Marked for Review

🗨️ = Answered

✔️ = Correct Option

👉 = Your Option

Question Details

✅ Q1. Which of the following is the variable type defined in header string. h?

Status : **Correct**

Options :

1. sizet

2. size

👉 ✔️ 3. size_t

4. size-t

Timespent (in sec): 166 | Correct to Incorrect: 0 | Incorrect to Correct: 0 | Incorrect to Incorrect: 0 | Correct to unanswered: 0 | Incorrect to unanswered: 0 |
Unanswered to Correct: 1 | Unanswered to Incorrect: 0 | Comments: **You are on the right preparation track on this topic.**

❌ Q2. What does the following declaration mean?

`int (*ptr)[10];`

Status : **Incorrect**

Options :

1. ptr is an array of 10 integers

2. ptr is a pointer to array

✔️ 3. ptr is a pointer to an array of 10 integers

👉 4. ptr is array of pointers to 10 integers

Timespent (in sec): 56 | Correct to Incorrect: 0 | Incorrect to Correct: 0 | Incorrect to Incorrect: 0 | Correct to unanswered: 0 | Incorrect to unanswered: 0 |
Unanswered to Correct: 0 | Unanswered to Incorrect: 1 |
Comments: **You have most probably committed a numerical or conceptual mistake or you would have guessed the answer.**

✓ Q3. The _____ function appends not more than n characters.

Status : Correct

Options :

- 1. strcat()
- 2. strcon()
- ✓ 3. strncat()
- 4. memcat()

Timespent (in sec): 85 | Correct to Incorrect: 0 | Incorrect to Correct: 0 | Incorrect to Incorrect: 0 | Correct to unanswered: 0 | Incorrect to unanswered: 0 |
Unanswered to Correct: 1 | Unanswered to Incorrect: 0 | Comments: You are on the right preparation track on this topic.

✓ Q4. What will be the output of the program ?

```
#include  
void main()  
{  
int a[5] = {5, 1, 15, 20, 25};  
int i, j, m;  
i = ++a[1];  
j = a[1]++;  
m = a[i++];  
printf("%d, %d, %d", i, j, m);  
}
```

Status : Correct

Options :

- ✓ 1. 3,2,15
- 2. 2,1,15
- 3. 1,2,5
- 4. 2,3,20

Timespent (in sec): 206 | Correct to Incorrect: 0 | Incorrect to Correct: 0 | Incorrect to Incorrect: 0 | Correct to unanswered: 0 | Incorrect to unanswered: 0 |
Unanswered to Correct: 1 | Unanswered to Incorrect: 0 | Comments: You are on the right preparation track on this topic.

✘ Q5. A one dimensional array A has indices 1....75. Each element is a string and takes up three memory words. The array is stored at location 1120 decimal. The starting address of A[49] is

Status : **Incorrect**

Options :

- ☐ 1. 1267
- ☐ 2. 1167
- ☒ 3. 1264
- ☐ 4. 1164

Timespent (in sec): 77 | Correct to Incorrect: 0 | Incorrect to Correct: 0 | Incorrect to Incorrect: 0 | Correct to unanswered: 0 | Incorrect to unanswered: 0 |

Unanswered to Correct: 0 | Unanswered to Incorrect: 1 |

Comments: You have most probably committed a numerical or conceptual mistake or you would have guessed the answer.

✔ Q6. What will be the address of the arr[2][3] if arr is a 2-D long array of 4 rows and 5 columns and starting address of the array is 2000?

Status : **Correct**

Options :

- ☒ 1. 2052
- ☐ 2. 2042
- ☐ 3. 2056
- ☐ 4. 2048

Timespent (in sec): 156 | Correct to Incorrect: 0 | Incorrect to Correct: 0 | Incorrect to Incorrect: 0 | Correct to unanswered: 0 | Incorrect to unanswered: 0 |

Unanswered to Correct: 1 | Unanswered to Incorrect: 0 | Comments: You are on the right preparation track on this topic.

✖ Q7. Which among the following is Copying function?

Status : **Incorrect**

Options :

- ✓ 1. memcpy()
- ✖ 2. strcpy()
- 3. memcopy()
- 4. strxcpy()

Timespent (in sec): **21** | Correct to Incorrect: **0** | Incorrect to Correct: **0** | Incorrect to Incorrect: **0** | Correct to unanswered: **0** | Incorrect to unanswered: **0** |
Unanswered to Correct: **0** | Unanswered to Incorrect: **1** |
Comments: **You have most probably committed a numerical or conceptual mistake or you would have guessed the answer.**

✓ Q8. What will strcmp() function do?

Status : **Correct**

Options :

- 1. compares the first n characters of the object
- ✖ ✓ 2. compares the string
- 3. undefined function
- 4. copies the string

Timespent (in sec): **105** | Correct to Incorrect: **0** | Incorrect to Correct: **0** | Incorrect to Incorrect: **0** | Correct to unanswered: **0** | Incorrect to unanswered: **0** |
Unanswered to Correct: **1** | Unanswered to Incorrect: **0** | Comments: **You are on the right preparation track on this topic.**

✓ Q9. Which function will you choose to join two words?

Status : Correct

Options :

- 1. strcpy()
- ✓ 2. strcat()
- 3. strncon()
- 4. memcon()

Timespent (in sec): 81 | Correct to Incorrect: 0 | Incorrect to Correct: 0 | Incorrect to Incorrect: 0 | Correct to unanswered: 0 | Incorrect to unanswered: 0 |
Unanswered to Correct: 1 | Unanswered to Incorrect: 0 | Comments: You are on the right preparation track on this topic.

✓ Q10. What will be the output of following program code?

```
#include  
int main(void) {  
    char p;  
    char buf[10] = {1, 2, 3, 4, 5, 6, 9, 8};  
    p = (buf + 1)[5];  
    printf("%d", p);  
    return 0;  
}
```

Status : Correct

Options :

- ✓ 1. 9
- 2. 6
- 3. 5
- 4. Error

Timespent (in sec): 108 | Correct to Incorrect: 0 | Incorrect to Correct: 0 | Incorrect to Incorrect: 0 | Correct to unanswered: 0 | Incorrect to unanswered: 0 |
Unanswered to Correct: 1 | Unanswered to Incorrect: 0 | Comments: You are on the right preparation track on this topic.

Your Response Change Pattern: Array and Strings Assessment

The below table provides the number of times you have changed your responses to the Array and Strings Assessment questions and also the nature of those response changes.

CORRECT TO INCORRECT	INCORRECT TO CORRECT	INCORRECT TO INCORRECT	CORRECT TO UNANSWERED	INCORRECT TO UNANSWERED	UNANSWERD TO CORRECT	UNANSWERD TO INCORRECT
0	0	0	0	0	7	3

Error Identification and Rectification: Array and Strings Assessment

- Q2. NA
- Q5. NA
- Q7. NA