

Automation Test Plan

Cars Service Website

Prepared by: Dheeraj Surendran
Software Tester Intern

July 15, 2026

Contents

1	Objective	2
2	Effort Estimation	2
3	Scope	2
4	Testing Approach	3
5	Testing Methodology	3
6	Schedule	3
7	Defect Tracking	3
8	Test Automation	4
9	Deliverables	4
10	Entry and Exit Criteria	4
11	Test Stop Criteria	5

1 Objective

The objective of this automation test plan is to automate critical workflows of the Cars Service Website using Selenium WebDriver with Java and TestNG to improve efficiency and support regression testing.

2 Effort Estimation

Activity	Estimated Effort
Requirement Analysis	1 Day
Test Plan Preparation	1 Day
Test Case Design	2 Day
Framework Setup	2 Days
Script Development	4 Days
Test Data Preparation	1 Day
Test Execution	2 Days

3 Scope

In Scope

- User Registration
- Login
- Dashboard
- Add/View Vehicles
- Book Service
- Appointment History
- Service History
- Garage Management
- Inventory Management
- Logout

Out of Scope

- Performance Testing
- Load Testing
- API Testing
- Security Testing
- Mobile Application Testing

4 Testing Approach

Automation testing will be implemented using the Page Object Model (POM) framework with Selenium WebDriver, Java, Maven, and TestNG. Reusable scripts, assertions, and explicit waits will be used to improve maintainability and reliability.

5 Testing Methodology

- Requirement Analysis
- Test Plan Preparation
- Test Case Design
- Framework Setup
- Script Development
- Test Data Preparation
- Execution
- Test Closure.

6 Schedule

Phase	Duration
Planning	1 Day
Test Case Design	2 Day
Framework Setup	2 Days
Script Development	4 Days
Execution	2 Days
Closure	1 Day

7 Defect Tracking

Each defect will include:

- Bug ID
- Module
- Description
- Steps to Reproduce
- Severity
- Priority

- Expected Result
- Actual Result
- Status

8 Test Automation

- Selenium WebDriver
- Java
- Eclipse IDE
- TestNG
- Maven,
- Chrome Browser.
- Framework: POM

9 Deliverables

- Automation Test Plan
- Selenium Scripts
- TestNG XML Suite
- Test Execution Report
- Source Code

10 Entry and Exit Criteria

Entry Criteria

- Application accessible
- Environment configured
- Test data available
- Scripts reviewed.

Exit Criteria

- All scripts executed
- Critical defects logged
- Test reports generated.

11 Test Stop Criteria

- Testing will stop if the application becomes unavailable
- Critical defects block execution
- Test environment fails.