Cucumber PDF Report

| Start : Mar 23, 8:27:25.757 PM	End : Mar 23, 8:28:04.416 PM	Duration : 38.659 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 2 SKIPPED - 0	PASSED - 21 FAILED - 2 SKIPPED - 1

Features: 2

Scenarios: 7

Steps: 24

Pass % — Features: 50 %

Pass % — Scenarios: 71 %

Pass % — Steps: 87 %

Feature		Scenario				Step			
Name	**Duration**	*T*	*P*	*F*	*S*	*T*	*P*	*F*	*S*
Login to HRM Application	*38.659 s*	*5*	*3*	*2*	*0*	*15*	*12*	*2*	*1*
Forgot Password Page	*21.007 s*	*2*	*2*	*0*	*0*	*9*	*9*	*0*	*0*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	1	0	0	1	0	1	0
@InvalidCredentials	4	2	2	0	1	0	1	0
@BackFunctionality	2	2	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	*Login to HRM Application*	5	3	2	0	38.659 s
2	*Forgot Password Page*	2	2	0	0	21.007 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to HRM Application	Login with valid credentials - Feature 1, Scenario - 1	3	3	0	0	12.691 s
2	Login to HRM Application	Login with invalid credentials - Feature 1, Scenario - 2	3	3	0	0	14.242 s
3	Login to HRM Application	Login with invalid credentials - Feature 1, Scenario - 2	3	1	1	1	26.861 s
4	Login to HRM Application	Login with invalid credentials - Feature 1, Scenario - 2	3	2	1	0	38.646 s
5	Login to HRM Application	Login with invalid credentials - Feature 1, Scenario - 2	3	3	0	0	12.898 s
6	Forgot Password Page	Validate the cancel functionality - Feature 2, Scenario - 1	4	4	0	0	12.083 s
7	Forgot Password Page	Validate the Reset Password functionality - Feature 2, Scenario - 2	5	5	0	0	21.005 s

Login to HRM Application

FAILED	DURATION - 38.659 s	Scenarios		Steps	
		Total - 5		Total - 15	
/ 8:27:25.757 PM // 8:28:04.416 PM /		Pass - 3	5	Pass - 12	15
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 1	

Login with valid credentials - Feature 1, Scenario - 1

PASSED	DURATION - 12.691 s		Steps	
			Total - 3	
/ 8:27:25.763 PM // 8:27:38.454 PM /			Pass - 3	3
Login to HRM Application			Fail - 0	
@ValidCredentials			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on Home page	PASSED	9.690 s
2	When User enters username as "Admin" and password as "admin123"	PASSED	0.549 s
3	Then User should be able to login successfully	PASSED	2.224 s

Login with invalid credentials - Feature 1, Scenario - 2

PASSED	DURATION - 14.242 s		Steps	
			Total - 3	
/ 8:27:25.769 PM // 8:27:40.011 PM /			Pass - 3	3
Login to HRM Application			Fail - 0	
@InvalidCredentials			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given User is on Home page	PASSED	11.424 s
2	When User enters username as "Admin" and password as "admin12$$"	PASSED	2.186 s
3	Then User should be able to see error message "Invalid credentials"	PASSED	0.403 s

Login with invalid credentials - Feature 1, Scenario - 2

FAILED	DURATION - 26.861 s		Steps
			Total - 3
/ 8:27:25.770 PM // 8:27:52.631 PM /			Pass - 1
			Fail - 1
Login to HRM Application			Skip - 1
@InvalidCredentials			3

#	Step / Hook Details	Status	Duration
1	Given User is on Home page	PASSED	6.569 s
2	When User enters username as "abc123" and password as "xyz$$"	FAILED	20.074 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=123.0.6312.58) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '11.0.21' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [603378e250e8d8e376a89ad4843d0239, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 122.0.6261.69 (81bc525b6a36..., userDataDir: C:\Users\thrah\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56586}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56586/devtoo. .., se:cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 603378e250e8d8e376a89ad4843d0239
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.example.pageObjects.LoginPage.login(LoginPage.java:28) at org.example.definitions.LoginPageDefinitions.goToHomePage(LoginPageDefinitions.java:42) at ?.User enters username as "abc123" and password as "xyz$$"(file:///C:/Users/thrah/Downloads/ParallelTestsCucumberTestNG-main/ParallelTestsCucumberTestNG-main/src/test/resources/features/LoginPage.feature:15) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - org.example.definitions.ApplicationHooks.addScreenshot(io.cucumber.java.Scenario) image 503 Service Temporarily Unavailable +	PASSED	0.075 s
3	Then User should be able to see error message "Invalid credentials"	SKIPPED	0.000 s

Login with invalid credentials - Feature 1, Scenario - 2

FAILED	DURATION - 38.646 s
/ 8:27:25.770 PM // 8:28:04.416 PM /	
Login to HRM Application	
@InvalidCredentials	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given User is on Home page	PASSED	17.628 s
2	When User enters username as "" and password as "xyz$$"	PASSED	0.693 s
3	Then User should be able to see error message "Invalid credentials"	FAILED	20.059 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		

#	Step / Hook Details	Status	Duration

	{"method":"xpath","selector":"//*[@id='app']/div[1]/div/div[1]/div/div[2]/div[2]/div/div[1]/div[1]/p"} (Session info: chrome=123.0.6312.58) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.0', revision: '267030adea' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.21' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [526d4e822525f1fe04b2bc7fe1bf2028, findElement {using=xpath, value=//*[@id='app']/div[1]/div/div[1]/div/ div[2]/div[2]/div/div[1]/div[1]/p}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.58, chrome: {chromedriverVersion: 122.0.6261.69 (81bc525b6a36..., userDataDir: C:\Users\thrah\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:56585}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56585/devtoo..., se:cdpVersion: 123.0.6312.58, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 526d4e822525f1fe04b2bc7fe1bf2028
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.example.pageObjects.LoginPage.getErrorMessage(LoginPage.java:22)
	    at org.example.definitions.LoginPageDefinitions.verifyErrorMessage(LoginPageDefinitions.java:63)
	    at ?.User should be able to see error message "Invalid credentials"(file:///C:/Users/thrah/Downloads/ParallelTestsCucumberTestNG-main/ ParallelTestsCucumberTestNG-main/src/test/resources/features/LoginPage.feature:16)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - org.example.definitions.ApplicationHooks.addScreenshot(io.cucumber.java.Scenario) image 	PASSED	0.079 s

### Login with invalid credentials - Feature 1, Scenario - 2

PASSED	*DURATION - 12.898 s*
	/ 8:27:25.770 PM // 8:27:38.668 PM /
	Login to HRM Application
	@InvalidCredentials

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given User is on Home page	PASSED	10.664 s
2	When User enters username as "admin$$" and password as "admin123"	PASSED	1.663 s
3	Then User should be able to see error message "Invalid credentials"	PASSED	0.325 s

Forgot Password Page

PASSED	*DURATION - 21.007 s*
	/ 8:27:25.771 PM // 8:27:46.778 PM /

Scenarios
Total - 2
Pass - 2
Fail - 0
Skip - 0

Steps
Total - 9
Pass - 9
Fail - 0
Skip - 0

Validate the cancel functionality - Feature 2, Scenario - 1

PASSED	*DURATION - 12.083 s*
	/ 8:27:25.772 PM // 8:27:37.855 PM /
	Forgot Password Page
	@BackFunctionality

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User is on Home page	PASSED	9.716 s
2	When User clicks on Forgot your password? link	PASSED	0.787 s
3	Then User should be able to navigate to Reset Password page	PASSED	0.362 s
4	And User clicks on Cancel button to go back to Login Page	PASSED	0.855 s

Validate the Reset Password functionality - Feature 2, Scenario - 2

PASSED	DURATION - 21.005 s
/ 8:27:25.773 PM // 8:27:46.778 PM /	
Forgot Password Page	
@BackFunctionality	

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	Given User is on Home page	PASSED	18.125 s
2	When User clicks on Forgot your password? link	PASSED	1.253 s
3	Then User should be able to navigate to Reset Password page	PASSED	0.338 s
4	And User clicks on Reset Password button and provide username as "abc1234"	PASSED	0.092 s
5	And Verify the message "Reset Password link sent successfully"	PASSED	1.057 s

503 Service Temporarily Unavailable

nginx

(Step) AFTER_STEP - org.example. definitions.ApplicationHooks. addScreenshot(io.cucumber.java. Scenario)

(S) Login with invalid credentials - Feature 1, Scenario - 2

(F) Login to HRM Application

(Step) AFTER_STEP - org.example. definitions.ApplicationHooks. addScreenshot(io.cucumber.java. Scenario)

(S) Login with invalid credentials - Feature 1, Scenario - 2

(F) Login to HRM Application

OrangeHRM
OPEN SOURCE HR MANAGEMENT

Login

Username : Admin
Password : admin123

Username

Username

Required

Password

•••••

Login

Forgot your password?

OrangeHRM OS 5.6

© 2005 - 2024 OrangeHRM, Inc. All rights reserved.

HR for ALL