

Glossary

| | |
|------------------|---|
| KU LEUVEN | <i>Katholieke Universiteit Leuven</i> .. I, 2 |
| UCLouvain | <i>Université catholique de Louvain</i> . |
| UGent | <i>Universiteit Gent</i> 2, 3 |
| ULB | <i>Université Libre de Bruxelles</i> .. I, 2 |
| ULiège | <i>Université de Liège</i> 2 |
| UMons | <i>Université de Mons</i> 2 |
| UNAMUR | <i>Université de Namur</i> 2 |
| VUB | <i>Vrije Universiteit Brussel</i> 2 |

There are many Belgian university, like KU LEUVEN (*Katholieke Universiteit Leuven*) and ULB (*Université Libre de Bruxelles*). When repeating their names, they won't show as a long version: KU LEUVEN, ULB. But we can still force them to be long using the `gloss` function: KU LEUVEN (*Katholieke Universiteit Leuven*). We can also force them to be short: KU LEUVEN. Finally, we can make them plural using the `suffix` parameter: KU LEUVENS or using the additional supplement onto the `ref`: KU LEUVENS.

Numbering is, of course, correct when referencing the glossary: KU LEUVEN, ULB, UGENT (*Universiteit Gent*), VUB (*Vrije Universiteit Brussel*), ULB, UMONS (*Université de Mons*), ULIÈGE (*Université de Liège*), UNAMUR (*Université de Namur*). They are also sorted based on where the page is in the document and not the textual representation.

At the moment, customization is not built-in to the function and instead follows a modified version of UGENT's template. But you can easily customize it by modifying `glossary.typ`. It is short enough and well documented enough to be easily understood. Additionally, you can load data externally and pass it as a parameter to the `glossary.with` function to load data from an external format.