

```
In [66]: import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
```

```
In [68]: df = pd.read_csv("data-export (1).csv")
```

```
In [70]: df.head()
```

Out[70]:

#	-----	-----	-----	-----	-----	-----	-----
	Unnamed: 1	Unnamed: 2	Unnamed: 3	Unnamed: 4	Unnamed: 5		
0	Session primary channel group (Default channel...	Date + hour (YYYYMMDDHH)	Users	Sessions	Engaged sessions	Average engagement time per session	
1	Direct	2024041623	237	300	144	47.526666666666700	0.607594936708
2	Organic Social	2024041719	208	267	132	32.09737827715360	0.634615384615
3	Direct	2024041723	188	233	115	39.93991416309010	0.611702127659
4	Organic Social	2024041718	187	256	125	32.16015625	0.668449197860

```
In [72]: df.columns = df.iloc[0]
df = df.drop(index = 0).reset_index(drop = True)
df.columns = ["channel group", "DateHour", "Users", "Sessions", "Engaged Session", "Average engagement time per session", "Engaged sess per session"]
```

```
In [74]: df.head()
```

Out[74]:

	channel group	DateHour	Users	Sessions	Engaged Sessions	Average engagement time per session	Engaged sess per session
0	Direct	2024041623	237	300	144	47.526666666666700	0.607594936708
1	Organic Social	2024041719	208	267	132	32.09737827715360	0.634615384615
2	Direct	2024041723	188	233	115	39.93991416309010	0.611702127659
3	Organic Social	2024041718	187	256	125	32.16015625	0.668449197860
4	Organic Social	2024041720	175	221	112	46.918552036199100	0.611702127659

In [76]: `df.info()`

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 3182 entries, 0 to 3181
Data columns (total 10 columns):
#   Column                                Non-Null Count  Dtype
---  -
0   channel group                        3182 non-null   object
1   DateHour                            3182 non-null   object
2   Users                              3182 non-null   object
3   Sessions                           3182 non-null   object
4   Engaged Sessions                    3182 non-null   object
5   Average engagement time per session 3182 non-null   object
6   Engaged sessions per user           3182 non-null   object
7   Events per session                  3182 non-null   object
8   Engagement rate                     3182 non-null   object
9   Event count                         3182 non-null   object
dtypes: object(10)
memory usage: 248.7+ KB
```

cleaning data and data validation for the above data set

In [79]: `df.head()`

Out[79]:

	channel group	DateHour	Users	Sessions	Engaged Sessions	Average engagement time per session	Engaged sess per
0	Direct	2024041623	237	300	144	47.526666666666700	0.607594936708
1	Organic Social	2024041719	208	267	132	32.09737827715360	0.634615384615
2	Direct	2024041723	188	233	115	39.93991416309010	0.611702127659
3	Organic Social	2024041718	187	256	125	32.16015625	0.668449197860
4	Organic Social	2024041720	175	221	112	46.918552036199100	



In [81]: `df["DateHour"] = pd.to_datetime(df["DateHour"], format="%Y%m%d%H", errors='coerc`

In [83]: `numeric_cols = df.columns.drop(["channel group", "DateHour"])
df[numeric_cols] = df[numeric_cols].apply(pd.to_numeric, errors='coerce')
df["Hour"] = df["DateHour"].dt.hour`

In [85]: `df.head()`

Out[85]:

	channel group	DateHour	Users	Sessions	Engaged Sessions	Average engagement time per session	Engaged sessions per user	Events per session	Eng
0	Direct	2024-04-16 23:00:00	237	300	144	47.526667	0.607595	4.673333	
1	Organic Social	2024-04-17 19:00:00	208	267	132	32.097378	0.634615	4.295880	
2	Direct	2024-04-17 23:00:00	188	233	115	39.939914	0.611702	4.587983	
3	Organic Social	2024-04-17 18:00:00	187	256	125	32.160156	0.668449	4.078125	
4	Organic Social	2024-04-17 20:00:00	175	221	112	46.918552	0.640000	4.529412	

In [87]: df.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 3182 entries, 0 to 3181
Data columns (total 11 columns):
#   Column                                Non-Null Count  Dtype
---  -
0   channel group                        3182 non-null   object
1   DateHour                            3182 non-null   datetime64[ns]
2   Users                              3182 non-null   int64
3   Sessions                            3182 non-null   int64
4   Engaged Sessions                    3182 non-null   int64
5   Average engagement time per session 3182 non-null   float64
6   Engaged sessions per user           3182 non-null   float64
7   Events per session                  3182 non-null   float64
8   Engagement rate                     3182 non-null   float64
9   Event count                         3182 non-null   int64
10  Hour                               3182 non-null   int32
dtypes: datetime64[ns](1), float64(4), int32(1), int64(4), object(1)
memory usage: 261.2+ KB
```

In [89]: df.describe()


Out[89]:

	DateHour	Users	Sessions	Engaged Sessions	Average engagement time per session	Enga sess per
count	3182	3182.000000	3182.000000	3182.000000	3182.000000	3182.000
mean	2024-04-20 01:17:07.278441216	41.935889	51.192646	28.325581	66.644581	0.606
min	2024-04-06 00:00:00	0.000000	1.000000	0.000000	0.000000	0.000
25%	2024-04-13 02:15:00	20.000000	24.000000	13.000000	32.103034	0.567
50%	2024-04-20 02:00:00	42.000000	51.000000	27.000000	49.020202	0.666
75%	2024-04-26 22:00:00	60.000000	71.000000	41.000000	71.487069	0.750
max	2024-05-03 23:00:00	237.000000	300.000000	144.000000	4525.000000	2.000
std	NaN	29.582258	36.919962	20.650569	127.200659	0.264

sessions and user over time


```
In [92]: sns.set(style="whitegrid")
```

```
In [94]: plt.figure(figsize=(10,5))
df.groupby("DateHour")[["Sessions","Users"]].sum().plot(ax=plt.gca())
plt.title("Sessions and users over time")
plt.xlabel("DateHour")
plt.ylabel("count")
plt.show()
```



total users by channel

```
In [96]: plt.figure(figsize=(8, 5))
sns.barplot(data=df, x="channel group", y="Users", estimator=np.sum, palette="vi
plt.title(" Total Users by Channel" )
plt.xticks(rotation=45)
plt.show()
```



```
In [97]: df.head()
```

Out[97]:

	channel group	DateHour	Users	Sessions	Engaged Sessions	Average engagement time per session	Engaged sessions per user	Events per session	Eng
0	Direct	2024-04-16 23:00:00	237	300	144	47.526667	0.607595	4.673333	
1	Organic Social	2024-04-17 19:00:00	208	267	132	32.097378	0.634615	4.295880	
2	Direct	2024-04-17 23:00:00	188	233	115	39.939914	0.611702	4.587983	
3	Organic Social	2024-04-17 18:00:00	187	256	125	32.160156	0.668449	4.078125	
4	Organic Social	2024-04-17 20:00:00	175	221	112	46.918552	0.640000	4.529412	

Average engagement time by channel


In [100...

```
plt.figure(figsize=(8, 5))
sns.barplot(data=df, x="channel group", y="Average engagement time per session",
plt.title("Avg Engagement Time by Channel")
plt.xticks(rotation=45)
plt.show()
```

C:\Users\dherya\AppData\Local\Temp\ipykernel_21616\523820305.py:2: FutureWarning:

Passing `palette` without assigning `hue` is deprecated and will be removed in v 0.14.0. Assign the `x` variable to `hue` and set `legend=False` for the same effect.

```
sns.barplot(data=df, x="channel group", y="Average engagement time per session", estimator=np.mean, palette="magma")
```



In [107...

```
df.head()
```

Out[107...

	channel group	DateHour	Users	Sessions	Engaged Sessions	Average engagement time per session	Engaged sessions per user	Events per session	Eng
0	Direct	2024-04-16 23:00:00	237	300	144	47.526667	0.607595	4.673333	
1	Organic Social	2024-04-17 19:00:00	208	267	132	32.097378	0.634615	4.295880	
2	Direct	2024-04-17 23:00:00	188	233	115	39.939914	0.611702	4.587983	
3	Organic Social	2024-04-17 18:00:00	187	256	125	32.160156	0.668449	4.078125	
4	Organic Social	2024-04-17 20:00:00	175	221	112	46.918552	0.640000	4.529412	

Engagement Rate Distribution by channel

In [112...


```
plt.figure(figsize=(8, 5))
sns.boxplot(data=df, x="channel group", y="Engagement rate", palette="coolwarm")
plt.title("📦 Engagement Rate Distribution by Channel")
plt.xticks(rotation=45)
plt.show()
```

C:\Users\dherya\AppData\Local\Temp\ipykernel_21616\2490929186.py:2: FutureWarning: Passing `palette` without assigning `hue` is deprecated and will be removed in v0.14.0. Assign the `x` variable to `hue` and set `legend=False` for the same effect.

```
sns.boxplot(data=df, x="channel group", y="Engagement rate", palette="coolwarm")
```

C:\Users\dherya\anaconda3\Lib\site-packages\IPython\core\pylabtools.py:170: UserWarning: Glyph 128230 (\N{PACKAGE}) missing from font(s) Arial.

```
fig.canvas.print_figure(bytes_io, **kw)
```

Engaged vs non engaged sessions

In [116... `df.head()`

Out[116...

	channel group	DateHour	Users	Sessions	Engaged Sessions	Average engagement time per session	Engaged sessions per user	Events per session	Eng
0	Direct	2024-04-16 23:00:00	237	300	144	47.526667	0.607595	4.673333	
1	Organic Social	2024-04-17 19:00:00	208	267	132	32.097378	0.634615	4.295880	
2	Direct	2024-04-17 23:00:00	188	233	115	39.939914	0.611702	4.587983	
3	Organic Social	2024-04-17 18:00:00	187	256	125	32.160156	0.668449	4.078125	
4	Organic Social	2024-04-17 20:00:00	175	221	112	46.918552	0.640000	4.529412	

In [124...

```


session_df = df.groupby("channel group")[["Sessions", "Engaged Sessions"]].sum()
session_df["Non-Engaged"] = session_df["Sessions"] - session_df["Engaged Session"]
session_df_melted = session_df.melt(id_vars="channel group", value_vars=["Engaged", "Non-Engaged"])

plt.figure(figsize=(8, 5))
sns.barplot(data=session_df_melted, x="channel group", y="value", hue="variable")
plt.title("👤 Engaged vs Non-Engaged Sessions")
plt.xticks(rotation=45)
plt.show()

```

C:\Users\dherya\anaconda3\Lib\site-packages\IPython\core\pylabtools.py:170: UserWarning: Glyph 129485 (\N{STANDING PERSON}) missing from font(s) Arial.

fig.canvas.print_figure(bytes_io, **kw)
C:\Users\dherya\anaconda3\Lib\site-packages\IPython\core\pylabtools.py:170: UserWarning: Glyph 65039 (\N{VARIATION SELECTOR-16}) missing from font(s) Arial.
fig.canvas.print_figure(bytes_io, **kw)



traffic by hour and channel

In [130...

```


heatmap_data = df.groupby(["Hour", "channel group"])["Sessions"].sum().unstack()

plt.figure(figsize=(12, 6))
sns.heatmap(heatmap_data, cmap="YlGnBu", linewidths=.5, annot=True, fmt='.0f')
plt.title("🕒 Traffic by Hour and Channel")
plt.xlabel("Channel Group")
plt.ylabel("Hour of Day")
plt.show()

```

C:\Users\dherya\anaconda3\Lib\site-packages\IPython\core\pylabtools.py:170: UserWarning: Glyph 9200 (\N{ALARM CLOCK}) missing from font(s) Arial.

fig.canvas.print_figure(bytes_io, **kw)



engagement rate vs sessions over time

In [133... `df.head()`

Out[133...

	channel group	DateHour	Users	Sessions	Engaged Sessions	Average engagement time per session	Engaged sessions per user	Events per session	Eng
0	Direct	2024-04-16 23:00:00	237	300	144	47.526667	0.607595	4.673333	
1	Organic Social	2024-04-17 19:00:00	208	267	132	32.097378	0.634615	4.295880	
2	Direct	2024-04-17 23:00:00	188	233	115	39.939914	0.611702	4.587983	
3	Organic Social	2024-04-17 18:00:00	187	256	125	32.160156	0.668449	4.078125	
4	Organic Social	2024-04-17 20:00:00	175	221	112	46.918552	0.640000	4.529412	

In [137... `df_plot = df.groupby("DateHour")[["Engagement rate", "Sessions"]].mean().reset_index()`


```

plt.figure(figsize=(10, 5))
plt.plot(df_plot["DateHour"], df_plot["Engagement rate"], label="Engagement rate")
plt.plot(df_plot["DateHour"], df_plot["Sessions"], label="Sessions", color="blue")
plt.title("📊 Engagement Rate vs Sessions Over Time")

```

```
plt.xlabel("DateHour")  
plt.legend()  
plt.grid(True)  
plt.show()
```

C:\Users\dherya\anaconda3\Lib\site-packages\IPython\core\pylabtools.py:170: UserWarning: Glyph 128202 (\N{BAR CHART}) missing from font(s) Arial.
fig.canvas.print_figure(bytes_io, **kw)



In []: