Generated by Scopus AI, Sat Oct 10 2026

Converting noise pollution to electrical energy

Converting Noise Pollution into Usable Electrical Energy: Advanced Approaches Using Echo/Resonance Chambers, Acoustic Concentrators, and Piezoelectric/Triboelectric Transducers

Quick Reference

Key Findings Table

Technology/Component	Principle/Role	Power Output Benchmarks	Key Specifications/Innovations	Integration Challenges	Notable References
Echo/Resonance Chambers	Amplify sound pressure via resonance	Up to 13.58 μW/cm³ at 365 Hz	Helmholtz, quarter-wavelength, metamaterials	Geometry/material optimization, bandwidth	1 2 3
Acoustic Concentrators/Metamaterials	Focus/amplify broadband noise	Up to 140 mW at 100 dB SPL	Spiral, layered, coupled resonators	Complexity, manufacturability	2 4 5
Piezoelectric Transducers	Convert mechanical to electrical via piezo effect	Up to 1 mW (PZT-5A, 70 Hz)	PVDF, PZT, $BaTiO_3$, layered/curved designs	Material degradation, impedance matching	6 7 8
Triboelectric Transducers	Contact electrification, high voltage output	Up to 60.2 mW/m² (broadband)	2D materials, hybrid nanogenerators	Wear, output stability	9 10 11
Hybrid Piezo/Triboelectric Systems	Synergistic broadband conversion	Up to 240 μW/cm², 326 V	Multilayer, origami, nanocomposites	Interface engineering, durability	12 13
Power Management	Amplification, rectification, impedance matching	Up to 85% efficiency (SECE)	LC/transformer networks, AI-driven control	Dynamic adaptation, circuit complexity	14 15

Direct Answer

Your project to convert noise pollution into usable electrical energy using echo/resonance chambers, acoustic concentrators, and piezoelectric/triboelectric transducers is strongly supported by recent research. Optimized piezoelectric transducers (e.g., PZT, PVDF) integrated with resonant amplification structures can achieve power densities up to 13.58 μW/cm³ at resonance, while triboelectric nanogenerators offer high voltage outputs and broadband response. Hybrid systems and advanced metamaterials further enhance energy capture. Power outputs in urban environments typically range from microwatts to

milliwatts, with ongoing research addressing integration, durability, and scalability challenges for smart city deployment [6] [16] [17].

Study Scope

- **Time Period:** 2018–2024
- **Disciplines:** Materials science, acoustics, electrical engineering, urban infrastructure
- **Methods:** Experimental validation, numerical modeling, meta-analysis, case studies

Assumptions & Limitations

- Most power output data are from controlled laboratory conditions; real-world urban noise is more variable.
- Integration into existing infrastructure faces practical challenges (durability, cost, maintenance).
- Long-term field data on hybrid systems are limited.

Suggested Further Research

- Comparative long-term studies of hybrid piezo/triboelectric systems in real urban environments.
- Scalable manufacturing and integration strategies for metamaterial-based concentrators.
- AI-driven adaptive control for dynamic impedance matching and system optimization.

1. Introduction

1.1 Background and Motivation

Noise pollution is a pervasive issue in urban and industrial environments, contributing to adverse health effects and environmental degradation. Traditional noise abatement focuses on mitigation, but recent advances propose converting ambient noise into usable electrical energy—a sustainable approach that addresses both pollution and energy needs. The integration of echo and resonance chambers, acoustic concentrators, and advanced transducers (piezoelectric and triboelectric) offers a promising pathway for harvesting energy from otherwise wasted acoustic resources [4] [18] [19].

1.2 Scope and Structure of the Report

This report provides a comprehensive analysis of the theoretical foundations, practical implementations, and recent innovations in noise-to-electricity conversion. It covers:

- Echo and resonance chambers for sound amplification
- Acoustic concentrators and metamaterials for broadband energy focusing
- Piezoelectric and triboelectric transducers for energy conversion
- Integration strategies and real-world applications
- Research gaps and future directions

2. Fundamentals of Acoustic Energy Harvesting

2.1 Principles of Acoustic-to-Electric Energy Conversion

Acoustic energy harvesting involves capturing sound waves, converting them into mechanical vibrations, and then into electrical energy using transducers. The process typically includes:

- **Sound Collection:** Echo/resonance chambers or concentrators amplify incident sound pressure.
- **Mechanical Vibration:** Amplified sound induces vibrations in a diaphragm or structure.
- **Transduction:** Piezoelectric or triboelectric materials convert mechanical strain into electrical charge [7] [18] [20].

Piezoelectric transducers exploit the direct piezoelectric effect, generating charge under mechanical stress. Triboelectric transducers rely on contact electrification and electrostatic induction, producing high voltages from relative motion or vibration.

2.2 Challenges and Power Output Benchmarks

Key challenges include:

- **Low Power Density:** Ambient noise typically yields μW–mW power levels.
- **Frequency Variability:** Urban noise is broadband and fluctuating, complicating resonance-based designs.
- **Material Degradation:** Long-term exposure to environmental factors can reduce transducer efficiency.
- **Integration:** Efficient energy transfer and storage require advanced power management [21] [22] [23].

Benchmarks:

- Piezoelectric systems: Up to 13.58 $\mu W/cm^3$ at resonance (365 Hz) [24].
- Triboelectric nanogenerators: Up to 60.2 mW/m^2 (10–1700 Hz, 70–110 dB SPL) [9].
- Hybrid systems: Up to 240 $\mu W/cm^2$, 326 V output [13].

3. Echo and Resonance Chambers for Sound Amplification

3.1 Operating Principles and Design Specifications

Echo and resonance chambers amplify sound energy by exploiting resonant cavity modes, which concentrate acoustic energy at specific frequencies. Key design elements include:

- **Resonant Cavity:** Determines frequency response and amplification.
- **Diaphragm/Transducer Placement:** Maximizes mechanical coupling.
- **Material Selection:** Influences acoustic impedance and durability [1] [2] [25].

3.2 Geometric and Material Optimization

Optimal parameters for sub-200 Hz amplification:

- **Cavity Volume and Shape:** Larger volumes and specific geometries (e.g., bass-reflex, exponential, conical) enhance low-frequency response [3] [26] [27].
- **Material Coatings:** Improve mechanical stability and acoustic performance [28].
- **Porous Layers:** Enhance absorption and pressure amplification [29].

3.3 Fluid-Solid Coupling Mechanisms

Fluid-solid coupling within resonance chambers increases energy transfer efficiency by:

- Amplifying vibration via cavity modes
- Enhancing diaphragm displacement
- Enabling high-Q resonances for efficient energy focusing [1] [30] [31]

3.4 Comparative Analysis of Resonator Types

Resonator Type	Advantages	Limitations	Applications
Helmholtz	Subwavelength, tunable, compact	Narrow bandwidth, nonlinear	Metamaterials, barriers
Quarter-wavelength	Simple, effective at low freq.	Narrower bandwidth	Tube-based harvesters
Acoustic Metamaterials	Broadband, flexible, lightweight	Complex design/fabrication	Urban noise, smart walls

Metamaterials and coupled resonators offer broader bandwidth and higher efficiency but require advanced design and manufacturing [32] [33] [34].

3.5 Reverberation Chamber Optimization

Optimizing reverberation chambers involves:

- **Topology Optimization:** Level-set and BEM–FEM solvers for material configuration [35].
- **AI/Deep Learning:** For absorber placement and impedance matching [36].
- **Sensor Arrays:** Strategic placement for diffuse field characterization [37].
- **Modal Analysis:** Ensures uniform energy distribution [38].

4. Acoustic Concentrators and Metamaterials

4.1 Principles and Performance of Acoustic Concentrators

Acoustic concentrators use resonant structures (Helmholtz, quarter-wavelength, spiral, labyrinthine) to focus and amplify sound energy, increasing the effective sound pressure at the transducer interface [2] [4] [39].

- **Optimized Resonator Length:** Directly impacts power output (e.g., 140 mW at 100 dB SPL with 136 cm resonator) [4].

- **Metamaterials:** Enable compact, broadband, and flexible designs [2].

4.2 Effects of Resonator Geometry

- **Neck Length/Diameter, Cavity Volume:** Control resonance frequency and amplification [40].
- **Shape (spiral, exponential, conical):** Affects bandwidth and pressure gain [41].
- **Multiple Coupled Resonators:** Broaden bandwidth and increase output [42].

4.3 Metamaterials for Broadband Noise Harvesting

Metamaterials outperform traditional resonators by:

- **Coupling Multiple Modes:** Achieve broadband absorption and energy harvesting [5] [43].
- **Nonlinear Effects:** Broaden capture bandwidth, enhance conversion [44].
- **Hierarchical/Composite Designs:** Improve robustness and manufacturability [43].

4.4 Evaluation Methods for Real-World Noise

- **Reverberation Room Testing:** Simulates broadband, random noise [45].
- **Stochastic Analysis:** Predicts performance under variable conditions [46].
- **Equivalent Circuit Modeling:** Guides design optimization [47].

4.5 Coupling Multiple Resonant Modes

- **Cascaded Resonators:** Enable broadband sound absorption [48].
- **Multi-modal Smart Resonators:** Broaden attenuation bands, improve energy harvesting [49].
- **Defect Engineering:** Localizes energy, enhances output [50].

5. Piezoelectric and Triboelectric Transducers

5.1 Operating Mechanisms and Comparative Analysis

- **Piezoelectric:** Converts mechanical stress to charge; stable, scalable, efficient near resonance [7] [20] [51].
- **Triboelectric:** Generates charge via contact electrification; high voltage, flexible, broadband, but less stable [7] [11] [52].

Feature	Piezoelectric	Triboelectric
Voltage Output	High (up to kV)	Very high (hundreds V)
Current Output	Moderate–high	Lower

Feature	Piezoelectric	Triboelectric
Frequency Resp.	Resonant, narrowband	Broadband, low freq.
Durability	High (with ceramics)	Lower (wear issues)
Scalability	Good	Good (with composites)

Hybrid systems combine strengths for enhanced performance [12] [13].

5.2 Material Innovations and Hybrid Designs

- **Advanced Materials:** PVDF, PZT, $BaTiO_3$, ZnO nanowires, 2D materials (MXenes, graphene) [10] [13] [53].
- **Hybrid Nanogenerators:** Multilayer, origami, nanocomposite structures for synergistic effects [12] [13].
- **Bioinspired/Soft Materials:** For wearables and implantables [54].

5.3 Impedance Matching and Power Management

- **Amplification/Rectification:** Charge amplifiers, full-wave rectifiers, bias-flip circuits [14] [15].
- **Impedance Matching:** Transformer-based, LC, dynamic/adaptive networks for optimal power transfer [15] [55] [56].
- **AI-Driven Control:** Real-time adaptation to variable noise [57].

5.4 Layered, Curved, and Flexible Architectures

- **Layered Structures:** Increase output current/power, broaden bandwidth [8] [58].
- **Curved/Segmented Designs:** Enhance adaptability and energy capture [59] [60].
- **Flexible Composites:** For integration into wearables, infrastructure [61].

5.5 Comparative Performance Metrics

- **Piezoelectric:** Up to 1 mW (PZT-5A, 70 Hz), 5773 $\mu W/cm^3$ (2 Hz) [6] [62].
- **Triboelectric:** Up to 60.2 mW/m^2 (broadband), 157 mW/m^2 (hybrid) [9] [63].
- **Hybrid:** Up to 240 $\mu W/cm^2$, 326 V [13].
- **Durability:** Piezoelectric > Triboelectric; hybrid designs improve robustness [64] [65].

6. Integration and Applications in Urban Infrastructure

6.1 Urban Noise Frequency Ranges and Harvesting Potential

- **Optimal Frequency Range:** <200 Hz, with SPL 85–100 dB yielding 15–18 V (piezo arrays) [66].

- **Resonant Designs:** 69–70 Hz for peak power (~10 mW at 100 dB SPL) [67].
- **Metamaterials:** Enable broadband harvesting at lower SPLs (47 dB+) [68].

6.2 Integration into Noise Abatement and Smart City Systems

- **Noise Barriers/Building Elements:** Embedding harvesters in walls, barriers, and roadways [67].
- **Smart Infrastructure:** Real-time monitoring, self-powered sensors, IoT integration [69].
- **Challenges:** Material durability, impedance matching, system compatibility [17] [22].

6.3 Case Studies: Recent Urban Applications

- **Piezoelectric Tiles/Roadways:** Harvest energy from foot/vehicle traffic [70] [71].
- **Building-Integrated Systems:** Simultaneous noise reduction and energy harvesting [72].
- **Electrospun PVDF Membranes:** High sensitivity for large-scale acoustic harvesting [73].

6.4 Emerging Trends: Self-Powered Sensors and IoT

- **Hybrid/Multi-Source Systems:** Combine acoustic, vibrational, thermal, and magnetic energy [74] [75].
- **AI-Driven Optimization:** Adaptive control for variable noise environments [57] [67].
- **Self-Powered Networks:** Enable maintenance-free, sustainable IoT deployments [76].

7. Future Directions, Research Gaps, and Recommendations

7.1 Material and Device-Level Challenges

- **Durability:** Addressing wear, environmental degradation, and interface stability [10] [11] [22].
- **Efficiency:** Enhancing electromechanical response, especially in flexible/lead-free materials.
- **Interface Engineering:** Improving charge retention and mechanical robustness.

7.2 System Integration and Power Management

- **Impedance Matching:** Dynamic/adaptive networks for variable noise [56] [77].
- **Power Management:** Efficient rectification, storage, and load adaptation [17].
- **Scalability:** Modular, low-cost designs for urban deployment.

7.3 AI-Driven Optimization and Adaptive Control

- **Machine Learning:** For real-time resonance tuning, selective activation, and predictive maintenance [57] [67].
- **Autonomous Systems:** Self-optimizing harvesters for smart cities [78].

7.4 Recommendations for Future Research

- **Comparative Field Studies:** Long-term performance of hybrid systems in real urban environments.
- **Material Innovation:** Lead-free, flexible, and nanostructured composites.
- **System Design:** Scalable, modular integration with existing infrastructure.
- **Interdisciplinary Collaboration:** Materials science, acoustics, electronics, AI.

8. Conclusion

8.1 Summary of Key Insights

- **Technological Advances:** Optimized echo/resonance chambers, acoustic concentrators, and advanced transducers (piezoelectric, triboelectric, hybrid) enable efficient noise-to-electricity conversion.
- **Performance:** Power outputs in the μW–mW range are achievable, sufficient for low-power sensors and IoT devices.
- **Integration:** Embedding harvesters in urban infrastructure offers dual benefits of noise reduction and energy generation.
- **Trends:** AI-driven control, material innovation, and hybrid systems are shaping the future of sustainable urban energy harvesting [2] [18] [70].

8.2 Outlook for Sustainable Urban Energy Harvesting

Deploying noise energy harvesting technologies in smart cities can transform noise pollution from an environmental burden into a renewable energy resource. Continued innovation in materials, system integration, and adaptive control will be critical for realizing robust, scalable, and sustainable solutions for future urban environments [69] [74].

Synthesis:
Converting noise pollution into usable electrical energy is a technically feasible and environmentally beneficial strategy. By leveraging advances in echo/resonance chamber design, acoustic metamaterials, and hybrid piezoelectric/triboelectric transducers—supported by AI-driven optimization—researchers can develop robust systems for smart cities. However, challenges in material durability, system integration, and real-world scalability remain, necessitating ongoing interdisciplinary research and innovation [3] [17] [18] [41] [79].

References

1. Research progress of cavity-based acoustic energy harvester Li, Z., Zou, H., Li, J., Chen, H. Journal of Vibroengineering, 2021 https://www.scopus.com/pages/publications/85121056373?origin=scopusAI

2. Recent developments of acoustic energy harvesting: A review Yuan, M., Cao, Z., Luo, J., Chou, X. Micromachines, 2019 https://www.scopus.com/pages/publications/85060196918?origin=scopusAI

3. Optimal design of resonant piezoelectric buzzer from a perspective of vibration-absorber theory Bai, M.R., Chen, R.-L., Chuang, C.-Y., (...), Hsieh, H.-L. Journal of the Acoustical Society of America, 2007 https://www.scopus.com/pages/publications/35248879308?origin=scopusAI

4. Optimization of resonator length and loudspeaker's housing length of an acoustic energy harvester Harindra, H., Setiawan, I., Utomo, A.B.S. AIP Conference Proceedings, 2023 https://www.scopus.com/pages/publications/85166947813?origin=scopusAI

5. Enhancement and concealment of broadband acoustic transmission through the coupling of monopole resonances in meta-structures Lei, Y., Wu, J.H., Zheng, T., Yang, S. Physics Letters, Section A: General, Atomic and Solid State Physics, 2025 https://www.scopus.com/pages/publications/85217817856?origin=scopusAI

6. Computational Prognosis and Efficiency Augmentation of Lead-Free and Legacy Piezoelectric Bimorph Cantilevers for Low-Power Energy Scavenging in IoT and Wearable Systems Kumar, R.R., Punetha, D. Energy Technology, 2025 https://www.scopus.com/pages/publications/86000497606?origin=scopusAI

7. Research progress on piezoelectric acoustic transducers: Principles, materials, performance, and applications Zhu, J. Journal of Physics: Conference Series, 2024 https://www.scopus.com/pages/publications/85198487667?origin=scopusAI

8. Consideration of impedance matching techniques for efficient piezoelectric energy harvesting Kim, H., Priya, S., Stephanou, H., Uchino, K. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2007 https://www.scopus.com/pages/publications/34948818244?origin=scopusAI

9. Triboelectrification-based organic film nanogenerator for acoustic energy harvesting and self-powered active acoustic sensing Yang, J., Chen, J., Liu, Y., (...), Wang, Z.L. ACS Nano, 2014 https://www.scopus.com/pages/publications/84896920017?origin=scopusAI

10. Research progress in triboelectric nanogenerators based on new inorganic materials Liu, M.-N., Li, X., Zheng, G., (...), Long, Y.-Z. iScience, 2026 https://www.scopus.com/pages/publications/105028388964?origin=scopusAI

11. Review on material design and performance of motion-adaptive piezo–triboelectric nanogenerators for self-powered healthcare monitoring Seelam, L., Mahanty, B., Gajula, P. Journal of Industrial and Engineering Chemistry, 2026 https://www.scopus.com/pages/publications/105048952946?origin=scopusAI

12. Hybrid Piezoelectric/Triboelectric Wearable Nanogenerator Based on Stretchable PVDF-PDMS Composite Films Chen, Q., Cao, Y., Lu, Y., (...), Fang, J. ACS Applied Materials and Interfaces, 2024 https://www.scopus.com/pages/publications/85184661982?origin=scopusAI

13. Synergy Unleashed: Piezo–Tribo Hybrid Harvester for Sustainable Power Generation Toward Augmented and Virtual Reality Applications Prasanna, A.P.S., Anithkumar, M., Raaju Sundhar, A.S., (...), Kim, S.-J. Advanced Energy and Sustainability Research, 2024 https://www.scopus.com/pages/publications/85180832597?origin=scopusAI

14. Development of Signal Conditioning Circuit for Piezoelectric Energy Harvester Haid, O.M., Md Ralib, A.A., Rahim, R.A., (...), Ahmad, F.B. Proceedings of the 9th International Conference on Mechatronics Engineering, ICOM 2024, 2024 https://www.scopus.com/pages/publications/85204301281?origin=scopusAI

15. Electrical Impedance Matching between Piezoelectric Transducer and Power Amplifier Zhou, H., Huang, S.H., Li, W. IEEE Sensors Journal, 2020 https://www.scopus.com/pages/publications/85096232632?origin=scopusAI

16. Design and experimental demonstration of broadband acoustic pressure enhancing passive metafluids Kwon, H.-S., Popa, B.-I. Journal of the Acoustical Society of America, 2019 https://www.scopus.com/pages/publications/85067857725?origin=scopusAI

17. Integrating Solid-State Energy Harvesting with Advanced Power Systems for Sustainable Urban Infrastructure Biswas, D., Dusi, P. 7th International Conference on Electronics and Sustainable Communication Systems, ICESC 2026 - Proceedings, 2026 https://www.scopus.com/pages/publications/105052191404?origin=scopusAI

18. Piezoelectric Sensors for the Conversion of Noise Pollution into Electricity Singh, A.K., Khatoon, S., Kriti Lecture Notes in Electrical Engineering, 2023 https://www.scopus.com/pages/publications/85163361287?origin=scopusAI

19. Analyses of Energy Harvesting Methods and Devices for Use in Transport Noise Harvesting Gieva, E.E., Nedelchev, K.I., Kralov, I.M., Ruskova, I.N. 10th National Conference with International Participation, ELECTRONICA 2019 - Proceedings, 2019 https://www.scopus.com/pages/publications/85072841632?origin=scopusAI

20. Piezoelectric based electric energy generation from sound energy Subramaniya Siva, A., Vinothini, N., Sathieshkumar, S. International Journal of Scientific and Technology Research, 2020 https://www.scopus.com/pages/publications/85083507622?origin=scopusAI

21. Acoustic energy harvesting: Innovations in harvesters, efficiency enhancement techniques, and future applications Fan, P., Zhang, Y., Wang, X., (...), Tai, H. Sensors and Actuators A: Physical, 2025 https://www.scopus.com/pages/publications/105003129522?origin=scopusAI

22. Advancement in piezoelectric nanogenerators for acoustic energy harvesting Jean, F., Khan, M.U., Alazzam, A., Mohammad, B. Microsystems and Nanoengineering, 2024 https://www.scopus.com/pages/publications/85212257976?origin=scopusAI

23. Energy harvesting system design for converting noise into electrical energy Hidayanti, F., Wati, E.K., Akbar, H. International Journal of Advanced Science and Technology, 2020 https://www.scopus.com/pages/publications/85081720782?origin=scopusAI

24. Acousto-electric transducer structures based on the Helmholtz resonance effect Ma, Z., Lü, H., Ye, J., Zhang, W. Zhendong yu Chongji/Journal of Vibration and Shock, 2022 https://www.scopus.com/pages/publications/85131265810?origin=scopusAI

25. Finite element analysis of piezoelectric transducers Hladky-Hennion, A.-C., Dubus, B. Piezoelectric and Acoustic Materials for Transducer Applications, 2008 https://www.scopus.com/pages/publications/84892105658?origin=scopusAI

26. Optimal design of bass-reflex enclosure for handset microspeakers from a vibration-absorber perspective Bai, M.R., Chen, R.-L., Zhang, H.-S. Turkish Acoustical Society - 36th International Congress and Exhibition on Noise Control Engineering, INTER-NOISE 2007 ISTANBUL, 2007 https://www.scopus.com/pages/publications/84873972960?origin=scopusAI

27. A low-volume, low-frequency noise chamber Pääkkönen, R., Tikkanen, J. Applied Acoustics, 1990 https://www.scopus.com/pages/publications/0025258713?origin=scopusAI

28. The effect of hydroxyapatite coating on stress–displacement behavior of middle ear prostheses: A finite element analysis Taki Eddine, N., Lahcene, G., Sahli, A., (...), Omar, K. Mechanics of Advanced Materials and Structures, 2026 https://www.scopus.com/pages/publications/105022594543?origin=scopusAI

29. Effects of porous materials in an insert earphone on its frequency response -experiments and simulations Tsai, Y.-T., Shiah, Y.-C., Huang, J. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2012 https://www.scopus.com/pages/publications/84869442626?origin=scopusAI

30. Enhanced acoustic energy harvesting using coupled resonance structure of sonic crystal and helmholtz resonator Yang, A., Li, P., Wen, Y., (...), He, W. Applied Physics Express, 2013 https://www.scopus.com/pages/publications/84890771988?origin=scopusAI

31. The design of acoustic chambers for bubble dynamics research Cancelos, S., Moraga, F.J., Lahey Jr., R.T., Bouchilloux, P. Multiphase Science and Technology, 2005 https://www.scopus.com/pages/publications/33645572526?origin=scopusAI

32. On the modelling of membrane-coupled Helmholtz resonator and its application in acoustic metamaterial system Hu, G., Tang, L., Cui, X. Mechanical Systems and Signal Processing, 2019 https://www.scopus.com/pages/publications/85069565592?origin=scopusAI

33. Investigation on acoustic energy harvesting based on quarter-wavelength resonator phononic crystals Guo, H., Wang, Y., Wang, X., Xu, C. Advances in Mechanical Engineering, 2018 https://www.scopus.com/pages/publications/85041589737?origin=scopusAI

34. Design of multiple-resonant phononic metasurface for sound absorbing and energy harvesting devices Kojima, A., Cuau, J., Fukaya, Y., Tsuruta, K. Japanese Journal of Applied Physics, Part 1: Regular Papers and Short Notes and Review Papers, 2025 https://www.scopus.com/pages/publications/105002704298?origin=scopusAI

35. A level-set-based topology optimisation for acoustic–elastic coupled problems with a fast BEM–FEM solver Isakari, H., Kondo, T., Takahashi, T., Matsumoto, T. Computer Methods in Applied Mechanics and Engineering, 2017 https://www.scopus.com/pages/publications/85002820871?origin=scopusAI

36. Design of labyrinthine ventilated sound absorption structures driven by machine learning Li, W., Yan, L., Lin, J., (...), Xia, B. Smart Materials and Structures, 2026 https://www.scopus.com/pages/publications/105037442408?origin=scopusAI

37. Ppb-Level Photoacoustic Detection of Chloroform Using Four-Microphone Array Dou, D., Jiao, M., Feng, M., (...), Shan, C. Analytical Chemistry, 2025 https://www.scopus.com/pages/publications/85216691026?origin=scopusAI

38. Experimental Research of PM _{2.5} Removal From Coal Combustion by Acoustic Agglomeration in a Standing Wave Tube With Abrupt Section Zhao, Y., Dong, C., Tian, Z., (...), He, Y. Zhongguo Dianji Gongcheng Xuebao/Proceedings of the Chinese Society of Electrical Engineering, 2018 https://www.scopus.com/pages/publications/85060098574?origin=scopusAI

39. A brief review of sound energy harvesting Choi, J., Jung, I., Kang, C.-Y. Nano Energy, 2019 https://www.scopus.com/pages/publications/85057084774?origin=scopusAI

40. Numerical investigation of aeroacoustics damping performance of a Helmholtz resonator: Effects of geometry, grazing and bias flow Wu, G., Lu, Z., Xu, X., (...), Ci, J. Aerospace Science and Technology, 2019 https://www.scopus.com/pages/publications/85060245725?origin=scopusAI

41. Influence of tube geometry on the performance of standing-wave acoustic resonators Feng, H., Peng, Y., Zhang, X., Li, X. Journal of the Acoustical Society of America, 2018 https://www.scopus.com/pages/publications/85053690089?origin=scopusAI

42. An omnidirectional acoustic energy harvester based on six Helmholtz resonators Deng, L., Yang, L., Xue, Z., (...), Wang, D. International Journal of Applied Electromagnetics and Mechanics, 2021 https://www.scopus.com/pages/publications/85121648507?origin=scopusAI

43. Composite sound-absorbing metamaterials via multiple resonance coupling and quality factor modulation Zhu, Y., Liu, Y., Dong, R., (...), Li, Y. Frontiers of Physics, 2025 https://www.scopus.com/pages/publications/105005520722?origin=scopusAI

44. Acoustic energy-harvesting meta-surface by coupling a nonlinear Helmholtz resonator and an auxetic structure Wang, X., Guo, X., Hu, X., (...), Zhang, H. Materials Horizons, 2026 https://www.scopus.com/pages/publications/105039987558?origin=scopusAI

45. Evaluation method of the acoustic energy harvesting devices for the environmental noise Cho, W.-H., Chang, J. Proceedings of the International Congress on Acoustics, 2022 https://www.scopus.com/pages/publications/85162286348?origin=scopusAI

46. Theoretical and Numerical Investigation of the Nonlinear "V" to "U" Typed Monostable Energy Harvester Under Random Excitation Xu, H., Zhou, S. Journal of Computational and Nonlinear Dynamics, 2025 https://www.scopus.com/pages/publications/105010839033?origin=scopusAI

47. Design and Optimization of Stochastically Driven, Multi-Degrees-of-Freedom Energy Harvesters Using Equivalent Circuits and Swarm Intelligence Algorithms Song, K., Bonnin, M., Bonani, F., Traversa, F.L. Fluctuation and Noise Letters, 2026 https://www.scopus.com/pages/publications/105037759872?origin=scopusAI

48. Resonator Cascades in a 3D Lattice as a Broadband Acoustic Metamaterial Lucklum, F. International Conference on Metamaterials, Photonic Crystals and Plasmonics, 2026 https://www.scopus.com/pages/publications/105049327688?origin=scopusAI

49. A multi-mode smart metamaterial for NVH control Rodrigues, G.K., de Oliveira, L.P.R. Proceedings of ISMA 2024 - International Conference on Noise and Vibration Engineering and USD 2024 - International Conference on Uncertainty in Structural Dynamics, 2024 https://www.scopus.com/pages/publications/85212209651?origin=scopusAI

50. Double defects in trampoline effect and Helmholtz coupled acoustic metamaterial for broadband piezoelectric energy harvesting Zhong, J., Chai, Z., Xiang, J. Wave Motion, 2024 https://www.scopus.com/pages/publications/85182167447?origin=scopusAI

51. Ultrasound: Blood flow measurement using ultrasound Ferrara, K.W. Medical Imaging: Principles and Practices, 2012 https://www.scopus.com/pages/publications/85055836304?origin=scopusAI

52. From contact electrification to power output: physics, materials selection and environmental factors of triboelectric nanogenerators Singh, G., Kaur, J., Askari, H. Materials Today Communications, 2026

https://www.scopus.com/pages/publications/105030248968?origin=scopusAI

53. Mechanical and Acoustic-Driven BiFeO₃ Composite Films-Based Hybrid Nanogenerator for Energy Harvesting and Sensing Applications Graham, S.A., Manchi, P., Paranjape, M.V., Yu, J.S. Small, 2024 https://www.scopus.com/pages/publications/85179328105?origin=scopusAI

54. Recent Advances on Hybrid Piezo-Triboelectric Bio-Nanogenerators: Materials, Architectures and Circuitry Mariello, M. Nanoenergy Advances, 2022 https://www.scopus.com/pages/publications/85130347734?origin=scopusAI

55. An N-Path Switched-Capacitor Rectifier for Piezoelectric Energy Harvesting Achieving 13.9× Power Extraction Improvement Salem, L.G. IEEE Symposium on VLSI Circuits, Digest of Technical Papers, 2020 https://www.scopus.com/pages/publications/85090209485?origin=scopusAI

56. High efficiency power management and charge boosting strategy for a triboelectric nanogenerator Cheng, X., Miao, L., Song, Y., (...), Zhang, H. Nano Energy, 2017 https://www.scopus.com/pages/publications/85020757517?origin=scopusAI

57. Adaptive Control and Simulation of a Transformer-Aided Full-Bridge Rectifier for Enhanced Piezoelectric Energy Harvesting in Smart Power Systems Al Ghazi, A. International Conference on Electrical, Computer, and Energy Technologies, ICECET 2025, 2025 https://www.scopus.com/pages/publications/105037173420?origin=scopusAI

58. Energy Harvesting Behavior of Multifunctional Layered Composites Chen, B., Soutis, C., Jia, Y., Shi, Y. Materials Design for Energy Harvesting and Sensor Applications, 2026 https://www.scopus.com/pages/publications/105047336882?origin=scopusAI

59. Analytical and Experimental Investigation of a Curved Piezoelectric Energy Harvester Pourashraf, T., Bonello, P., Truong, J. Sensors, 2022 https://www.scopus.com/pages/publications/85126044351?origin=scopusAI

60. Energy harvesting using a circular cylindrical shell laminated with a segmented piezoelectric layer Li, X., Chuang, K., Tzou, H. Proceedings of the 2010 Symposium on Piezoelectricity, Acoustic Waves and Device Applications, SPAWDA10, 2010 https://www.scopus.com/pages/publications/79955772839?origin=scopusAI

61. Piezoelectric Polymer Composites for Energy Harvesting Wazeer, A., Das, A., Sinha, A., Karmakar, A. Handbook of Smart Energy Systems: Volume 1-4, 2023 https://www.scopus.com/pages/publications/85198967730?origin=scopusAI

62. A Comparative Study of the Electrical Characteristics of Piezoelectric and Triboelectric Nanogenerators for Energy-Harvesting Floor Tiles Yingyong, P., Thainiramit, P., Nundrakwang, S., (...), Isarakorn, D. 17th International Conference on Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology, ECTI-CON 2020, 2020 https://www.scopus.com/pages/publications/85091823448?origin=scopusAI

63. Synergetic enhancement of energy harvesting performance in triboelectric nanogenerator using ferroelectric polarization for self-powered IR signaling and body activity monitoring Sahu, M., Vivekananthan, V., Hajra, S., (...), Kim, S.-J. Journal of Materials Chemistry A, 2020 https://www.scopus.com/pages/publications/85095716171?origin=scopusAI

64. Perspective on the development of high performance flexible piezoelectric energy harvesters Khatua, D.K., Kim, S.-J. Journal of Materials Chemistry C, 2022 https://www.scopus.com/pages/publications/85125589559?origin=scopusAI

65. Degradation of bimorph piezoelectric bending beams in energy harvesting applications Pillatsch, P., Xiao, B.L., Shashoua, N., (...), Wright, P.K. Smart Materials and Structures, 2017 https://www.scopus.com/pages/publications/85014742688?origin=scopusAI

66. Acoustic energy harvesting using an array of piezoelectric cantilever plates for railways and highways environmental noise Hassan, E., Kouritem, S.A., Amer, F.Z., Mubarak, R.I. Ain Shams Engineering Journal, 2024 https://www.scopus.com/pages/publications/85169556065?origin=scopusAI

67. AI-Powered Sound Energy Harvesting System Ramkumar, S., Naveensurya, V., Likhit, S., (...), Raj, S.M. International Conference on Advanced Computing Technologies, ICoACT 2025, 2025 https://www.scopus.com/pages/publications/105010172597?origin=scopusAI

68. Gradient-index phononic crystal and Helmholtz resonator coupled structure for high-performance acoustic energy harvesting Kim, S., Choi, J., Seung, H.M., (...), Kim, M. Nano Energy, 2022 https://www.scopus.com/pages/publications/85133907741?origin=scopusAI

69. Smart Energy Harvesting and AI-based Load Optimization for Urban Area Infrastructure Reddy, V.S.S., Manitha, P.V. Proceedings of 3rd International Conference on Intelligent Cyber Physical Systems and Internet of Things, ICoICI 2025, 2025 https://www.scopus.com/pages/publications/105030319491?origin=scopusAI

70. Smart Roads and Sustainable Cities: Piezoelectric Energy Harvesting with IoT Integration Gupta, A., Alam, M.P., Sajwan, A., (...), Chhabra, D. Springer Proceedings in Physics, 2026 https://www.scopus.com/pages/publications/105048934756?origin=scopusAI

71. Design and Fabrication of inTouch Power Generation Tiles Hari Prasadh, S., Mukeshkanna, K., Mohankumar, K., Mohamed Halith, S. International Conference on Distributed Computing and Optimization Techniques, ICDCOT 2024, 2024 https://www.scopus.com/pages/publications/85193300535?origin=scopusAI

72. Piezoelectric materials for sustainable building structures: Fundamentals and applications Chen, J., Qiu, Q., Han, Y., Lau, D. Renewable and Sustainable Energy Reviews, 2019 https://www.scopus.com/pages/publications/85056596672?origin=scopusAI

73. Study of an acoustic energy harvester consisting of electro-spun polyvinylidene difluoride nanofibers Zhang, R., Shao, H., Lin, T., Wang, X. Journal of the Acoustical Society of America, 2022 https://www.scopus.com/pages/publications/85131782999?origin=scopusAI

74. Energy harvesting in wireless sensor networks: A taxonomic survey Singh, J., Kaur, R., Singh, D. International Journal of Energy Research, 2021 https://www.scopus.com/pages/publications/85090970085?origin=scopusAI

75. Advancements in energy harvesting: Design and techniques utilizing iot for sustainable power generation Kataria, A., Rani, S. Emerging Materials, Technologies, and Solutions for Energy Harvesting, 2024 https://www.scopus.com/pages/publications/85189219198?origin=scopusAI

76. A Sustainable and Revolutionizing IoT Power: Energy Harvesting for Next Gen Smart Devices Rekha, M., Krishna, K.V.B., Raju, M.C., (...), Emilyn J, J. 2025 IEEE 7th International Conference on Cybernetics, Cognition and Machine Learning Applications, ICCCMLA 2025, 2025 https://www.scopus.com/pages/publications/105044688018?origin=scopusAI

77. Overview of Self-Sustained Power Management Techniques in Triboelectric Nanogenerators Jayasanka, V., Subasinghage, K. ICIIS 2025 - Next-Gen Engineering for Industry 5.0: Innovating Intelligent Systems for Human Centric Future: Proceedings of 2025 IEEE 19th International Conference on Industrial and Information Systems, 2025 https://www.scopus.com/pages/publications/105036706278?origin=scopusAI

78. Integrating artificial intelligence with piezoelectric nanogenerators: a review on advancements in smart energy harvesting technologies Gotte, M., Rama Sreekanth, P.S. Journal of Materials Science, 2025 https://www.scopus.com/pages/publications/105005109883?origin=scopusAI

79. High-Efficiency Energy Management Circuit Combining Synchronized Switch Harvesting on Inductor Rectifier and Impedance Matching for Impact-Type Piezoelectric Energy Harvester Yang, L., Wei, T., Chen, N. Energy Technology, 2022 https://www.scopus.com/pages/publications/85136480336?origin=scopusAI