

Training Day 7 Report

Date: 24 June 2025

Module Name: Reconnaissance Tools – Practical OSINT with Targeted Domain

Mode: Hands-On (Practical)

Main Focus of the Module

On Day 8, the session focused entirely on **hands-on reconnaissance and footprinting exercises** using the domain `www.facebook.com`. We applied multiple **open-source intelligence tools (OSINT)** on Kali Linux to extract subdomains, usernames, mirror websites, and gather publicly available data.

Tools & Commands Practiced

We used multiple tools to perform passive information gathering and enumeration on the Facebook domain. Here's a breakdown of each:

1. Sublist3r – Subdomain Enumeration

Purpose: Gather subdomains of the target

Command:

```
bash
Copy code
sublist3r -d facebook.com
```

Output:

- Identified multiple subdomains like `developers.facebook.com`, `mbasic.facebook.com`, etc.
 - Passive enumeration using search engines and public sources
-

2. Sherlock – Username Enumeration

Purpose: Find usernames across social platforms

Command:

```
bash
Copy code
cd sherlock
python3 sherlock.py facebook
```

Output:

- Checked presence of "facebook" username across 300+ websites
 - Useful for impersonation checks or identity investigation
-

3. cat – Viewing Output Files

Purpose: View output logs, saved reports

Command:

```
bash
Copy code
cat output.txt
```

Usage:

- Used to verify contents of previous recon tools like `dmitry`, `sublist3r`
-

4. OSRFramework / Usufy – Social Footprinting

Purpose: Identify user account presence across platforms

Command:

```
bash
Copy code
usufy.py -n facebook
```

Output:

- Enumerated Facebook's account footprint on known social networks
 - OSRFramework helps in social engineering awareness
-

5. HTTrack – Website Mirroring

Purpose: Create offline local copy of the website

Command:

```
bash
Copy code
httrack https://www.facebook.com -O facebook-mirror
```

Result:

- Downloaded public-facing Facebook content (login page, assets)
- Great for offline inspection and site structure analysis

6. ShellGPT – Command Line AI Assistant

Purpose: Ask queries or generate commands via OpenAI API

Command:

```
bash
Copy code
sgpt "what is whois used for?"
```

Usage:

- Used to automate query generation and tool explanation
- Handy for live help during reconnaissance

Practical Observations

- Compared tool speed, accuracy, and types of data returned
- Understood passive vs semi-active enumeration
- Saw overlapping results that reinforced findings from multiple tools
- Saved outputs to `.txt` files for future analysis

Key Takeaways

- Subdomain enumeration exposes internal company infrastructure
- Username checks can reveal impersonation threats or employee leaks
- Tools like Sherlock, OSRFramework, and Sublist3r are essential for real-world penetration testing
- Automation (via ShellGPT) improves efficiency during CTFs or red teaming
- Always document findings with tools like `cat`, `tee`, or `script`