

-- 1) Total Number of Orders Placed

SELECT

COUNT(order_id) AS total_orders

FROM

orders;

	total_orders
▶	21350

-- 2) Total Revenue Generated from Pizza Sales

```
SELECT ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_revenue
FROM order_details
JOIN pizzas
ON order_details.pizza_id = pizzas.pizza_id;
```

	total_revenue
▶	817860.05



817860.05

-- 3) Highest-Priced Pizzas

• SELECT

 pizza_types.name,

 pizzas.size,

 pizzas.price

FROM pizzas

JOIN pizza_types

ON pizzas.pizza_type_id = pizza_types.pizza_type_id

ORDER BY pizzas.price DESC

LIMIT 3;

	name	size	price
▶	The Greek Pizza	XXL	35.95
	The Greek Pizza	XL	25.5
	The Brie Carre Pizza	S	23.65

```
-- 4) Most Common Pizza Size Ordered  
SELECT  
    pizzas.size,  
    SUM(order_details.quantity) AS total_quantity_ordered  
FROM order_details  
JOIN pizzas ON order_details.pizza_id = pizzas.pizza_id  
GROUP BY pizzas.size  
ORDER BY total_quantity_ordered DESC  
LIMIT 3;
```

Result grid |    Filter |     

	size	total_quantity_ordered
▶	L	18956
	M	15635
	S	14403

-- 5) Top 5 Most Ordered Pizza Types Along with Their Quantities

SELECT

 pizza_types.name,

 SUM(order_details.quantity) AS total_quantity

FROM pizza_types

JOIN pizzas

ON pizza_types.pizza_type_id = pizzas.pizza_type_id

JOIN order_details

ON pizzas.pizza_id = order_details.pizza_id

GROUP BY pizza_types.name

ORDER BY total_quantity DESC

LIMIT 5;

name	total_quantity
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

```
-- 1. Total Quantity of Each Pizza Category Ordered
SELECT
    pizza_types.category,
    SUM(order_details.quantity) AS total_quantity_sold
FROM pizza_types
JOIN pizzas
ON pizza_types.pizza_type_id = pizzas.pizza_type_id
JOIN order_details ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizza_types.category
ORDER BY total_quantity_sold DESC;
```

	category	total_quantity_sold
▶	Classic	Resets all sorted columns
	Supreme	11987
	Veggie	11649
	Chicken	11050

```
-- 2. Distribution of Orders by Hour of the Day
SELECT
    HOUR(order_time) AS order_hour,
    COUNT(order_id) AS total_orders
FROM orders
GROUP BY HOUR(order_time)
ORDER BY order_hour desc;
```

order_hour	total_orders
21	1198
20	1642
19	2009
18	2399
17	2336
16	1920
15	1468
14	1472
13	2455
12	2520
11	1231
10	8
9	1

-- 3. Category-Wise Distribution of Pizzas

SELECT

 pizza_types.category,

 COUNT(pizzas.pizza_id) AS total_pizza_types

FROM pizza_types

JOIN pizzas

ON pizza_types.pizza_type_id = pizzas.pizza_type_id

GROUP BY pizza_types.category

ORDER BY total_pizza_types DESC;

category	total_pizza_types
Veggie	27
Classic	26
Supreme	25
Chicken	18

-- 4. Average Number of Pizzas Ordered Per Day

```
WITH daily_pizza_totals AS (  
    SELECT  
        orders.order_date,  
        SUM(order_details.quantity) AS total_pizzas_per_day  
    FROM orders  
    JOIN order_details  
    ON orders.order_id = order_details.order_id  
    GROUP BY orders.order_date  
)  
SELECT  
    ROUND(AVG(total_pizzas_per_day), 0) AS avg_pizzas_ordered_per_day  
FROM daily_pizza_totals;
```

SQL> SELECT AVG(pizzas_ordered_per_day) FROM pizza_order;

avg_pizzas_ordered_per_day
138

```
-- 5. Top 3 Most Ordered Pizza Types Based on Revenue
SELECT
    pizza_types.name,
    ROUND(SUM(order_details.quantity * pizzas.price), 2) AS total_revenue
FROM pizza_types
JOIN pizzas
ON pizza_types.pizza_type_id = pizzas.pizza_type_id
JOIN order_details
ON pizzas.pizza_id = order_details.pizza_id
GROUP BY pizza_types.name
ORDER BY total_revenue DESC
LIMIT 3;
```

name	total_revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42768
The California Chicken Pizza	41409.5

-- 1. Percentage Contribution of Each Category Type to Total Revenue

SELECT

 pizza_types.category,

 ROUND(SUM(order_details.quantity * pizzas.price), 2) AS revenue,

 ROUND(

 (SUM(order_details.quantity * pizzas.price) /

 (SELECT SUM(order_details.quantity * pizzas.price)

 FROM order_details

 JOIN pizzas

 ON order_details.pizza_id = pizzas.pizza_id)

) * 100, 2) AS revenue_percentage

FROM pizza_types

JOIN pizzas

ON pizza_types.pizza_type_id = pizzas.pizza_type_id

JOIN order_details

ON pizzas.pizza_id = order_details.pizza_id

GROUP BY pizza_types.category

ORDER BY revenue_percentage DESC;

category	revenue	revenue_percentage
Classic	220053.1	26.91
Supreme	208197	25.46
Chicken	195919.5	23.96
Veggie	193690.45	23.68

-- 2. Cumulative Revenue Generated Over Time

```
WITH daily_revenue AS (  
    SELECT  
        orders.order_date AS order_date,  
        ROUND(SUM(order_details.quantity * pizzas.price), 2) AS revenue  
    FROM orders  
    JOIN order_details  
    ON orders.order_id = order_details.order_id  
    JOIN pizzas  
    ON order_details.pizza_id = pizzas.pizza_id  
    GROUP BY orders.order_date  
)  
SELECT  
    order_date,  
    revenue,  
    ROUND(SUM(revenue) OVER (ORDER BY order_date), 2) AS cumulative_revenue  
FROM daily_revenue;
```

order_date	revenue	cumulative_revenue
2015-01-01	2713.85	2713.85
2015-01-02	2731.9	5445.75
2015-01-03	2662.4	8108.15
2015-01-04	1755.45	9863.6
2015-01-05	2065.95	11929.55
2015-01-06	2428.95	14358.5
2015-01-07	2202.2	16560.7
2015-01-08	2838.35	19399.05
2015-01-09	2127.35	21526.4
2015-01-10	2463.95	23990.35
2015-01-11	1872.3	25862.65
2015-01-12	1919.05	27781.7
2015-01-13	2049.6	29831.3
2015-01-14	2527.4	32358.7
2015-01-15	1984.8	34343.5
2015-01-16	2594.15	36937.65
2015-01-17	2064.1	39001.75
2015-01-18	1976.85	40978.6
2015-01-19	2387.15	43365.75
2015-01-20	2397.9	45763.65

-- 3. Top 3 Most Ordered Pizza Types Based on Revenue for Each Category

```
WITH category_pizza_revenue AS (  
    SELECT  
        pizza_types.category,  
        pizza_types.name,  
        ROUND(SUM(order_details.quantity * pizzas.price), 2) AS revenue,  
        DENSE_RANK() OVER (  
            PARTITION BY pizza_types.category  
            ORDER BY SUM(order_details.quantity * pizzas.price) DESC  
        ) AS rank_num  
    FROM pizza_types  
    JOIN pizzas  
    ON pizza_types.pizza_type_id = pizzas.pizza_type_id  
    JOIN order_details  
    ON pizzas.pizza_id = order_details.pizza_id  
    GROUP BY pizza_types.category, pizza_types.name  
)  
SELECT  
    category,  
    name,  
    revenue,  
    rank_num  
FROM category_pizza_revenue  
WHERE rank_num <= 3  
ORDER BY category, rank_num;
```

category	name	revenue	rank_num
Chicken	The Thai Chicken Pizza	43434.25	1
Chicken	The Barbecue Chicken Pizza	42768	2
Chicken	The California Chicken Pizza	41409.5	3
Classic	The Classic Deluxe Pizza	38180.5	1
Classic	The Hawaiian Pizza	32273.25	2
Classic	The Pepperoni Pizza	30161.75	3
Supreme	The Spicy Italian Pizza	34831.25	1
Supreme	The Italian Supreme Pizza	33476.75	2
Supreme	The Sicilian Pizza	30940.5	3
Veggie	The Four Cheese Pizza	32265.7	1
Veggie	The Mexicana Pizza	26780.75	2
Veggie	The Five Cheese Pizza	26066.5	3