

C++ Assignment Solutions Loops 1 Week2

1. Print all the odd numbers from 1 to 100.

Solution:

```
#include <bits/stdc++.h>
using namespace std;

int main() {
    for (int i = 1; i <= 100; i += ) {
        cout << i << " ";
    }
}</pre>
```

 2 ·Print all numbers from 1 to 100 that are divisible by 3

Solution:

```
#include <bits/stdc++.h>
using namespace std;

int main() {
    for (int i = 3; i <= 100; i += 3) {
        cout << i << " ";
    }
}</pre>
```

³Print the table of 'n'. Here 'n' is an integer which the user will input.

Solution:

```
#include <bits/stdc++.h> using namespace std;
```

```
int main() {
      int n;
      cin >> n;
      for (int i = 1; i <= 100; i++) { cout << n*i << "
      }
 }
^{4} Display this AP - 4,7,10,13,16.. upto 'n' terms.
Solution:
 #include <bits/stdc++.h>
 using namespace std;
 int main() {
      int n;
      cin >> n;
      int start = 4, d = 3;
      while (n--) {
           cout << start << " ";
           start += 3;
      }
 }
^{5} Display this GP - 3,12,48,.. upto 'n' terms.
Solution:
 #include <bits/stdc++.h>
 using namespace std;
 int main() {
      int n;
      cin >> n;
      int start = 3, r = 4;
      while (n--) {
           cout << start << " ";
           start *= r;
```

}

}

⁶ Write a program to print all the ASCII values and their equivalent characters of 26 alphabets using a while loop.

```
#include <bits/stdc++.h>
using namespace std;

int main() {
    int n;
    cin >> n;
    int i = 0;
    while (i < 26) {
        cout << "ASCII value of " << (char)(i + 'A') << " is " << (int)(i + 'A') << endl;
        i++;
    }
}</pre>
```

©