

SQL Question 70

CREATE TABLE Queries:

```
CREATE TABLE animals (  
    id SMALLINT,  
    name VARCHAR(64)  
);
```

```
CREATE TABLE tracklog (  
    animal_id SMALLINT,  
    tracked_at VARCHAR(19)  
);
```

INSERT INTO animals:

```
INSERT INTO animals (id, name) VALUES  
(1, 'Blue and yellow macaw'),  
(2, 'Jungle kangaroo'),  
(3, 'Stork, woolly-necked'),  
(4, 'North American river otter'),  
(5, 'Square-lipped rhinoceros'),  
(6, 'Black-fronted bulbul'),  
(7, 'American beaver'),  
(8, 'Capybara'),  
(9, 'Black-backed jackal'),
```

(10, 'Dragon, ornate rock'),
(11, 'Wombat, southern hairy-nosed'),
(12, 'Snake, carpet'),
(13, 'Egyptian cobra'),
(14, 'Green heron'),
(15, 'Indian star tortoise'),
(16, 'Roan antelope'),
(17, 'Rhea, common'),
(18, 'Fairy penguin'),
(19, 'Black-eyed bulbul'),
(20, 'Starling, cape');

INSERT INTO tracklog:

INSERT INTO tracklog (animal_id, tracked_at) VALUES

(2, '2021-07-08 12:30:34'),
(5, '2021-09-15 03:00:04'),
(8, '2021-12-14 11:20:50'),
(9, '2021-05-15 14:54:15'),
(11, '2021-07-03 17:04:14'),
(11, '2021-02-23 09:02:11'),
(15, '2021-11-02 22:49:37'),
(15, '2021-07-31 04:51:25'),
(15, '2021-06-06 14:57:23'),
(19, '2021-03-25 02:00:31'),
(19, '2021-04-21 22:02:51'),

(19, '2021-07-17 17:12:35'),
(21, '2021-05-06 03:35:59'),
(22, '2021-09-21 22:49:36'),
(22, '2021-04-04 00:26:29'),
(24, '2021-12-27 08:19:52'),
(26, '2021-05-14 07:30:11'),
(28, '2021-06-08 00:47:00'),
(28, '2021-04-24 00:42:31'),
(30, '2021-05-06 21:03:03');