

Out[20]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income
...	...	...	...	...	...
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income
191	South Africa	ZAF	20.850	46.5	Upper middle income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income
194	Zimbabwe	ZWE	35.715	18.5	Low income

195 rows × 5 columns

In [21]:

df.head(2)

Out[21]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income

In [52]:

df.head(3)

Out[52]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income

In [22]:

df.describe()

Out[22]:

	BirthRate	InternetUsers
count	195.000000	195.000000
mean	21.469928	42.076471
std	10.605467	29.030788
min	7.900000	0.900000
25%	12.120500	14.520000
50%	19.680000	41.000000
75%	29.759500	66.225000
max	49.661000	96.546800

In [23]:

df.head(1)

Out[23]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income

In [24]:

df['CountryName']

```
Out[24]: 0          Aruba
          1      Afghanistan
          2          Angola
          3          Albania
          4      United Arab Emirates
          ...
          190      Yemen, Rep.
          191      South Africa
          192      Congo, Dem. Rep.
          193          Zambia
          194          Zimbabwe
          Name: CountryName, Length: 195, dtype: object
```

```
In [25]: df['CountryCode']
```

```
Out[25]: 0      ABW
          1      AFG
          2      AGO
          3      ALB
          4      ARE
          ...
          190     YEM
          191     ZAF
          192     COD
          193     ZMB
          194     ZWE
          Name: CountryCode, Length: 195, dtype: object
```

```
In [27]: df[['CountryName', 'CountryCode', 'IncomeGroup']]
```

Out[27]:

	CountryName	CountryCode	IncomeGroup
0	Aruba	ABW	High income
1	Afghanistan	AFG	Low income
2	Angola	AGO	Upper middle income
3	Albania	ALB	Upper middle income
4	United Arab Emirates	ARE	High income
...	...	...	...
190	Yemen, Rep.	YEM	Lower middle income
191	South Africa	ZAF	Upper middle income
192	Congo, Dem. Rep.	COD	Low income
193	Zambia	ZMB	Lower middle income
194	Zimbabwe	ZWE	Low income

195 rows × 3 columns

```
In [28]: df_cat = df[['CountryName', 'CountryCode', 'IncomeGroup']]
          df_cat
```

Out[28]:

	CountryName	CountryCode	IncomeGroup
0	Aruba	ABW	High income
1	Afghanistan	AFG	Low income
2	Angola	AGO	Upper middle income
3	Albania	ALB	Upper middle income
4	United Arab Emirates	ARE	High income
...	...	...	...
190	Yemen, Rep.	YEM	Lower middle income
191	South Africa	ZAF	Upper middle income
192	Congo, Dem. Rep.	COD	Low income
193	Zambia	ZMB	Lower middle income
194	Zimbabwe	ZWE	Low income

195 rows × 3 columns

In [29]: print(len(df.columns))  
print(len(df\_cat.columns))

5  
3

In [30]: print((df.columns))  
  
Index(['CountryName', 'CountryCode', 'BirthRate', 'InternetUsers',  
 'IncomeGroup'],  
 dtype='object')

In [31]: df\_cat.describe()

Out[31]:

	CountryName	CountryCode	IncomeGroup
count	195	195	195
unique	195	195	4
top	Aruba	ABW	High income
freq	1	1	67

In [32]: df\_num = df[['BirthRate', 'InternetUsers']]  
df\_num

Out[32]:

	BirthRate	InternetUsers
0	10.244	78.9
1	35.253	5.9
2	45.985	19.1
3	12.877	57.2
4	11.044	88.0
...	...	...
190	32.947	20.0
191	20.850	46.5
192	42.394	2.2
193	40.471	15.4
194	35.715	18.5

195 rows × 2 columns

In [33]: df.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 195 entries, 0 to 194
Data columns (total 5 columns):
#   Column          Non-Null Count  Dtype
---  -
0   CountryName     195 non-null   object
1   CountryCode     195 non-null   object
2   BirthRate       195 non-null   float64
3   InternetUsers   195 non-null   float64
4   IncomeGroup     195 non-null   object
dtypes: float64(2), object(3)
memory usage: 7.7+ KB
```

In [34]: df\_cat.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 195 entries, 0 to 194
Data columns (total 3 columns):
#   Column          Non-Null Count  Dtype
---  -
0   CountryName     195 non-null   object
1   CountryCode     195 non-null   object
2   IncomeGroup     195 non-null   object
dtypes: object(3)
memory usage: 4.7+ KB
```

In [35]: df\_num.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 195 entries, 0 to 194
Data columns (total 2 columns):
#   Column          Non-Null Count  Dtype
---  -
0   BirthRate       195 non-null   float64
1   InternetUsers   195 non-null   float64
dtypes: float64(2)
memory usage: 3.2 KB
```

In [36]: df.describe()

Out[36]:

	BirthRate	InternetUsers
count	195.000000	195.000000
mean	21.469928	42.076471
std	10.605467	29.030788
min	7.900000	0.900000
25%	12.120500	14.520000
50%	19.680000	41.000000
75%	29.759500	66.225000
max	49.661000	96.546800

In [38]:

```
df.describe().transpose()
```

Out[38]:

	count	mean	std	min	25%	50%	75%	max
BirthRate	195.0	21.469928	10.605467	7.9	12.1205	19.68	29.7595	49.6610
InternetUsers	195.0	42.076471	29.030788	0.9	14.5200	41.00	66.2250	96.5468

In [39]:

```
df.describe().T
```

Out[39]:

	count	mean	std	min	25%	50%	75%	max
BirthRate	195.0	21.469928	10.605467	7.9	12.1205	19.68	29.7595	49.6610
InternetUsers	195.0	42.076471	29.030788	0.9	14.5200	41.00	66.2250	96.5468

In [40]:

```
df.columns
```

Out[40]:

```
Index(['CountryName', 'CountryCode', 'BirthRate', 'InternetUsers',  
      'IncomeGroup'],  
      dtype='object')
```

In [41]:

```
df.columns = ['a', 'b', 'c', 'd', 'e']
```

In [42]:

```
df.head(1)
```

Out[42]:

	a	b	c	d	e
0	Aruba	ABW	10.244	78.9	High income

In [44]:

```
df.columns = ['CountryName', 'CountryCode', 'BirthRate', 'InternetUsers',  
             'IncomeGroup']  
df.head(1)
```

Out[44]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income

In [46]:

```
df[['CountryCode', 'BirthRate', 'InternetUsers']][4:8]
```

Out[46]:

	CountryCode	BirthRate	InternetUsers
4	ARE	11.044	88.0
5	ARG	17.716	59.9
6	ARM	13.308	41.9
7	ATG	16.447	63.4

In [47]:

```
df[4:8][['CountryCode', 'BirthRate', 'InternetUsers']]
```

Out[47]:

	CountryCode	BirthRate	InternetUsers
4	ARE	11.044	88.0
5	ARG	17.716	59.9
6	ARM	13.308	41.9
7	ATG	16.447	63.4

In [48]:

```
df.columns
```

Out[48]:

Index(['CountryName', 'CountryCode', 'BirthRate', 'InternetUsers',  
 'IncomeGroup'],  
 dtype='object')

In [50]:

```
df.BirthRate * df.InternetUsers
```

Out[50]:

0 808.2516  
1 207.9927  
2 878.3135  
3 736.5644  
4 971.8720  
...  
190 658.9400  
191 969.5250  
192 93.2668  
193 623.2534  
194 660.7275  
Length: 195, dtype: float64

In [51]:

```
df.head(2)
```

Out[51]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income

In [53]:

```
df['newcolumn'] = df.BirthRate * df.InternetUsers
```

In [54]:

```
df.head(5)
```

Out[54]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup	newcolumn
0	Aruba	ABW	10.244	78.9	High income	808.2516
1	Afghanistan	AFG	35.253	5.9	Low income	207.9927
2	Angola	AGO	45.985	19.1	Upper middle income	878.3135
3	Albania	ALB	12.877	57.2	Upper middle income	736.5644
4	United Arab Emirates	ARE	11.044	88.0	High income	971.8720

In [56]:

```
len(df.columns)
```

Out[56]:

6

In [57]:

```
df = df.drop('newcolumn',axis = 1)
```

In [58]:

```
df.head(1)
```

Out[58]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income

```
In [59]: df
```

Out[59]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
0	Aruba	ABW	10.244	78.9	High income
1	Afghanistan	AFG	35.253	5.9	Low income
2	Angola	AGO	45.985	19.1	Upper middle income
3	Albania	ALB	12.877	57.2	Upper middle income
4	United Arab Emirates	ARE	11.044	88.0	High income
...	...	...	...	...	...
190	Yemen, Rep.	YEM	32.947	20.0	Lower middle income
191	South Africa	ZAF	20.850	46.5	Upper middle income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income
194	Zimbabwe	ZWE	35.715	18.5	Low income

195 rows × 5 columns

```
In [60]: df.InternetUsers<2
```

Out[60]:

0	False
1	False
2	False
3	False
4	False
...	
190	False
191	False
192	False
193	False
194	False

Name: InternetUsers, Length: 195, dtype: bool

```
In [61]: df[df.InternetUsers<2]
```

Out[61]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
11	Burundi	BDI	44.151	1.3	Low income
52	Eritrea	ERI	34.800	0.9	Low income
55	Ethiopia	ETH	32.925	1.9	Low income
64	Guinea	GIN	37.337	1.6	Low income
117	Myanmar	MMR	18.119	1.6	Lower middle income
127	Niger	NER	49.661	1.7	Low income
154	Sierra Leone	SLE	36.729	1.7	Low income
156	Somalia	SOM	43.891	1.5	Low income
172	Timor-Leste	TLS	35.755	1.1	Lower middle income

```
In [62]: len(df[df.InternetUsers<2])
```

Out[62]: 9

```
In [63]: df.BirthRate>40
```

```
Out[63]: 0      False
         1      False
         2       True
         3      False
         4      False
         ...
        190     False
        191     False
        192      True
        193      True
        194     False
        Name: BirthRate, Length: 195, dtype: bool
```

```
In [64]: df[df.BirthRate>40]
```

Out[64]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
2	Angola	AGO	45.985	19.1	Upper middle income
11	Burundi	BDI	44.151	1.3	Low income
14	Burkina Faso	BFA	40.551	9.1	Low income
65	Gambia, The	GMB	42.525	14.0	Low income
115	Mali	MLI	44.138	3.5	Low income
127	Niger	NER	49.661	1.7	Low income
128	Nigeria	NGA	40.045	38.0	Lower middle income
156	Somalia	SOM	43.891	1.5	Low income
167	Chad	TCD	45.745	2.3	Low income
178	Uganda	UGA	43.474	16.2	Low income
192	Congo, Dem. Rep.	COD	42.394	2.2	Low income
193	Zambia	ZMB	40.471	15.4	Lower middle income

```
In [67]: Filter = df.InternetUsers < 2
```

```
In [68]: Filter2 = df.BirthRate > 40
```

```
In [69]: df[Filter & Filter2]
```

Out[69]:

	CountryName	CountryCode	BirthRate	InternetUsers	IncomeGroup
11	Burundi	BDI	44.151	1.3	Low income
127	Niger	NER	49.661	1.7	Low income
156	Somalia	SOM	43.891	1.5	Low income

```
In [ ]:
```