

Week 4:
Name: Kathayat Dharendra
Student ID: 202599110

```
practice.cpp > main()
1  #include<iostream>
2  using namespace std;
3
4  int main(){
5      int x, count = 0;
6      float sum = 0.0;
7      cout<<"Enter some Integers:\n (Break with any Letter)";
8      while(cin>>x){
9          sum +=x;
10         ++count;
11     }
12     cout<<"Average:"<<sum/count <<endl;
13     return 0;
14 }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\user-34\Desktop\Dhiren> cd "c:\Users\user-34\Desktop\Dhiren\" ; if ($?) { g++ practice.cpp -o practice } ; if ($?) { .\practice }
Enter some Integers:
(Break with any Letter)10
20
30
a
Average:20
PS C:\Users\user-34\Desktop\Dhiren>
```

```
while.cpp > main()
1  #include<iostream>
2  #include<iomanip>
3  using namespace std;
4
5  int main(){
6      double rate = 1.15;
7      int euro =1;
8      cout<<fixed <<setprecision(2);
9      cout<<"\t Euro \t Dollar\n";
10     while(euro <=5 ){
11         cout<<"\t"<<euro <<"\t" << euro *rate <<endl;
12         euro ++;
13     }
14
15     return 0;
16 }
17
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\user-34\Desktop\Dhiren> cd "c:\Users\user-34\Desktop\Dhiren\" ; if ($?) { g++ while.cpp -o while } ; if ($?) { .\while }
Euro    Dollar
1       1.15
2       2.30
3       3.45
4       4.60
5       5.75
PS C:\Users\user-34\Desktop\Dhiren>
```

```
forloop.cpp > ...
1  #include<iostream>
2  #include<iomanip>
3  using namespace std;
4
5  int main(){
6      double rate = 1.15;
7      cout<<fixed <<setprecision(2);
8      cout<<"\tEuro \tDollar"<<endl;
9      for(int euro =1; euro <=5; ++euro)
10         cout<<"\t"<<euro <<"\t" << euro *rate <<endl;
11     return 0;
12 }
13
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\user-34\Desktop\Dhiren> cd "c:\Users\user-34\Desktop\Dhiren\" ; if ($?) { g++ forloop.cpp -o forloop } ; if ($?) { .\forloop }
Euro    Dollar
1       1.15
2       2.30
3       3.45
4       4.60
5       5.75
PS C:\Users\user-34\Desktop\Dhiren>
```

```
dolloreuroexchange.cpp > main()
1  #include<iostream>
2  #include<iomanip>
3  using namespace std;
4
5  int main(){
6      long euro, maxEuro;
7      double rate;
8      cout<<"\n *** TABLE OF EXCHANGE Euro-US-$ *****"<<endl;
9      cout<<"Please enter rate of exchange"<<endl;
10     cin>>rate;
11     cout<<"Please Enter Maximum Euro:"<<endl;
12     cin>>maxEuro;
13     cout<<endl<<setw(12)<<"Euro"<<setw(20)<<"US-$"<<setw(10) <<"Rate: " <<rate <<endl;
14     cout<<fixed <<setprecision(2)<<endl;
15     long lower, upper, step;
16     for(lower =1, step= 1; lower<=maxEuro; step*=10, lower = 2*step)
17         for(euro = lower, upper= step*10; euro<=upper && euro<=maxEuro; euro+=step)
18             cout<<setw(12)<<euro <<setw(20)<<euro*rate<<endl;
19     return 0;
20 }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\user-34\Desktop\Dhiren> cd "c:\Users\user-34\Desktop\Dhiren\" ; if ($?) { g++ dolloreuroexchange.cpp -o dolloreuroexchange } ; if ($?) { .\dolloreuroexchange }
*** TABLE OF EXCHANGE Euro-US-$ *****
Please enter rate of exchange
1.1
Please Enter Maximum Euro:
10
Euro          US-$      Rate: 1.1
1             1.10
2             2.20
3             3.30
4             4.40
5             5.50
6             6.60
7             7.70
8             8.80
9             9.90
10            11.00
PS C:\Users\user-34\Desktop\Dhiren>
```

```

dowhile Loading...
1  #include<iostream>
2  #include<iomanip>
3  using namespace std;
4  const long delay = 1000000L;
5  int main(){
6      int tic;
7      cout<<"\nHow often should the tone be output?";
8      cin>>tic;
9      do{
10         for(long i =0; i<delay; ++i);
11         cout<<"Now the tone!\a"<<endl;
12     }
13     while(--tic>0);
14 }
15

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\Users\user-34\Desktop\Dhiren> cd "c:\Users\user-34\Desktop\Dhiren\" ; if ($?) { g++ dowhile.cpp -o dowhile } ; if ($?) { .\dowhile }

How often should the tone be output?5
Now the tone!
Now the tone!
Now the tone!
Now the tone!
Now the tone!
Now the tone!
PS C:\Users\user-34\Desktop\Dhiren>
```

```

if_else.cpp > main()
1  #include<iostream>
2  using namespace std;
3  int main(){
4      float x,y, min;
5      cout<<"Enter 2 numbers:"<<endl;
6      if(cin>>x && cin>>y){
7          if (x < y){
8              min = x;
9          }
10         else{
11             min = y;
12         }
13         cout<<"The min number is:"<<min;
14     }
15     else
16         cout<<"invalid input";
17     return 0;
18 }

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\Users\user-34\Desktop\Dhiren> cd "c:\Users\user-34\Desktop\Dhiren\" ; if ($?) { g++ if_else.cpp -o if_else } ; if ($?) { .\if_else }
Enter 2 numbers:
2
1.99999
The min number is:1.99999
PS C:\Users\user-34\Desktop\Dhiren>
```

fine.cpp > main()

```
1  #include<iostream>
2  #include<iomanip>
3  using namespace std;
4  int main(){
5      float limit, speed, tooFast;
6      cout<<"\nSpeed Limit:";
7      cin>>limit;
8      cout<<"\nSpeed:";
9      cin>>speed;
10     if((tooFast = speed-limit)<10)
11         cout<<"You were Lucky";
12     else if(tooFast<20)
13         cout<<"-40$ Fine ";
14     else if(tooFast<30)
15         cout<<"-80$ Fine";
16     else
17         cout<<"Please Kindly Hand over your Driving License";
18     return 0;
19 }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS C:\Users\user-34\Desktop\Dhiren> cd "c:\Users\user-34\Desktop\Dhiren\" ; if (\$?) { g++ if_else.cpp -o if_else } ; if (\$?) { .\if_else }

Enter 2 numbers:

2

1.99999

The min number is:1.99999

PS C:\Users\user-34\Desktop\Dhiren> cd "c:\Users\user-34\Desktop\Dhiren\" ; if (\$?) { g++ fine.cpp -o fine } ; if (\$?) { .\fine }

Speed Limit:500

Speed:550

Please Kindly Hand over your Driving License

PS C:\Users\user-34\Desktop\Dhiren>