Started on	Saturday, 9 November 2024, 11:45 PM
State	Finished
Completed on	Saturday, 9 November 2024, 11:48 PM
Time taken	2 mins 57 secs
Marks	11.00/11.00
Grade	**100.00** out of 100.00
Name	DHIRU BHAI 730423104017

Question 1

Correct

Mark 1.00 out of 1.00

In inner join, result is produced by matching rows in one table with rows in another table.

Select one:

- True ✔
- False

The correct answer is 'True'.

Question 2

Correct

Mark 1.00 out of 1.00

The join where all possible row combinations are produced is called _____

- A. INNER JOIN
- B. OUTER
- C. NATURAL
- D. CARTESIAN ✔

The correct answer is:
CARTESIAN

Question 3

Correct

Mark 1.00 out of 1.00

The clause that filters JOIN results is called _____

- A. WHERE ✔
- B. SORT
- C. GROUP
- D. GROUP BY

The correct answer is:
WHERE

Question 4

Correct

Mark 1.00 out of 1.00

Which is a join condition contains an equality operator?

- A. Equijoins ✔
- B. Cartesian
- C. Both Equijoins and Cartesian
  Both Equijoins and Cartesian
  Both Equijoins and Cartesian
  Both Equijoins and Cartesian
  Both Equijoins and Cartesian
- D. None

The correct answer is:
Equijoins

Question 5

Correct

Mark 1.00 out of 1.00

The left and right joins are also known as _____

- A. INNER JOIN
- B. NATURAL JOIN
- C. OUTER JOIN ✔
- D. CARTESIAN JOIN

The correct answer is:
OUTER JOIN

Question 6

Correct

Mark 1.00 out of 1.00

The comma operator can also be used to join tables.

Select one:

- True ✔
- False

The correct answer is 'True'.

Question 7

Correct

Mark 1.00 out of 1.00

What is joining a table to itself called?

- A. COMPLETE
- B. SELF ✔
- C. OBSOLETE
- D. CROSS

The correct answer is:
SELF

Question 8

Correct

Mark 1.00 out of 1.00

Which join refers to join records from the write table that have no matching key in the left table are include in the result set:

- A. Left outer join
- B. Right outer join ✔
- C. Full outer join
- D. None of the above

The correct answer is:
Right outer join

Question 9

Correct

Mark 1.00 out of 1.00

Relation R1 has 10 tuples and 5 attributes. Relation R2 has 0 tuples and 7 attributes. When a CROSS JOIN is achieved between R1 and R2, how many tuples would the resultant set have?

- A. 28
- B. 10
- C. 0 ✔
- D. 35

The correct answer is:
0

Question 10

Correct

Mark 1.00 out of 1.00

Which join is to be used between two tables A and B when the resultant table needs rows from A and B that matches the condition and rows from A that does not match the condition?

- A. Outer Join ✔
- B. Cross Join
- C. Inner Join
- D. None of the above

The correct answer is:
Outer Join

Question 11

Correct

Mark 1.00 out of 1.00

Which of the following conditions has to be satisfied for INNER JOIN to work?

- A. Columns used for joining must have same name
- B. Columns used for joining can have same or different name ✔
- C. Columns used for joining must have different names
- D. Columns used for joining must have different names

The correct answer is:
Columns used for joining can have same or different name