Started on	Wednesday, 16 October 2024, 9:05 PM
State	Finished
Completed on	Wednesday, 16 October 2024, 9:22 PM
Time taken	16 mins 23 secs
Marks	20.00/20.00
Grade	**100.00** out of 100.00
Name	DHIRU BHAI 730423104017

Question 1

Correct

Mark 10.00 out of 10.00

Write a java program as mentioned below.

- Create a class named 'Animal' which includes methods like eat() and sleep().
- Create a child class of Animal named 'Bird' and override the parent class methods. Add a new method named fly().
- Create another Test with main method and Create an instance of Animal class and invoke the eat and sleep methods using this object. Create an instance of Bird class and invoke the eat, sleep and fly methods using this object.

Note: Refer sample output to include print statements in the respective methods.

For example:

Test	Result
/*TC 1*/	Animal Eats Animal Sleeps Bird Eats Bird Sleeps Bird flies

Answer: (penalty regime: 0 %)

```
class Animal{
    public void eat()
    {
        System.out.println("Animal Eats");
    }
    public void sleep()
    {
        System.out.println("Animal Sleeps");
    }
}
    class Bird extends Animal
    {
        public void eat()
        {
            System.out.println("Bird Eats");
        }
        public void sleep()
        {
            System.out.println("Bird Sleeps");

        }
        public void fly()
        {
           System.out.println("Bird flies");
        }
    }
        public class main
        {
            public static void main(String[] args)
            {
                Animal a=new Animal();
                a.eat();
                a.sleep();
                Bird b=new Bird();
                b.eat();
                b.sleep();
                b.fly();
            }
        }
```

```
43
44
45
46
47
48
49
50
```

	Test	Expected	Got	
✔	/*TC 1*/	Animal Eats Animal Sleeps Bird Eats Bird Sleeps Bird flies	Animal Eats Animal Sleeps Bird Eats Bird Sleeps Bird flies	✔

Passed all tests! ✔

▸ **Show/hide question author's solution (Java)**

Correct

Marks for this submission: 10.00/10.00.

Question 2

Correct

Mark 10.00 out of 10.00

Write the following code in your editor below:

1. A class named **Arithmetic** with a method named *add* that takes 2 integers as parameters and returns an integer denoting their sum.
2. A class named **Adder** that inherits from a superclass named **Arithmetic**.

Note: Your classes should not be public.

Input Format

You are not responsible for reading any input using Scanner class; a locked code stub will test your submission by calling the **add** method on an **Adder** object and passing it 2 integer parameters.

Output Format

You are not responsible for printing anything to Print statement. Your *add* method must return the sum of its parameters.

Sample Input

10 32

Sample Output

The **main** method in the **Solution** class above should print the following:

```
My superclass is: Arithmetic
42
```

For example:

Input	Result
10 32	My superclass is: Arithmetic 42
10 10	My superclass is: Arithmetic 20

Answer: (penalty regime: 0 %)

Reset answer

```
import java.io.*;
import java.util.*;

class Arithmetic
{
public int add(int a,int b)
{
int sum=a+b;
return sum;
}
}
class Adder extends Arithmetic{
}

public class Solution
{
    public static void main(String []args)
    {
        Adder a = new Adder();
        Scanner sc = new Scanner(System.in);
        int iNum1 = sc.nextInt();
        int iNum2 = sc.nextInt();
        System.out.println("My superclass is: " + a.getClass().getSuperclass().getName());
```

```
24          System.out.print(a.add(iNum1,iNum2));
25      }
26  }
27
```

	Input	Expected	Got	
✔	10 32	My superclass is: Arithmetic 42	My superclass is: Arithmetic 42	✔
✔	10 10	My superclass is: Arithmetic 20	My superclass is: Arithmetic 20	✔

Passed all tests! ✔

Correct

Marks for this submission: 10.00/10.00.