Started on	Wednesday, 11 September 2024, 2:14 PM
State	Finished
Completed on	Wednesday, 25 September 2024, 9:27 PM
Time taken	14 days 7 hours
Grade	**100.00** out of 100.00
Name	DHIRU BHAI 730423104017

Question 1

Correct

Mark 10.00 out of 10.00

Read a string and capitalize the first character of a string

For example:

Input	Result
hello	Hello
Hai	Hai

Answer: (penalty regime: 0 %)

```
import java.util.Scanner;
public class CapitalizeFirstLetter
{
    public static void main(String[] args)
    {
        Scanner s=new Scanner (System.in);
        String a=s.nextLine();
        if(a != null && a.length()>0)
        {
            String capitalized = a.substring(0, 1).toUpperCase() + a.substring(1);
            System.out.println("" + capitalized);
        }
    }
}
```

	Input	Expected	Got	
✔	hello	Hello	Hello	✔
✔	Hai	Hai	Hai	✔
✔	India	India	India	✔

Passed all tests! ✔

Correct

Marks for this submission: 10.00/10.00.

Question 2

Correct

Mark 10.00 out of 10.00

Printing pattern "PROGRAM" as right-angled triangle.

P

PR

PRO

PROG

PROGR

PROGRA

PROGRAM

For example:

Result
P PR PRO PROG PROGR PROGRA PROGRAM

Answer: (penalty regime: 0 %)

```
import java.util.*;
public class Main
{
    public static void main(String[]args)
    {
        String word = "PROGRAM";
        printRightAngleTriangle(word);
    }
    public static void printRightAngleTriangle(String word)
    {
        for (int i=0; i< word.length();i++)
        {
            for(int j=0;j<=i; j++)
            {
                System.out.print(word.charAt(j));
            }
            System.out.println();
        }
    }
}
```

	Expected	Got	
✔	P PR PRO PROG PROGR PROGRA PROGRAM	P PR PRO PROG PROGR PROGRA PROGRAM	✔

Passed all tests! ✔

Correct

Marks for this submission: 10.00/10.00.

Question 3

Correct

Mark 10.00 out of 10.00

Write a program to add only odd elements in the array

NOTE: Add an element to total only if it is an odd number

For example:

Input	Result
5 3 4 12 5 8	8
5 1 3 5 7 9	25
5 2 4 6 8 10	0

Answer: (penalty regime: 0 %)

```
import java.util.*;
class prog
{
    public static void main(String[] args) {
        Scanner s= new Scanner(System.in);
        int n,i=0,Sum=0;
        n=s.nextInt();
        int arr[]=new int[n];
        for (i=0; i<n;i++)
        {
            arr[i]=s.nextInt();
            if(arr[i]%2!=0)
            {
                Sum=Sum+arr[i];

            }
        }
        System.out.println(Sum);
    }
}
```

	Input	Expected	Got	
✔	5 3 4 12 5 8	8	8	✔
✔	5 1 3 5 7 9	25	25	✔
✔	5 2 4 6 8 10	0	0	✔

Passed all tests! ✔

Correct

Marks for this submission: 10.00/10.00.

Question 4

Correct

Mark 10.00 out of 10.00

Write a program to add only the positive elements in the array

For example:

Input	Result
5 10 -20 30 -40 50	90
6 10 20 30 -40 -50 -60	60

Answer: (penalty regime: 0 %)

```
import java.util.Scanner;
public class PstiveSum
{
    public static void main(String[] args)
    {
        Scanner s= new Scanner(System.in);
        int size = s.nextInt();
        int[] array = new int[size];
        for (int i =0; i< size; i++)
        {
            array[i] = s.nextInt();
        }
        int sum =0;
        for(int num : array)
        {
            if(num > 0)
            {
                sum+=num;
            }
        }
        System.out.println("" + sum);
        }
    }
```

	Input	Expected	Got	
✔	5 10 -20 30 -40 50	90	90	✔
✔	6 10 20 30 -40 -50 -60	60	60	✔

Passed all tests! ✔

Correct

Marks for this submission: 10.00/10.00.

Question 5

Correct

Mark 10.00 out of 10.00

Write a program to print all Armstrong numbers between 1 to n.

An *Armstrong number* is a *n*-digit number that is equal to the sum of nth power of its digits. For example,
$6 = 6^1 = 6$
$371 = 3^3 + 7^3 + 1^3 = 371$

Example

Input

```
Enter lower limit: 1
Enter upper limit: 100
```

Output

```
Armstrong number between 1 to 1000 are:
1, 2, 3, 4, 5, 6, 7, 8, 9
```

Example

Input

```
1
500
```

Output

```
Armstrong number between 1 to 1000 are:
1 2 3 4 5 6 7 8 9 153 370 371
```

For example:

Input	Result
200 500	Armstrong number between 200 to 500 are: 370 371 407
100 500	Armstrong number between 100 to 500 are: 153 370 371 407

Answer: (penalty regime: 0 %)

Language java

```
import java.util.Scanner;

public class ArmstrongNumbers{
    public static void main (String[] args)
    {
        Scanner scanner= new Scanner(System.in);
        int n= scanner.nextInt();
        int m= scanner.nextInt();
        System.out.println("Armstrong number between " + n + " to "+ m + " are: ");
        for(int num=n;num<=m;num++)
        {
            if(isArmstrong(num))
            {
                System.out.print(num+ " ");

            }
        }
```

```
18
19      }
20      public static boolean isArmstrong(int num)
21      {
22          int org= num,sum=0;
23          int digits = Integer.toString(num).length();
24          while (num> 0)
25          {
26              int digit= num % 10;
27              sum+= Math.pow(digit, digits);
28              num/=10;
29          }
30          return sum== org;
31
32          }
33      }
34
35
```

	Input	Expected	Got	
✔	200 500	Armstrong number between 200 to 500 are: 370 371 407	Armstrong number between 200 to 500 are: 370 371 407	✔
✔	100 500	Armstrong number between 100 to 500 are: 153 370 371 407	Armstrong number between 100 to 500 are: 153 370 371 407	✔

Passed all tests! ✔

Correct

Marks for this submission: 10.00/10.00.

Question 6

Correct

Mark 10.00 out of 10.00

Write a program to display the words of a sentence in different lines

For example:

Input	Result
Hello! Good Morning	Hello! Good Morning
Hai there	Hai there

Answer: (penalty regime: 0 %)

```
import java.util.*;
public class PrintWords
{
    public static void main(String[] args)
    {
        Scanner s= new Scanner(System.in);
        String sentence =s.nextLine();
        String[] words = sentence.split(" ");
        for (String word: words)
        {
            System.out.println(word);
        }
    }
}
```

	Input	Expected	Got	
✔	Hello! Good Morning	Hello! Good Morning	Hello! Good Morning	✔
✔	Hai there	Hai there	Hai there	✔

Passed all tests! ✔

Correct

Marks for this submission: 10.00/10.00.

Question 7

Correct

Mark 10.00 out of 10.00

Write a program to hop one letter and print the string as given in the example below

For example:

Input	Result
string	srn
println	pitn

Answer: (penalty regime: 0 %)

Language java

```
import java.util.*;
public class HopLetters {

   public static void main(String[]args)
   {
       Scanner s=new Scanner(System.in);
       String input = s.nextLine();
       StringBuilder result= new StringBuilder();
       for (int i=0;i< input.length(); i+=2)
       {
           result.append(input.charAt(i));
       }
       System.out.println(""+result.toString());

       }
   }
```

	Input	Expected	Got	
✔	string	srn	srn	✔
✔	println	pitn	pitn	✔

Passed all tests! ✔

Correct

Marks for this submission: 10.00/10.00.

Question 8

Correct

Mark 10.00 out of 10.00

Design a program to count the number of occurrences of a particular digit present in a given number.

Input 1:

34567
4

Output 1:

1

Input 2:

3333
3

Output 2:
4

For example:

Input	Result
3333 3	4
3478 4	1

Answer: (penalty regime: 0 %)

Language java

```
import java.util.*;
public class Prog{
    public static void main(String[]arg){
        Scanner s=new Scanner(System.in);
        int n,r,ch,count=0;
        n=s.nextInt();
        ch=s.nextInt();
        while(n>0)
        {
            r=n%10;
            if(r==ch)
            {
                count++;
            }
            n=n/10;
        }
        System.out.println(count);
    }
}
```

	Input	Expected	Got	
✔	3333 3	4	4	✔
✔	3478 4	1	1	✔

Passed all tests! ✔

Correct

Marks for this submission: 10.00/10.00.

Question 9

Correct

Mark 10.00 out of 10.00

Write a program to add all digits of a given number

For example:

Input	Result
345	12
303	6

Answer: (penalty regime: 0 %)

Language java

```
import java.util.Scanner;
public class SumDigits
{
    public static void main(String[] args)
    {
        Scanner sc= new Scanner(System.in);
        int number= sc.nextInt();
        int sum=0;
        while(number != 0)
        {
            sum+=number %10;
            number/=10;
        }
        System.out.println(""+ sum);
    }
}
```

	Input	Expected	Got	
✔	345	12	12	✔
✔	303	6	6	✔

Passed all tests! ✔

Correct

Marks for this submission: 10.00/10.00.

Question 10

Correct

Mark 10.00 out of 10.00

Write a program to read n numbers and display the numbers in reverse order

Input:
5
10 30 20 50 43

Output:
43 50 20 30 10

For example:

Input	Result
5 10 20 40 30 50	50 30 40 20 10

Answer: (penalty regime: 0 %)

```
import java.util.Scanner;
public class RevereseAraay
{
    public static void main(String[] args)
    {
        Scanner sc = new Scanner(System.in);
        int n=sc.nextInt();
        int[] arr= new int[n];
        for (int i=0; i<n;i++)
        {
            arr[i]=sc.nextInt();
        }
           for(int i=n-1;i>=0; i--)
           {
        System.out.println(arr[i]);
           }
        }
    }

```

	Input	Expected	Got	
✔	5 10 20 40 30 50	50 30 40 20 10	50 30 40 20 10	✔
✔	7 8 7 5 3 4 2 1	1 2 4 3 5 7 8	1 2 4 3 5 7 8	✔

Passed all tests! ✔

Correct

Marks for this submission: 10.00/10.00.