




STUDENT ASSISTANT



A MINI PROJECT REPORT

Submitted by

DHIVAKAR S(2403737724321009)

DHARUNESH B(2403737724321008)

60 AD 402 – WEB TECHNOLOGY

BACHELOR OF TECHNOLOGY

In

Department of Artificial Intelligence and Data Science

K. S. RANGASAMY COLLEGE OF TECHNOLOGY

(An Autonomous Institution, affiliated to Anna University Chennai and Approved by AICTE, New Delhi)

TIRUCHENGODE – 637215

MAY 2026

K.S. RANGASAMY COLLEGE OF TECHNOLOGY
TIRUCHENGODE - 637 215

BONAFIDE CERTIFICATE

Certified that this project report titled "**STUDENT ASSISTANT**" is the bonafide work of **DHIVAKAR S(2403737724321009),DHARUNESH B (2403737724321008)**, who carried out the project under my supervision. Certified further, that to the best of my knowledge the work reported herein does not form part of any other project report or dissertation on the basis of which a degree or award was conferred on an earlier occasion on this or any other candidate.

SIGNATURE

Dr. S. SARUMATHI M.E., Ph.D.,

HEAD OF THE DEPARTMENT

Professor & Head

Department of Artificial

Intelligence and Data Science

K. S. Rangasamy College of Technology

Tiruchengode - 637215

ABSTRACT

The Pomodoro Timer Web Application is a productivity-based web application developed to help users manage their work and study time effectively using the Pomodoro Technique. The application provides a simple and interactive interface where users can start, pause, and reset timers for focused work sessions and scheduled breaks. The main objective of the project is to improve concentration, productivity, and time management by organizing work schedules digitally.

This project is developed using modern web technologies such as HTML, CSS, and JavaScript. The application is designed with a responsive and user-friendly interface, allowing users to access it easily from different devices and browsers. The timer functionality is implemented dynamically to provide smooth and efficient user interaction.

The system helps users maintain focus during work sessions while reducing distractions through proper break management. This project demonstrates the practical implementation of frontend web development concepts including responsive design, DOM manipulation, timer operations, and event handling. The Pomodoro Timer application is useful for students, employees, developers, and individuals who want to improve productivity and manage their tasks in a systematic and efficient manner.

TABLE OF CONTENTS

CHAPTER No.	TITLE	PAGE No.
	ABSTRACT	3
1	INTRODUCION	5
2	SYSTEM FLOW DIAGRAM	7
3	DATABASE DESIGN (SQL)	8
4	IMPLEMENTATION	15
5	CONCLUSION	26
6	REFERENCES	27

CHAPTER 1

INTRODUCTION

In today's fast-paced world, maintaining focus and managing time efficiently has become very important for students, employees, and professionals. People often face distractions and difficulties in completing tasks on time due to poor scheduling and lack of productivity management. To overcome this problem, a digital productivity management system can be used to organize work sessions and improve concentration effectively.

The Pomodoro Timer Web Application is a simple and efficient web-based application developed to help users manage their work and break sessions systematically. The application follows the Pomodoro Technique, where users work for a fixed duration and then take short breaks to maintain productivity and reduce mental stress. The application allows users to start, pause, reset, and manage timer sessions through an interactive and user-friendly interface.

This project is developed using web technologies such as HTML, CSS, and JavaScript. The application is designed with responsive web pages so that users can access it easily on different devices and browsers. JavaScript is used to implement dynamic timer functionality and real-time webpage updates.


The main aim of this project is to provide a simple platform for productivity and time management with better usability and accessibility. The project also demonstrates practical knowledge of frontend web design, client-side scripting, DOM manipulation, event handling, and responsive web application development concepts.

The Pomodoro Timer application is useful for students, developers, employees, and individuals who want to improve focus, increase productivity, and manage their work schedules efficiently in a digital environment.

CHAPTER 2

SYSTEM FLOW DIAGRAM

SYSTEM FLOW DIAGRAM – POMODORO TIMER WEB APPLICATION



CHAPTER 3

index.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Pomodoro Timer</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>

<div class="container">
  <h1>Pomodoro Timer</h1>

  <div id="timer">
    25:00
  </div>

  <div class="buttons">
    <button id="start">Start</button>
    <button id="pause">Pause</button>
    <button id="reset">Reset</button>
  </div>
</div>

<script src="script.js"></script>
</body>
</html>
```

style.css:

```
body{
  font-family: Arial, sans-serif;
  background-color: #121212;
  color: white;
  text-align: center;
}

.container{
  margin-top: 100px;
}

#timer{
  font-size: 80px;
  margin: 20px;
}

button{
  padding: 10px 20px;
  margin: 10px;
  border: none;
  border-radius: 5px;
  cursor: pointer;
}
```

Script.js

```
let time = 1500;
let timer;

function updateDisplay() {
  let minutes = Math.floor(time / 60);
  let seconds = time % 60;

  document.getElementById("timer").innerHTML =
    `${minutes}:${seconds < 10 ? '0' : ''}${seconds}`;
}

document.getElementById("start").onclick = function () {
  timer = setInterval(() => {
    time--;
    updateDisplay();



    if(time <= 0){
      clearInterval(timer);
      alert("Pomodoro Session Completed!");
    }
  }, 1000);
};

document.getElementById("pause").onclick = function () {
  clearInterval(timer);
};



document.getElementById("reset").onclick = function () {
  clearInterval(timer);
  time = 1500;
  updateDisplay();
};
```


CHAPTER 4

IMPLEMENTATION



RESULT



CHAPTER 5

CONCLUSION

The Pomodoro Timer Web Application is a simple and effective productivity management system developed using HTML, CSS, and JavaScript. The project successfully provides users with an easy-to-use platform for managing work sessions and improving concentration efficiently.

The application allows users to start, pause, reset, and manage timer sessions through an interactive and responsive interface. The use of JavaScript helps in providing dynamic timer functionality and smooth user interaction, while CSS enhances the visual appearance and responsiveness of the application.

This project helped in understanding important web development concepts such as frontend design, client-side scripting, DOM manipulation, event handling, and responsive web application development. The application improves productivity by helping users maintain focus, reduce distractions, and organize work sessions effectively.

Overall, the project demonstrates the practical implementation of modern web technologies in developing a real-world productivity application with a user-friendly interface and efficient functionality.

CHAPTER 6

REFERENCES

1. Jon Duckett, HTML and CSS: Design and Build Websites, 1st Edition, Wiley Publications, 2011.
2. Jon Duckett, JavaScript and jQuery: Interactive Front-End Web Development, 1st Edition, Wiley Publications, 2014.
3. Elisabeth Robson and Eric Freeman, Head First HTML and CSS, 2nd Edition, O'Reilly Media, 2012.
4. JavaScript Official Documentation – JavaScript MDN Documentation
5. HTML Official Documentation – HTML Documentation
6. CSS Official Documentation – CSS Documentation
7. W3Schools Web Technology Tutorials – W3Schools
8. MDN Web Docs – MDN Web Docs
9. TutorialsPoint Web Development Tutorials – TutorialsPoint
10. Pomodoro Technique Productivity Method – Pomodoro Technique Documentation