Status	Finished
Started	Tuesday, 22 September 2026, 4:14 PM
Completed	Tuesday, 22 September 2026, 4:19 PM
Duration	4 mins 5 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

To obtain the number of entries in dictionary which command is used?

a. d.len()

b. len(d) ✓

c. size(d)

d. d.size()

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following is not method of dictionary?

a. pop

b. del ✓

c. update

d. len

Question **3**

Correct

Mark 1.00 out of 1.00

Dictionaries are flexible in nature, means elements can be added or removed from it.

a. True ✓

b. False

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

a. Invalid Synatx,Error

b. 5

c. A

d. 4 ✓

Question **5**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

a. True

b. False ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. dictionary

b. dict ✓

c. create

d. convert

Question **7**

Incorrect

Mark 0.00 out of 1.00

Only values (without keys) can be printed in dictionary?

a. True

b. False ✗

Question **8**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

a. D1.pop(7)
b. D1.disp(7)
c. D1.get(7) ✓
d. D1.values(7)

Question **9**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys with different values.
b. A dictionary can have two same keys or same values but cannot have two same key-value pair
c. A python, a dictionary can neither have two same keys nor two same values.
d. A dictionary can have two same values with different keys. ✓

Question **10**

Correct

Mark 1.00 out of 1.00

All elements in dictionary are separated by _____.

a. Colon (
b. Semicolon(;)
c. dot(.)
d. Comma(,) ✓

Question **11**

Correct

Mark 1.00 out of 1.00

_____ function returns the value corresponding to the key passed as the argument.

a. values
b. get ✓
c. update
d. del

Question **12**

Correct

Mark 1.00 out of 1.00

Which function/statement delete the dictionary from the memory?

a. pop
b. del ✓
c. clear
d. delete

Question **13**

Correct

Mark 1.00 out of 1.00

Write the output of the following codes.
>>>dl={1:10,2:20,3:30,4:40, 5:50}
>>>dl.items ()

a. [10, 20, 30, 40, 50]
b. Error
c. [1, 2, 3, 4, 5]
d. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)] ✓

Question **14**

Correct

Mark 1.00 out of 1.00

Which function/statement delete all the items of the dictionary?

a. pop( )
b. delete( )
c. clear( ) ✓
d. del

Question **15**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys or same values but cannot have two same key-value pair
b. A dictionary can have two same keys with different values.
c. A dictionary can have two same values with different keys. ✓
d. A python, a dictionary can neither have two same keys nor two same values.