ASSIGNMENT 7

Sample Data Insertion

HOSPITAL MANAGEMENT SYSTEM

Submitted by: Dhruthi C

Register Number: 2511021240004

Course: BCA (Hons) | Subject: Database Management System

1. Objective

Insert realistic fictional sample records into every table. The sample is for academic demonstration only; it contains no real patient information. Execute the inserts in the listed order to satisfy foreign-key dependencies.

2. Sample data insertion SQL

```
USE hospital_management;
INSERT INTO Departments VALUES
(1,'Cardiology','Block A - Floor 2'),
(2,'General Medicine','Block B - Floor 1'),
(3,'Orthopaedics','Block C - Floor 1');

INSERT INTO Patients VALUES
(1,'Aarav Sharma','Male','1998-04-12','9000000001','Bengaluru'),
(2,'Meera Nair','Female','2001-09-23','9000000002','Mysuru'),
(3,'Kabir Rao','Male','1987-02-06','9000000003','Bengaluru'),
(4,'Ananya Das','Female','1995-11-18','9000000004','Tumakuru'),
(5,'Ishaan Patel','Male','1979-07-30','9000000005','Bengaluru');

INSERT INTO Doctors VALUES
(1,1,'Dr. Kavya Menon','Cardiologist','9100000001','kavya.menon@hospital.test'),
(2,2,'Dr. Rohan Iyer','General Physician','9100000002','rohan.iyer@hospital.test'), (3,3,'Dr.
Sana Khan','Orthopaedic Surgeon','9100000003','sana.khan@hospital.test');

INSERT INTO Appointments VALUES
(101,1,1,'2026-10-20','09:00:00','Completed'),
(102,2,2,'2026-10-20','10:30:00','Completed'),
(103,3,1,'2026-10-21','11:00:00','Scheduled'),
(104,4,3,'2026-10-22','14:00:00','Cancelled'),
(105,5,2,'2026-10-23','15:30:00','Scheduled'),
(106,1,2,'2026-10-24','09:30:00','Scheduled');

INSERT INTO Medicines VALUES
(201,'Paracetamol 500 mg','HealthCare Labs',2.50),
(202,'Amoxicillin 250 mg','Nova Pharma',6.00),
(203,'Omeprazole 20 mg','Wellness Pharma',4.25),
(204,'Calcium Supplement','LifeMed',3.75),
(205,'Ibuprofen 200 mg','HealthCare Labs',3.00);

INSERT INTO Prescriptions VALUES
(301,101,201,'500 mg','3 days',6),
(302,101,203,'20 mg','5 days',5),
(303,102,202,'250 mg','5 days',15),
```



```
(304,102,203,'20 mg','7 days',7),
(305,103,201,'500 mg','2 days',4),
(306,104,205,'200 mg','3 days',9);

INSERT INTO Bills (bill_id, appointment_id, bill_date, total_amount, payment_status) VALUES
(401,101,'2026-10-20 09:45:00',850.00,'Paid'),
(402,102,'2026-10-20 11:00:00',600.00,'Partially Paid'),
(403,103,'2026-10-21 11:15:00',750.00,'Pending'),
(404,104,'2026-10-22 14:10:00',200.00,'Refunded'),
(405,105,'2026-10-23 15:45:00',500.00,'Pending');
```

```
INSERT INTO Feedbacks VALUES
(501,1,1,5,'Clear explanation and helpful advice.'),
(502,2,2,4,'Professional and attentive.'),
(503,3,1,5,'Very good consultation.'),
(504,4,3,3,'The visit was satisfactory.'),
(505,5,2,4,'Answered my questions clearly.');
```

3. Record-count verification

```
SELECT 'Departments' AS table_name, COUNT(*) AS row_count FROM Departments
UNION ALL SELECT 'Patients', COUNT(*) FROM Patients
UNION ALL SELECT 'Doctors', COUNT(*) FROM Doctors
UNION ALL SELECT 'Appointments', COUNT(*) FROM Appointments
UNION ALL SELECT 'Medicines', COUNT(*) FROM Medicines
UNION ALL SELECT 'Prescriptions', COUNT(*) FROM Prescriptions
UNION ALL SELECT 'Bills', COUNT(*) FROM Bills
UNION ALL SELECT 'Feedbacks', COUNT(*) FROM Feedbacks;
```

Expected counts after a successful first run

Table	Rows
Departments	3
Patients	5
Doctors	3
Appointments	6
Medicines	5
Prescriptions	6
Bills	5
Feedbacks	5

4. Notes

- All sample people, telephone numbers and email addresses are fictional. The .test email domain is reserved for testing.
- Insert parent records before child records; this sequence respects the foreign keys.
- If the script is rerun, primary-key conflicts will occur. Use a clean test database or delete child rows first in reversedependency order.
- Dates are fixed sample dates for reproducible query outputs and are not intended to represent live appointments.

Conclusion

The inserts populate every table and provide enough linked records for filtering, grouping, aggregate functions, joins and subquery demonstrations in Assignments 8 and 9.

ASSIGNMENT 7 — OUTPUTS AND VERIFICATION

Output — Record-count verification

Table	row_count
Departments	3
Patients	5
Doctors	3
Appointments	6
Medicines	5
Prescriptions	6
Bills	5
Feedbacks	5
TOTAL	38

Example rows — Appointments

appointment_id	patient_id	doctor_id	appointment_date	appointment_time	status
101	1	1	2026-10-20	09:00:00	Completed
102	2	2	2026-10-20	10:30:00	Completed
103	3	1	2026-10-21	11:00:00	Scheduled
104	4	3	2026-10-22	14:00:00	Cancelled
105	5	2	2026-10-23	15:30:00	Scheduled
106	1	2	2026-10-24	09:30:00	Scheduled

Result

All eight tables contain sample rows and the insert order satisfies the foreign-key dependencies. Sample names and contact details are fictional.