LAB EXERCISE 9 SETTING UP POLL SCM CONFIGURATION IN JENKINS

OBJECTIVE: TO SET UP POLL **SCM** CONFIGURATION IN JENKINS FOR AUTOMATING BUILD TRIGGERING AND OPTIMIZING RESOURCE USAGE ON JENKINS SERVERS

TOOLS REQUIRED: JENKINS


PREREQUISITES: YOU NEED TO HAVE A JENKINS UP AND RUNNING.

STEPS TO BE FOLLOWED:


1. Log in to the Jenkins CI tool and set up poll SCM configuration

STEP 1: LOG IN TO THE JENKINS CI TOOL AND SET UP POLL SCM CONFIGURATION


1. LOG IN TO JENKINS USING THE CREDENTIALS




2. In the Jenkins dashboard, click on New Item



3. SELECT THE FREESTYLE PROJECT WHILE CREATING A JENKINS JOB, PROVIDE A CUSTOM JOB NAME, AND CLICK ON OK




4. Now, in the Configure page, navigate to **Source Code Management** from the left navigation bar, select **GIT**, and then provide the GIT repository URL



5. Now, navigate to **Build Environment**, Click on **Poll SCM**, provide **H/ 2****** Under the **Schedule** section, and then click on **Save**



6. THEN, CLICK ON **BUILD NOW** TO CONFIGURE A BUILD, AND YOU WILL BE ABLE TO VIEW THE SUCCESSFUL BUILD IN THE **CONSOLE OUTPUT** SECTION.



YOU CAN SEE THAT THE BUILD IS CONFIGURED SUCCESSFULLY.

BY FOLLOWING THESE STEPS, YOU HAVE SUCCESSFULLY SET UP POLL SCM CONFIGURATION IN JENKINS FOR AUTOMATING BUILD TRIGGERING AND OPTIMIZING RESOURCE USAGE ON JENKINS SERVERS.