THE UNIVERSITY OF MELBOURNE

Student ID:	**Seat number:**

Semester 2 Exams, 2026

School of Mathematics and Statistics

MAST20030_26_SM2 - Differential Equations

Reading time: 15 minutes

Writing time: 3 hours

Exam Venue Rules

- Do not communicate with other students in the exam venue.
- Phones must be fully powered off and placed under your desk.
- Ensure you only have permitted materials listed on this cover sheet on your desk.
- Raise your hand if you require assistance.
- During writing time, write your student number on the cover sheet, student declaration form, and on any script books or answer pages.
- No part of the exam paper may be removed from the venue.

Permitted Materials

- Identification card (Hardcopy student ID, Passport or Australian Government-issued photo ID)
- Pencils, pens, erasers, highlighters
- Unlabelled bottle of water

Exam Instructions

- During reading time, students may not write, type, or select answers
- Show all working or calculation steps for each question
- If you require additional space for your answers, use the pages at the back of the exam paper
- Write your answers in the designated answer boxes provided for each question
- Marks and weightings differ per question. Ensure you verify the marks for each question
- Next to each question you will find its assigned marks/weight

Exam Weighting

This exam contains 7 questions worth 90 marks.

This page intentionally left blank

Question 1 (10 marks)

(a)

(b)

(c)

There is extra answer space for Question 1 on the next page

Additional answer space only for Question 1

There is extra answer space for Question 1 on the next page

Additional answer space only for Question 1

Question 2 (12 marks)

[redacted]

(a) [redacted]

(b)

There is extra answer space for Question 2 on the next page

Additional answer space only for Question 2

There is extra answer space for Question 2 on the next page

Additional answer space only for Question 2

Question 3 (11 marks)

(a)

(b)

(c)

(d)

There is extra answer space for Question 3 on the next page

Additional answer space only for Question 3

There is extra answer space for Question 3 on the next page

Additional answer space only for Question 3

Question 4 (13 marks)

(a)

(b)

(i)

(ii)

(iii)

There is extra answer space for Question 4 on the next page

Additional answer space only for Question 4

There is extra answer space for Question 4 on the next page

Additional answer space only for Question 4

Question 5 (12 marks)

(a)

(b)

(c)

(d)

There is extra answer space for Question 5 on the next page

Additional answer space only for Question 5

There is extra answer space for Question 5 on the next page

Additional answer space only for Question 5

Question 6 (18 marks)

(a)

(b)

(c)

There is extra answer space for Question 6 on the next page

Additional answer space only for Question 6

There is extra answer space for Question 6 on the next page

Additional answer space only for Question 6

Question 7 (14 marks)

(a) 

(b)

(c) 

There is extra answer space for Question 7 on the next page

Additional answer space only for Question 7

There is extra answer space for Question 7 on the next page

Additional answer space only for Question 7

There is extra answer space for Question 7 on the next page

Additional answer space only for Question 7

Additional writing space for any question commences on the next page

Additional answer space for any question—submit this page even if blank

Additional answer space for any question—submit this page even if blank

End of Exam — Total Available Marks = 90

Turn the page for appended material

You must tick this box if you have used extra pages ☐

MAST20030 Differential Equations
Supplementary Material

Trigonometric and hyperbolic formulae

$$\sin(x) = \frac{1}{2\,\mathrm{i}}\left\{\mathrm{e}^{\mathrm{i}\,x} - \mathrm{e}^{-\mathrm{i}\,x}\right\}, \qquad \sinh(x) = \frac{1}{2}\left\{\mathrm{e}^{x} - \mathrm{e}^{-x}\right\}$$

$$\cos(x) = \frac{1}{2}\left\{\mathrm{e}^{\mathrm{i}\,x} + \mathrm{e}^{-\mathrm{i}\,x}\right\}, \qquad \cosh(x) = \frac{1}{2}\left\{\mathrm{e}^{x} + \mathrm{e}^{-x}\right\}$$

$$\cos^2(x) + \sin^2(x) = 1, \qquad \cosh^2(x) - \sinh^2(x) = 1$$

$$1 + \tan^2(x) = \sec^2(x), \qquad 1 - \tanh^2(x) = \mathrm{sech}^2(x)$$

$$\cot^2(x) + 1 = \mathrm{cosec}^2(x), \qquad \coth^2(x) - 1 = \mathrm{cosech}^2(x)$$

$$\sin(x+y) = \sin(x)\,\cos(y) + \cos(x)\,\sin(y), \quad \sinh(x+y) = \sinh(x)\,\cosh(y) + \cosh(x)\,\sinh(y)$$

$$\cos(x+y) = \cos(x)\,\cos(y) - \sin(x)\,\sin(y), \quad \cosh(x+y) = \cosh(x)\,\cosh(y) + \sinh(x)\,\sinh(y)$$

$$\sin(x)\,\sin(y) = \frac{1}{2}\left\{\cos(x-y) - \cos(x+y)\right\}, \quad \sinh(x)\,\sinh(y) = \frac{1}{2}\left\{\cosh(x+y) - \cosh(x-y)\right\}$$

$$\cos(x)\,\cos(y) = \frac{1}{2}\left\{\cos(x-y) + \cos(x+y)\right\}, \quad \cosh(x)\,\cosh(y) = \frac{1}{2}\left\{\cosh(x+y) + \cosh(x-y)\right\}$$

$$\sin(x)\,\cos(y) = \frac{1}{2}\left\{\sin(x-y) + \sin(x+y)\right\}, \quad \sinh(x)\,\cosh(y) = \frac{1}{2}\left\{\sinh(x+y) + \sinh(x-y)\right\}$$

Limits

$$\lim_{n\to\infty} \frac{1}{n^p} = 0 \quad (p>0), \qquad \lim_{n\to\infty} r^n = 0 \quad (|r|<1)$$

$$\lim_{n\to\infty} a^{1/n} = 1 \quad (a>0), \qquad \lim_{n\to\infty} n^{1/n} = 1$$

$$\lim_{n\to\infty} \frac{a^n}{n!} = 0 \quad (\text{all } a), \qquad \lim_{n\to\infty} \frac{\ln(n)}{n^p} = 0 \quad (p>0)$$

$$\lim_{n\to\infty} \left(1 + \frac{a}{n}\right)^n = \mathrm{e}^a \quad (\text{all } a), \qquad \lim_{n\to\infty} \frac{n^p}{a^n} = 0 \quad (\text{all } a, p>1)$$

Series

$$\sum_{n=1}^{\infty} \frac{1}{n^p} \quad \text{is} \quad \begin{cases} \text{convergent if } p>1 \\ \text{divergent if } p\le 1 \end{cases}$$

$$\sum_{n=1}^{\infty} a\,r^n \quad \text{is} \quad \begin{cases} \text{convergent if } |r|<1 \\ \text{divergent if } |r|\ge 1 \end{cases}$$

Reduction of order formula for second order ODEs

$$y''(t) + f_1\, y'(t) + f_0\, y(t) = g(t) \quad \Rightarrow \quad y = v \int \left[\frac{1}{I} \int \frac{Ig}{v}\, \mathrm{d}t \right] \mathrm{d}t \quad \text{where} \quad I = v^2 \mathrm{e}^{\int f_1\, \mathrm{d}t}$$

and $y(t) = u(t)\, v(t)$ for given complementary solution $v(t)$.

Laplace transform formulae

$$F(s) = \mathcal{L}\{f(t)\} = \int_0^\infty f(t)\, \mathrm{e}^{-s\,t}\, \mathrm{d}t, \qquad f(t) = \mathcal{L}^{-1}\{F(s)\}$$

$$\mathcal{L}\{e^{at} f(t)\} = F(s-a), \qquad \mathcal{L}\{f(t-a)H(t-a)\} = e^{-as}F(s)$$

$$\mathcal{L}\{af(t) + bg(t)\} = a\mathcal{L}\{f(t)\} + b\mathcal{L}\{g(t)\}$$

$$\mathcal{L}\{f^{(n)}\} = s^n\mathcal{L}\{f\} - s^{n-1}f(0) - \ldots - f^{(n-1)}(0)$$

$$\mathcal{L}\{f * g\} = \mathcal{L}\{f\}\mathcal{L}\{g\} \quad \text{where} \quad (f*g)(t) = \int_0^t f(t-\tau)\, g(\tau)\, \mathrm{d}\tau$$

Laplace Transform table

$F(s) = \mathcal{L}\{f(t)\}$	$f(t)$
$1/s$	1
$1/s^n \quad (n = 1, 2, \ldots)$	$t^{n-1}/(n-1)!$
$1/(s-a)$	e^{at}
$\omega/(s^2+\omega^2)$	$\sin \omega t$
$s/(s^2+\omega^2)$	$\cos \omega t$
$a/(s^2-a^2)$	$\sinh at$
$s/(s^2-a^2)$	$\cosh at$
e^{-as}	$\delta(t-a)$

Fourier series formulae

$$f(x) = \frac{a_0}{2} + \sum_{n=1}^{\infty} \{a_n \cos(n\,\pi\,x\,/\,L) + b_n \sin(n\,\pi\,x\,/\,L)\}$$

$$a_n = \frac{1}{L}\int_{-L}^{L} f(x)\,\cos(n\,\pi\,x\,/\,L)\,\mathrm{d}x \quad (n = 0, 1, 2, \ldots)$$

$$b_n = \frac{1}{L}\int_{-L}^{L} f(x)\,\sin(n\,\pi\,x\,/\,L)\,\mathrm{d}x \quad (n = 1, 2, \ldots)$$

Fourier transform formulae

$$\widehat{f}(k) = \mathcal{F}\{f\} = \int_{-\infty}^{\infty} f(x)\,\mathrm{e}^{-\mathrm{i}\,k\,x}\,\mathrm{d}x, \qquad f(x) = \mathcal{F}^{-1}\{\widehat{f}\} = \frac{1}{2\,\pi}\int_{-\infty}^{\infty} \widehat{f}(k)\,\mathrm{e}^{\mathrm{i}\,k\,x}\,\mathrm{d}k$$

$$\mathcal{F}\left\{\frac{d^n f}{dx^n}\right\} = (\mathrm{i}\,k)^n\,\widehat{f}, \qquad \mathcal{F}\{x^n\,f\} = \mathrm{i}^n\,\frac{d^n\,\widehat{f}}{dk^n}$$

$$\mathcal{F}\{f * g\} = \mathcal{F}\{f\}\mathcal{F}\{g\} \quad \text{where} \quad (f * g)(x) = \int_{-\infty}^{\infty} f(x-\xi)\,g(\xi)\,\mathrm{d}\xi$$