SUBJEC – DATA MANAGEMENT, WAREHOUSING, ANALYTICS ASSIGNMENT – 1

SUBMITTED BY, Dhruv Doshi B00883311 <u>dh722257@dal.ca</u>


SUBMITETD TO: Prof. SAURABH DEY

# **Building a Data Model for Nova Scotia on its Provincial Parks.**

After going through <a href="https://parks.novascotia.ca/">https://parks.novascotia.ca/</a> I have founded these 12 entities and listed their reason for the selection in the given table.

ENTITY	REASON FOR SELECTION
Park	Parks are the center point for the whole system
Region	Region is directly connected with park and have distinct value
Province	Province could help further rectify the rules to be considered
Events	All events happening in the park.
Additional Service	Third party services
Providers	Third party services providers
Reservations	User could make reservations from here.
Users	All the data regarding guests
Features	All the additional paid features given by park
Amenities	All the free amenities given by park
Fees	Fees to be paid during registration
News	News published by the park
Staff	All the maintain staff for the park

After completion of finalizing the entities, I move forward to design the initial ER diagram for the parks. The pen and paper ERD is attached as a figure below.




Finding the design issues, or attributes that were not considered, or entities which were found after going through the design. I have tried to cover all the aspects in the initial diagram itself still if any of the part is left then it will be corrected in this segment.

#### Points performed:

- Region\_code is not required as it does not hold any substantial information for this use case.
- In Park we need to have Park id as a primary key.
- Additional Service attribute should consist of the provider\_id as an attribute because that will cast the connection between two tables.
- In Additional Services Park id needed to be a primary key.
- Users entities need to have user\_id attribute and that too need to be part of composite primary key.
- News will be the weak entity as it cannot be identified independently without accessing the parks along with the only way to have a primary key in it is by having the park\_id and news id being a composite key.
- There is multiple 1 to many relationships in the ER Diagram, but these all entity are individual and do not collide hence there will not be any case of fan trap here.
- There are not any many to one relationship hence no occurrence of chasm trap is identified in this ERD.

After performing the steps this will be the final ER Diagram.



## Format Ocean Tracking Data and Report

The data given includes the information regarding some research work on the animals as there is vital information about the animals like their sex, age and length. Alongside that we also have information about the lab. The information about the datacenter, offload tag, detection, project and receivers is also given through the dataset. After the initial skimming I could say that the database are in bad shape and they need to be refactored which I will be doing in the later half of the assignment. In this Assignment we initially have what the changes I have performed on the datasets and why I needed to perform those steps. Continuing that it will have initial ER diagram and after that we will discuss the normalization steps and also have an ER diagram with normalization.

#### Datasets used for this task:


- Otnunit att animals
- Otnunit aat datacenter
- otnunit aat detection
- otnunit aat manmade
- otnunit aat project
- Otnunit aat receivers
- Otunit aat recover offload details
- Otnunit aat tag releases

#### After cleaning and filtering the data

- Otnunit att animals
  - o Taxonrank Empty column Removed completely
  - Animal\_Origin For every null value and aphiaid = 217628 and scientific name = Notorynchus cepedianus we will change the blank with W as per the previous records.
  - Stock There are three data inputs UNK, Unknown and Blanks which will be replaced by No Data.
  - O Length The records where there is no data for stock are majorly NAN in length hence, we need to make sure there isn't any issue with any average hence we will change them by the average length of similar aphiaid. Where the information couldn't been found it had put the null values.
  - o Length types Blank rows with No Data.
  - o Life stage blank rows with No Data.
  - Age its int data type hence removing nan with NULL.
  - o Sex Sex cannot be predicted hence we put UKNOWN at blank positions.
- Otnunit aat datacenter
  - o Datacenter distribution statement Empty hence removed
  - Datacenter date modified Empty hence removed
  - o time coverage start Empty hence removed
  - o time\_coverage\_end Empty hence removed
  - o datacenter\_geospatial\_lon\_min, datacenter\_geospatial\_lon\_max, datacenter\_geospatial\_lat\_min, datacenter\_geospatial\_lat\_max – wherever there is na values changes with NULL
- otnunit aat detection
  - o Sensor data, Sensor data units All blank is replaced with unknown.
  - o receiver log id, detection quantity All blank is replaced with unknown.
  - O Depth the whole column does not hold any substantial values, hence removing the whole column.
  - Uncertainty\_in\_latitude, Uncertainty\_in\_longitude the whole column is nan hence removing the column.
  - Depth\_data\_source, uncertainty\_in\_depth, other\_position\_data, dataset quantity blank column, hence removing them.
- otnunit aat manmade
  - o platform\_depth, latitude\_degrees\_north, longitude\_degrees\_north wherever the data is nan change it with NULL.
- otnunit\_aat\_project
  - o time\_coverage\_end, time\_coverage\_start whole column is empty hence remove the column.
  - o geospatial\_vertical\_positive, project\_linestring whole column is empty hence remove the column.
  - Project\_date\_modified, project\_distribution statement, project\_doi, project\_references - removing the whole column.
  - o Project infourl Blank and na cells are <NULL>
  - Project\_pi\_contact, project\_pi, project\_citation, project\_abstract Blanks are converted to No Data.

- Otnunit aat receivers
  - o Receiver\_manufacturer, receiver\_seriel\_number, receiver\_reference\_id, deployment comments blank row converted to No Data
  - o Frequencies\_monitored, receiver\_coding\_scheme, deployed\_by blank column hence removed.
  - o Recovery datetime utc some blank cells are there replaced by NULL
  - o Bottom depth, depth nan to NULL
  - o Expected reciever life removed because it doesn't hold any value
- Otunit aat recover offload details
  - o Log files, recovery comments blank replaced with No Data
  - o Recovery datetime utc, offload daytime utc nan or blank to NULL
  - o Clock synchronized, recovered by blank so removed
- Otnunit\_aat\_tag\_releases
  - o Tag\_frequency, transmitter\_type, tag\_programming\_id blank hence removed


On the following page we could have a pre normalization reverse engineered ERD diagram. That consist of all the relationships and cardinalities.



#### Normalization:

- In datacenter table, it includes multivalued attributes keyword datacenter column, so this violated 1NF norms. To solve the issue, create a new table named keywords with two fields named references\_datacenter and keywords\_datacenter. After doing this step delete the multivalued attribute keyword datacenter from the table.
- Datacenter table has non prime attributes (datacenter\_pi, datacenter\_pi\_contact, datacenter\_pi\_organisation) which could uniquely identified from datacenter\_pi by putting it as the primary key of the newer generated table.
  - Table 1: Datacenter\_pi\_details(datacenter\_pi (PK), datacenter\_pi\_contact, datacenter\_pi organisation)
  - In the original table the Datacenter\_pi will become primary key and datacenter\_pi\_contact, datacenter\_pi\_organisation would be removed from that table.
- Project\_Attribute table is not also in 2NF, hence we will continue with the same method we proceed in the previous step.
  - O Here the issue lies with project\_pi, project\_pi\_contact, project\_pi\_organisation where the tables could be designed in the form like where one table is main holding all the information with project\_pi as foreign key and then the second table with project\_pi as the primary key and project\_pi\_contact, project\_pi\_organisation as an attribute.

On the following page you could find the post normalization ERD diagram




# **Opportunities in Halifax**

Here in this part of the assignment we need to gather 5 entities for the real-estate client who is looking to buy some property in nova scotia region.

For that work these are the five entities which had been finalized


- Region,
- Crime ns,
- Population,
- Childcare and
- Employment

To gather the data sets <a href="https://data.novascotia.ca/">https://data.novascotia.ca/</a> is used as per stated in the assignment document.




After finding the data sets I have used several Excel techniques to narrow down the data by cleaning the given data. Broadly wherever the data field in blank, it is filled by NULL values for numerical and No Data for the Varchar data types.


Here in this image you can see that there is <NULL> for each blank position in email 1



Whereas here Email 2 had been deleted as it does not had any single value in it.



The following page consists the ERD obtained by MySql workbench.



### References

[1]"Flowchart Maker & Online Diagram Software", *App.diagrams.net*, 2021. [Online]. Available: https://app.diagrams.net/. [Accessed: 01- Jun- 2021]

[2] Data.novascotia.ca, 2021. [Online]. Available: https://data.novascotia.ca/. [Accessed: 01-Jun- 2021]

[3]"How to import a CSV file into a MySQL database?", *Medium*, 2021. [Online]. Available: https://medium.com/@AviGoom/how-to-import-a-csv-file-into-a-mysql-database-ef8860878a68. [Accessed: 01- Jun- 2021]