CS 461

Lab Assignment 1

Name: Gandhi Dhruv Vipulkumar

Institute ID: 202151053

Date: 2-9-2024

Q. Implement basic Client-Server in distributed environment

Server.py

```
import socket
# Define the host and port for the server to listen on
# Localhost, meaning the server will only be accessible from this
machine
HOST = '127.0.0.1'
PORT = 4000 # Port to listen on
# Create a socket object using IPv4 addressing (AF_INET) and TCP
(SOCK STREAM)
server socket = socket.socket(socket.AF INET, socket.SOCK STREAM)
# Bind the socket to the host and port, making the server ready to
accept connections
server socket.bind((HOST, PORT))
# Enable the server to accept connections, with a default backlog of
connections
server socket.listen()
print('Server listening on port', PORT)
# Server loop to continuously accept and handle connections
while True:
    # Accept a new connection from a client
    connection, address = server socket.accept()
    print('Connected by', address) # Display the client's address
    # Receive data from the client (up to 1024 bytes)
    data = connection.recv(1024)
```

```
# If no data is received, the connection is likely closed
if not data:
    break

# Print the received data, decoding it from bytes to string
print('Received Data: ', data.decode())

# Send a response back to the client confirming receipt of the
data
    connection.sendall(b'Data received successfully')

# Close the connection with the current client
connection.close()

# Close the server socket when done
server_socket.close()
```

Client.py

```
import socket
# Define the host and port to connect to the server
# The server's hostname or IP address (localhost in this case)
HOST = '127.0.0.1'
PORT = 4000 # The port used by the server
# Create a socket object using IPv4 addressing (AF INET) and TCP
(SOCK STREAM)
client socket = socket.socket(socket.AF INET, socket.SOCK STREAM)
# Connect the socket to the specified server and port
client_socket.connect((HOST, PORT))
# Prompt the user to enter a message to send to the server
message = input('Enter a message: ')
# Send the user's message to the server, encoding it into bytes
client_socket.sendall(message.encode())
# Wait to receive a response from the server (up to 1024 bytes)
data = client socket.recv(1024)
```

```
# Print the server's response, decoding it from bytes to string
print('Received: ', data.decode())

# Close the connection to the server
client_socket.close()
```

Testing Phase:

Sending message: Hello (from client to server)

```
PS D:\LAB\Sem 7\CS 401 Parallel Computing\lab 1> python.exe client.py
Enter a message: Hello
Received: Data received successfully
PS D:\LAB\Sem 7\CS 401 Parallel Computing\lab 1>

PS D:\LAB\Sem 7\CS 401 Parallel Computing\lab 1> python.exe server.py
Server listening on port 4000
Connected by ('127.0.0.1', 57678)
Received Data: Hello
```

Conclusion: Message received successfully to the server