


# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

---

## **HPM PAPER CUTTING LINE 115**



-Paper Cutting Line Performance

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

---

1. Huayue cutting line, consisting of paper loader, paper cutter, paper unloader, etc. Whole set of cutting line is designed to be efficient and reasonable, applying Huayue's many patented technologies to achieve automatic paper loading, efficient paper cutting and automatic paper unloading, and paper loading and unloading can be done simultaneously to max production efficiency and significantly reduce labour costs. With the latest industrial LCD touch screen, efficiency of cutting system reaches a whole new level.
2. Cutting line HPM-I-115, with a cutting height 165mm, giving it a significant advantage in terms of staff efficiency and high volume work.
3. Huayue cutting lines can perform perfectly in terms of efficiency, speed and streamlining of personnel. The front loading cutting line can automatically transfer the paper stack to platform, and the finished unloading stack can go directly to the downstream printing machine, saving the printing machine pre-loading staff.

## ***Content***

This is an electronic message, hence signature not required.

**Hyderabad**

**Pune**

**Vizag**

**Nairobi-kenya**

# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

---

## **Loader QZ1450F**

1. Picture of Machine
2. Configuration Listing
3. Machine Performance
4. Technical Parameter
5. Latest highlights

## **Paper Cutter SQZK115S16**

1. Picture of Machine
2. Configuration Listing
3. Machine Performance
4. Technical Parameter
5. Computer SystemS16

## **Unloader XZ1050S**

1. Picture of Machine
2. Configuration Listing
3. Machine Performance
4. Technical Parameter
5. Latest highlights

Paper Cutting Line Floor Plan Our Company

## ***Loader QZ1450F***

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

---

## 1. Picture of Machine



## 2. Configuration Listing

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

---

| No. | Name                  | Brand, specification & model                  | Origin of brand |
|-----|-----------------------|-----------------------------------------------|-----------------|
| 1   | Sensor                | FOTEK                                         | Taiwan          |
| 2   | Air Switch            | TE                                            | France          |
| 3   | AC Contactor          | TE                                            | France          |
| 4   | Button                | TE or Eton                                    | France          |
| 5   | Platform servo motors | Platform Walking (Panasonic )                 | Japan           |
| 6   | Servo Driver          | Walking Control (Panasonic )                  | Japan           |
| 7   | Servo motor           | Pick-up part (Panasonic )                     | Japan           |
| 8   | Photoelectric Sensor  | Detecting the height of paper stacks (LEUZE ) | German          |
| 9   | Switch Power          | TE                                            | France          |
| 10  | Power Switch          | CANSEN                                        | China           |
| 11  | Miniature Relay       | TE                                            | France          |
| 12  | Combination valves    | Hydraulic Part (WAISN)                        | Taiwan          |
| 13  | Air cylinder          | Catch paper part (AirTAC)                     | China           |
| 15  | Linear Guider         | High accurate linear guides                   | Taiwan          |
| 16  | Display screens       | MCGS                                          | China           |

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

---

## 3. Machine Performance

- A. Paper loader has many features such as high production efficiency, reduced labour intensity of the operator, short auxiliary production time and reduced labour costs.
- B. The automatic paper pick-up function automatically transfers the paper from the pile to the working platform, making the operation process safe and reliable.
- C. The machine is protected by a safety edge during operation. This ensures the safety of people around the machine during operation. The paper pick-up height can be adjusted at will. The hydraulic structure is used for lifting and lowering to ensure a smooth lift. The paper clamping function is pneumatically operated and the tightening force is adjustable for different paper types.
- D. Greatly facilitates the picking up of paper stacks during the cutting process. It provides the necessary prerequisites for future printing or folding processes, saving time and effort. The fully automatic paper pick-up function ensures simple operation.

## 4. Technical Parameter

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

| <u>Model</u>                      | <u>Unit</u> | <u>QZ1450F</u>               |
|-----------------------------------|-------------|------------------------------|
| Loading Pattern                   |             | Pre-paper                    |
| Plate Size (W×L)                  | cm          | 130×160                      |
| Max. loading size (W×L)           | cm          | 110×128                      |
| Min. loading size (W×L)           | cm          | 45×56                        |
| Max. loading height               | cm          | 16.5                         |
| Max. Stacking height (with plate) | cm          | 160                          |
| Min. table height from the floor  | cm          | 15                           |
| Max. loading weight               | Kg          | 350                          |
| Pressure setting                  | MPa         | 0.6                          |
| Air Demand                        | MPa         | 0.6                          |
| Air supply consumption            | L /min      | 3                            |
| Rated voltage                     | V           | 380/220                      |
| Power supply mode                 |             | Three-phase five-wire system |
| Gross Power                       | Kw          | 5                            |
| Min. grams of paper               | g           | 50                           |
| Loading Time                      | S           | 25-40                        |
| Net Weight                        | KG          | 1850                         |
| Gross Weight                      | KG          | 1950                         |
| Machine Size (LXWXH)              | cm          | 277.3×232.3×206              |
| Packing Size (LXWXH)              | cm          | 270×228×221                  |

Note: The stacking angle should be adjusted for different paper types, which may result in slight variations in the maximum pick-up size.

## 5. Latest highlights:

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

---

- A. The first national up and down movement using hydraulic structure, hydraulic system in the platform down without electricity, green energy saving, saving electricity costs, reliable work, smooth operation, no leakage phenomenon, can significantly reduce the cost of late maintenance.
- B. Adopt the patented overall frame type welded square steel structure base, the overall frame is solid, equipped with multiple adjustable bit chassis, easy to move and debug, can quickly adjust the level, and ensure the long-term work stability of the whole machine.
- C. The platform walking mechanism adopts servo motor with high-precision reducer, which is more responsive, with high accuracy of back and forth positioning, reliable and durable, and low maintenance cost, and the high-precision reducer is located above the cross beam, which is more reasonable in structure and safer in operation.
- D. Adopt the parameterized setting interface to ensure that all kinds of paper such as thick paper, thin paper and slippery paper can be taken smoothly.
- E. Adopting international brand photoelectric sensor to detect the paper pile fully automatically, the response is fast and reliable, and the action is fast and in place.
- F. When operating, the machine noise is the lowest in the industry, and the computer system is sensitive and reliable.
- G. Multi-servo control drive mechanism makes the whole machine run more smoothly and pick up paper more smoothly through the optimized parameter setting.

## ***Paper Cutter SQZK115S16***

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya



# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

---

## 1. Picture of Machine



SAI ENTERPRISES  
Graphic Machinery Suppliers

## 2. Configuration Listing

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

| No. | Name                     | Brand, specification & model            | Origin of brand |
|-----|--------------------------|-----------------------------------------|-----------------|
| 1   | Background LCD           | 16'Color touch Interface                | China           |
| 2   | PLC                      | Panasonic                               | Japan           |
| 3   | Backgauge position motor | Panasonic servo motor                   | Japan           |
| 4   | Pick-up                  | Autonics                                | Korea           |
| 5   | Limit switch             | TE                                      | France          |
| 6   | Guarding motor           | TE                                      | France          |
| 7   | Air switch               | TE                                      | France          |
| 8   | AC Contactor             | TE                                      | France          |
| 9   | Miniature relay          | TE                                      | France          |
| 10  | Switching power supply   | TE                                      | France          |
| 11  | Power switch             | CANSEN                                  | China           |
| 12  | Press-button             | TE                                      | France          |
| 13  | Ball screw               | High accurate                           | China           |
| 14  | Linear guider            | High accurate double linear guides      | Taiwan          |
| 15  | Hydraulic system         | Combination Valve                       | Germany         |
| 16  | Oil Pump                 | HP                                      | Italy           |
| 17  | Bearing                  | NSK                                     | Japan           |
| 18  | Work Table               | Slotless and plated chromium work table | China           |
| 19  | Photocell                | Sheng da                                | China           |

## 3.Machine Performance

This is an electronic message, hence signature not required.

Hyderabad


Pune

Vizag

Nairobi-kenya

# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info



## Hydraulic Control System

Adopts double hydraulic control system which is composed of two hydraulic circuits. When press the footpedal, the hydraulic oil goes through the primary hydraulic circuit made up of reducing valve and spillover valve, and gives the cutting paper micro pressure. At the time of cutting paper, put thousands of kilograms of high pressure to ensure the cutting quality and safe operation.

## Frame construction

Adopts high stiffness linear guides and high precision gapless lead screw to ensure backgauge accuracy and effectively improve the anti-impact capability against unidirectional impact



## Electric Control System

1. Main electronic units are from French TE and Japanese ORMON brands.
2. Italy oil pump and German DICHTOMATIK sealing elements.
3. Japan NSK bearing of low maintenance

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag


Nairobi-kenya

# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

## Safety parts

1. It adopts inside electronic knife locker, which can effectively avoid knife-sliding.
2. Adopts main motor overloading protection safety device for cutting, infrared photoelectric protection, and buttons by two hands safety devices.



## Chrome-plated

Chrome-plated for main worktable and side tables, and has the device of air cushion, which is convenient for backgauge running.

## Packing Content

1. Mechanical assistance device for knife replacement
2. Illuminated working surface/optical cutting line indicator
3. A tool box
4. Operating instruction
5. Computer manual and spare parts list



This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

## 4. Technical Parameter

| Model                                        | Unit     | 115         |
|----------------------------------------------|----------|-------------|
| Max. Cutting Width                           | cm       | 115         |
|                                              | inch     | 45.3        |
| Max. Cutting Length                          | cm       | 115         |
|                                              | inch     | 45.3        |
| Max. Cutting Height                          | cm       | 16.5        |
|                                              | inch     | 6.5         |
| Min. Cutting Size (without false clam plate) | cm       | 3           |
|                                              | inch     | 1.2         |
| Min. Cutting Size (with false clamp plate)   | cm       | 9           |
|                                              | inch     | 3.5         |
| Front Table Length                           | cm       | 72          |
|                                              | inch     | 28.3        |
| Max. Clamp Pressure                          | N        | 40000       |
| Max. Cutting Speed                           | time/min | 46          |
| Main Motor                                   | KW       | 4           |
| Net Weight                                   | Kg       | 3650        |
| Gross Weight                                 | Kg       | 4050        |
| Packing Size(L×W×H)                          | cm       | 285×175×202 |

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya



# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

## 7.Computer SystemS16



- **16 inch full touch display screen, with program setting.**
- German operating system is equipped to meet the operating habits of domestic users and guarantee convenient operation;
- Mainboard adopted industrial chip imported from Italy;
- Equipped with signal amplification function and excellent anti- interference to avoid dimension errors due to drive aging;
- Dimension in front of knife will be displayed to facilitate sizes for cutting;
- **Program storage capacity is 300 programs**, each program can store 200 items cutting size.
- Equipment has relative positioning function relative to current position;
- With minimal compensation, it can rapidly correct program errors due to paper distortions;
- It can rapidly find out user-defined number of cutters;
- Each air cushion program can be programmed;
- The time of automatic cutting signals can be set up and cancelled; single

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya


# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

---

automatic cutting can be started by inputting a password;

- High and low speeds can be manually switched over rapidly;
- A paper-pushing program is equipped to push paper automatically so as to guarantee safety and enhance operation efficiency;
- Automatic cutting can be made as per instructed programming;
- Display precision is 0.01mm;
- Multiple languages such as Chinese and English are available for order management;
- Manual and automatic operations can be rapidly switched over to enhance efficiency to the greatest extent;
- Voice messages are equipped to make users judge equipment conditions correctly.



**SAI ENTERPRISES**  
Graphic Machinery Suppliers

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

---

## *Unloader XZ1050F-2*

### 1. Picture of Machine



This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya



# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

## 2.Configuration Listing

| No. | Name                  | Brand, specification & model                  | Origin of brand |
|-----|-----------------------|-----------------------------------------------|-----------------|
| 1   | Sensor                | FOTEK                                         | Taiwan          |
| 2   | Air Switch            | TE                                            | France          |
| 3   | AC Contactor          | TE                                            | France          |
| 4   | Button                | TE or Eton                                    | France          |
| 5   | Platform servo motors | Platform Walking (Panasonic )                 | Japan           |
| 6   | Servo Driver          | Walking Control (Panasonic )                  | Japan           |
| 7   | Servo motor           | Pick-up part (Panasonic )                     | Japan           |
| 8   | Photoelectric Sensor  | Detecting the height of paper stacks (LEUZE ) | German          |
| 9   | Switch Power          | TE                                            | France          |
| 10  | Power Switch          | CANSEN                                        | China           |
| 11  | Miniature Relay       | TE                                            | France          |
| 12  | Combination valves    | Hydraulic Part (WAISN )                       | Taiwan          |
| 13  | Air cylinder          | Catch paper part (AirTAC )                    | China           |
| 14  | Linear Guider         | High accurate linear guides                   | Taiwan          |
| 15  | Display screens       | MCGS                                          | China           |

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

---

## 3. Machine Performance

1. The paper unloader can be used in conjunction with program-controlled paper cutters, lifters, paper breakers and air cushion workstations to form a cutting line, which can automatically complete the cutting, feeding and unloading, sorting, handling and stacking of paper, with many features such as high production efficiency, low operating labour intensity, short auxiliary production time and reduced labour costs.
2. It greatly facilitates the feeding and unloading of paper stacks during the cutting process. The high quality stacking function provides the necessary prerequisites for future printing or folding processes, saving time and effort. The fully automatic paper size adjustment function guarantees simple operation



This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

## 4. Technical Parameter

|                                  |        |                              |
|----------------------------------|--------|------------------------------|
| Model                            | Unit   | XZ1050S                      |
| Plate Size (W×L)                 | cm     | 94×134                       |
| Max.Papersize (W×L)              | cm     | 90×130                       |
| Min.Paper size (W×L)             | cm     | 30×40                        |
| Max.Layer height(with plate)     | cm     | 160                          |
| Max.Layer height                 | cm     | 16.5                         |
| Min. table height from the floor | cm     | 15                           |
| Max.Layer weight                 | Kg     | 350                          |
| Pressure setting                 | MPa    | 0.35-0.4                     |
| Air Demand                       | MPa    | 0.6                          |
| Air supply consumption           | L /min | 3                            |
| Rated voltage                    | V      | 380/220                      |
| Power supply mode                |        | Three-phase five-wire system |
| Gross Power                      | Kw     | 4.3                          |
| Min.grams of paper               | g      | 50                           |
| Unloader time                    | S      | 20-35                        |
| Net Weight                       | KG     | 1650                         |
| Gross Weight                     | KG     | 1750                         |
| Machine Size (LXWXH)             | cm     | 307.6×178.2×206              |
| Packing Size (LXWXH)             | cm     | 318×206×221                  |

This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

---

## 5.Lastest Highlights

- The first national up and down movement using hydraulic structure, hydraulic system in the platform down without electricity, green energy saving, saving electricity costs, reliable work, smooth operation, no leakage phenomenon, can significantly reduce the cost of late maintenance.
- Adopt the patented overall frame type welded square steel structure base, the overall frame is solid, equipped with multiple adjustable bit chassis, easy to move and debug, can quickly adjust the level, and ensure the long-term work stability of the whole machine.
- The platform walking mechanism adopts servo motor with high-precision reducer, with rapid response, high positioning accuracy, reliable and durable, low maintenance cost, high- precision reducer is located above the beam, with more reasonable structure and safer operation.
- Adopt the parameterized setting interface to ensure that all kinds of paper such as thick paper, thin paper and slippery paper can be unloaded smoothly.
- Adopting international brand photoelectric sensor to detect the paper pile fully automatically, the response is fast and reliable, and the action is fast and in place.

When operating, the machine noise is the lowest in the industry and the computer system is sensitive and reliable.

- Multi-servo control drive mechanism makes the whole machine run more smoothly and unload paper more smoothly through optimized parameter setting.

This is an electronic message, hence signature not required.

Hyderabad


Pune

Vizag


Nairobi-kenya

# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info



115 QZ1450F XZ1050S Paper



This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya

# SAI ENTERPRISES

G-20, Vikas Surya, Janak Plaza, Plot-C-6B Market Janakpuri New Delhi-110058  
Tel- 011-46025513 Ph: +91 9312175513, 9716115513, Email: msrao@saienterprises.info

---

## Our Company

Zhejiang Huayue Packing Machinery Co., Ltd. is a well-known paper cutter manufacturer in China. Through 30 years' development, the company, has grown into scientific and technological business organization, with its business activities expanding from the original processing into design, research, development, processing, manufacturing, and domestic and foreign sale. To meet the increasing market demand for our paper cutting machine,

Company passed the certification of ISO9001/18001 and CE certification. It is also main drafter for China Paper Cutting Machine Industry Standard.

We have been sold machine to Asia, Middle-East Asia, South America, European & USA etc.,



This is an electronic message, hence signature not required.

Hyderabad

Pune

Vizag

Nairobi-kenya